SYNTHETIC GRAPH SOURCE {COUNT} $&

# Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

## Lokho okubikile ngaleli pulazi

### Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

### Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

### Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

## Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

### Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

### Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

### Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Izithelo, amantongomane nokudla komdabu

### Soft citrus

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Izithelo ezisawolintshi ezithambile zivame ukuthanda izimo ezipholile nezomile. Qinisekisa izidingo zesiphunzi nempova/ukuba nezinhlamvu ngaphambi kokuxuba izinhlobo.

Iseluleko sokuthenga: Endaweni efanelekile: i-Miho Wase satsuma yokuqala (kusukela maphakathi no-Mashi); ama-clementines aphakathi (ekupheleni kuka-Mashi–maphakathi no-Juni); i-Nadorcott mandarin yakamuva (maphakathi no-Meyi–Septhemba). Izinsuku ziyizinkomba ezibanzi zaseNingizimu Afrika, azilona ikhalenda lendawo. Oda izihlahla zasenkulisa ezinamalebula.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Eastern & Western Cape (izindawo eziyinhloko ze-soft citrus) — izinhlobo ze-Satsuma: Mas–Mey.

Inkomba kuphela — Eastern & Western Cape (izindawo eziyinhloko ze-soft citrus) — izinhlobo ze-Clementine: Mas–Jun.

Inkomba kuphela — Eastern & Western Cape (izindawo eziyinhloko ze-soft citrus) — izinhlobo ze-Mandarin (kuhlanganise ne-Nadorcott): Mey–Sep.

Umthombo: Citrus Academy, Citrus Types and Cultivars (2017), pp. 7–13

Umthombo: Citrus Growers' Association / Citrus Academy — 'Citrus Planting Management 2: Citrus Types and Cultivars' Learner Guide (1st edition), Citrus Resource Warehouse (crw.org.za), citing CRI Cultivar Fact Sheets, p. 8

Umthombo: Citrus Growers' Association / Citrus Academy — 'Citrus Planting Management 2: Citrus Types and Cultivars' Learner Guide (1st edition), citing CRI Cultivar Fact Sheets, p. 8

Umthombo: Citrus Growers' Association / Citrus Academy — 'Citrus Planting Management 2: Citrus Types and Cultivars' Learner Guide (1st edition), citing CRI Cultivar Fact Sheets, p. 9



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

### Strawberry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Sebenzisa amahlumela anokwebeka ahlanzekile, ukhethe uhlobo nohlelo lokukhiqiza olufanele indawo. Ukunisela okuthembekile nokulawula izifo kubalulekile.

Iseluleko sokuthenga: Umhlahlandlela wase-KZN ubala i-Chandler ne-Selecta. Ukutholakala nokusebenza kwazo endaweni manje kudinga ukuhlolwa; izikhathi zasemhubheni nezangaphandle mazihlale zehlukene.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Western Cape: Sep–Dis.

Inkomba kuphela — Transvaal (manje i-Gauteng/Limpopo/Mpumalanga/North West), kutshalwe emihubheni yokukhulisa izitshalo: Mey–Dis.

Inkomba kuphela — South Africa (uhlolojikelele lwenhlangano yemboni, zonke izifunda): Jun–Dis.

Inkomba kuphela — KwaZulu-Natal, izindawo ezingenasithwathwa: Mey–Aga.

Inkomba kuphela — KwaZulu-Natal, izindawo ezinesithwathwa esincane: Sep–Dis.

Umthombo: KZN DARD, Fruit and Nut Production, PDF pp. 34–35 (regional reference; confirm current nursery stock)

Umthombo: SASGA: An overview of strawberry cultivation in South Africa

Umthombo: J.P. Human & E.P. Evans, 'STRAWBERRY PRODUCTION IN SOUTH AFRICA', Acta Horticulturae 265 (International Strawberry Symposium), abstract (article 265_125), p. 757

Umthombo: South African Strawberry Growers Association (SASGA), An overview of strawberry cultivation in South Africa

Umthombo: KwaZulu-Natal Department of Agriculture and Rural Development, Horticultural Advisory Notes: Fruit and Nut Production (in KZN), p. 34



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

### Low-chill peach

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhombo sesivuno sokuqala: iminyaka engu-3. Incwadi ejwayelekile yamapentshisi yase-KZN; lesi sigaba sikhomba izigodi zemifula zase-Muden, Middelrus nase-Weenen njengezindawo zokukhula ezidinga amakhaza ambalwa. Qinisekisa uhlobo nobudala bokuqala basenkulisa. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isikhombo sokukhiqiza osekusimeme: iminyaka engu-7. Incwadi yesifunda efanayo ichaza ukuthi impilo yensimu yezihlahla zezithelo zokudayisa icishe ibe iminyaka engu-12–15; ayinikezi izivuno zesihlahla ngasinye ngokobudala.

Isikhombo sokukhiqiza: 23–43 kg/isitshalo. KUGUQULIWE, ukubala kubonisiwe: kusetshenziswe ibanga lesivuno elithi “Average” (15-18 t/ha) nezikhala ezishiwo emthonjeni ofanayo (“Generally planted 6m x 4m or 5 m x 3 m”). Ku-6x4m = 24 $m^2$/tree -> 10000/24 = 416.7 trees/ha -> 15000kg/416.7=36.0 no-18000kg/416.7=43.2 kg/tree. Ku-5x3m = 15 $m^2$/tree -> 666.7 trees/ha -> 15000/666.7=22.5 no-18000/666.7=27.0 kg/tree. Ibanga elihlanganisa zombili izikhala, elisondezwe: [23, 43] kg/tree. Lo mehluko ukhombisa izikhala ezimbili ezihlukene ezitholakala emthonjeni, hhayi ukuhluka kwezinhlobo.

Qinisekisa ukubanda okudingwa uhlobo oluthile nobungozi besithwathwa sasentwasahlobo. Izinga lokushisa eliyisilinganiso lasebusika alisona isilinganiso samahora okubanda.

Iseluleko sokuthenga: Uhlobo olungacatshangelwa oludinga ukubanda okuncane kuya kokumaphakathi: Earligold (200–400 Infruitec units), olunereferensi yokuqala ukukha ngo-Disemba yase-Bien Donne, Western Cape. I-Cederberg yakamuva inereferensi ka-Januwari. Qinisekisa ukubanda kwangempela, izitshalo nezinsuku zendawo ngaphambi kokuhlela izinhlobo zilandelane.

Impova: iyakwazi ukwakha izithelo ngempova yayo. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — South Africa — uhlobo lwe-Earligold oludinga ukubanda okuncane (low-chill) (lwathuthukiswa e-ARC Infruitec-Nietvoorbij, izindawo zokukhula ezinezikhathi ezincane zokubanda): Dis.

Inkomba kuphela — South Africa — izinhlobo ze-Cederberg ne-Afrisun ezidinga ukubanda okuncane/okuphakathi (low/medium-chill) (zathuthukiswa e-ARC Infruitec-Nietvoorbij): Jan.

Umthombo: Culdevco / ARC: Earligold cultivar sheet, Bien Donne data

Umthombo: Culdevco / ARC: Cederberg cultivar sheet

Umthombo: Culdevco (Plant Breeders' Rights licensing body for ARC-bred deciduous fruit cultivars) — Earligold peach cultivar information sheet

Umthombo: Culdevco — Cederberg and Afrisun peach cultivar information sheets

Umthombo: Culdevco — Earligold peach cultivar information sheet

Umthombo: KwaZulu-Natal Department of Agriculture and Rural Development, 'Fruit and Nut Production in KZN' (Horticultural Advisory Notes), p. 28

Umthombo: KwaZulu-Natal Department of Agriculture and Rural Development, 'Fruit and Nut Production in KZN' (Horticultural Advisory Notes), p. 29



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

### Grape vine

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Flame Seedless year 4 — Hex River Valley enterprise budget: Year 4 commercial budget: 4,400 cartons/ha at 4.5 kg/carton = 19,800 kg/ha. The source does not provide matched vines/ha or row/vine spacing, so no kg/vine is derived. This is a budget assumption for one cultivar and region, not a generic full-bearing age or a local mapped-vine production record.

Khetha uhlobo lwesivini oluhambisana nesifunda sokukhiqiza, amanzi nohlelo lokusekela. Isikhathi sikazwelonke sokuhlinzeka sihlanganisa izifunda eziningana.

Iseluleko sokuthenga: Ireferensi yezimboni ye-DAFF: i-Prime Seedless, i-Sugraone ne-Flame Seedless zakuqala; i-Dauphine ne-Crimson Seedless zakamuva. I-SATI ibala izinketho zase-Orange River ezihlanganisa i-Prime, i-Thompson Seedless ne-Sugraone. Qinisekisa izinsuku nezitshalo ezitholakala endaweni; ukulandelana kwezimboni akulona ikhalenda lepulazi lase-KZN.

Impova: iyakwazi ukwakha izithelo ngempova yayo. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — South Africa — isifunda se-Northern Province(s) (isifunda sokukhiqiza se-SATI; indawo emnene eseduze nezishisayo, ukuvuna kokuqala kakhulu e-SA): Nov–Dis.

Inkomba kuphela — South Africa (sekukonke, zonke izifunda zihlanganisiwe): Nov–Mey.

Umthombo: DAFF, Table grape market value chain profile (2012), p. 1

Umthombo: SATI: Production regions

Umthombo: South African Table Grape Industry (SATI) — 'About' page, production regions section

Umthombo: South African Table Grape Industry (SATI) — 'About' page

Umthombo: Zou, Massonnet, Minio et al., 'Multiple independent recombinations led to hermaphroditism in grapevine', Proceedings of the National Academy of Sciences (PNAS), Vol. 118, No. 15, e2023548118 (2021)

Umthombo: Western Cape Department of Agriculture (Elsenburg), Agricultural Economic Services — 'Table Grape-Flame SL (Yr 4)' Enterprise Budget, Hex River Valley, Cape Winelands (updated 12 March 2024), p. 1

## Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

### Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.