SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Pecan

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: intongomane elisegobolondweni (nut in shell).

Isikhombo sesivuno sokuqala: iminyaka engu-5. Ukuthela okuncane cishe ngonyaka wesi-5 encwadini yase-KZN, ezindaweni eziniselwayo ezinehlobo elishisayo, ubusika obubandayo nomswakama ophansi ngesikhathi sokukhula. Ikhomba izigodi zemifula ezomile zase-Zululand/Lowveld njengezindawo zesifunda ezifanelekile. Indlela yokwandisa, uhlobo nobudala basenkulisa akucacisiwe; lesi isikhombo esijwayelekile esinemibandela, akulona inani elilindelekile epulazini. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isikhombo sokukhiqiza osekusimeme: iminyaka engu-12–13. Ukukhiqiza okugcwele cishe ngeminyaka engu-12–13 encwadini ejwayelekile yase-KZN. Uhlobo olukhethiwe, indlela yokwandisa, ukuminyana nokuphathwa kuthinta ukukhiqiza kwangempela; ubudala bokuvuthwa abuzakheli ngokuzenzakalela igrafu yama-kg ngesihlahla ngonyaka.

Okukhiqizwa komhlahlandlela we-pecan — isisekelo sehektare samantongomane omile asemagobolondweni: Umhlahlandlela unikeza u-750 oqaphile, isilinganiso esingu-800–1,200 kanye no-1,500+ omuhle we-kg/ha wamantongomane omile asemagobolondweni (Dry-in-Shell). Ubala ngokwehlukana ezinye izikhala phakathi kwezihlahla nokunciphiswa kwezihlahla kamuva, ngakho akucatshangwa ukuminyana okukodwa. Lezi yizinkomba zehektare ezingaboshelwe eminyakeni yobudala; isisindo esinegobolondo asisona isisindo somongo odliwayo futhi alukho ijika elijwayelekile le-kg/tree elisuselwa kuzo.

Sebenzisa izinhlobo ezikhipha impova neziyemukelayo ezihambisanayo. Izindawo ezinemvula yasehlobo zidinga izinhlobo ezimelana nesifo se-scab; ukuvuthwa kwamantongomane kusenesikhathi kukodwa akuqinisekisi ukuhambisana kwempova.

Iseluleko sokuthenga: Uhlu olufushane lwe-SAPPA: e-KZN/Lowveld enomswakama omningi — Ukulinga, Cape Fear, Choctaw; e-KZN emanzi nebandayo kakhulu — Barton; e-Highveld eyomile kakhudlwana — Barton, Pawnee, Wichita; ezindaweni ezomile zasentshonalanga — Wichita, Choctaw, Western Schley. Iqembu lesimo sezulu elicatshangelwe lodwa alikwazi ukuhlukanisa zonke lezi zindawo. Qinisekisa umswakama wendawo, umhlabathi nezinhlobo ezimbili zempova ngaphambi kokuthenga.

Impova: idinga impova yesinye isitshalo esihambisanayo. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — South Africa (ngokujwayelekile — umjikelezo wezinkathi zezitshalo eNingizimu Yenkabazwe; izindawo eziyinhloko i-Vaalharts/Northern Cape, Lower Orange River): Mas–Jun.

Umthombo: SAPPA: Cultivar Recommendation by Production Area, p. 1 (retrieved 4 October 2026)

Umthombo: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA (South African Pecan Nut Producers' Association), p. 3

Umthombo: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Pecan bearing age; printed p.22, p. 26

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Pecan yield; printed p.22, p. 26

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Mango

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhombo sesivuno sokuqala: iminyaka engu-3–4. Izitshalo zomango ezixhunyelelwe encwadini yase-KZN ngokuvamile ziqala ukuthela emva kweminyaka engu-3–4. Isimo esichaziwe ukukhiqiza endaweni engenasithwathwa, eshisayo/efudumele eseduze nesimo sasezindaweni ezishisayo, enomswakama ophansi ngesikhathi sokuqhakaza, kuhlanganisa i-Zululand eyomile, i-Valley Bushveld ne-Lowveld. Umbhalo uhlukanisa izitshalo ezixhunyelelwe ne-Peach/Sabre ekhuliswe ngembewu; ungasebenzisi lobu budala esithombeni esingaqoshiwe noma ucabange ama-kg onyaka. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Grafted mango establishment — regional guide: Grafted stock generally first bears around 3–4 years and may remain productive 20 years or longer under the guide conditions. Seed-raised trees are a separate planting-material case. Frost, wet spring flowering conditions, cultivar and field establishment must be checked; longevity is not an age-yield curve.

Hlola isithwathwa, ukuphuma kwamanzi nobungozi bezifo ngesikhathi sokuqhakaza. Ukuzwela ekushiseni nasekushisweni yilanga kuyehluka ngezinhlobo.

Iseluleko sokuthenga: I-ARC ibala i-Tommy Atkins ne-Kent phakathi kwezinhlobo ezibekezelela ukushisa/ukushiswa yilanga kangcono; i-Sensation ne-Keitt zithinteka kalula. Qinisekisa izinsuku zokuvuna zendawo ngaphambi kokukhetha izinhlobo ezilandelanayo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — South Africa (ngokujwayelekile; Limpopo + Mpumalanga = 96% yendawo yama-mango yase-SA): Nov–Mas.

Umthombo: ARC Climate-Smart Agriculture, module 6, printed pp. 239–242

Umthombo: National Agricultural Marketing Council (NAMC), South African Fruit Trade Flow Report, Issue 56, December 2024 (citing FPEF 2024), p. 3

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Mango bearing age; printed p.16, p. 20

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Purple granadilla

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhombo sesivuno sokuqala: izinyanga ezingu-6–8. Isikhombo sase-KZN: izinyanga ezingu-6–8 emva kokutshala izithombo, cishe iminyaka engu-0.5–0.67. Lesi isikhathi esiphakathi kokutshala nokuvuna kokuqala, akulona ikhalenda lokukha lesifunda. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isikhombo sokukhiqiza osekusimeme: iminyaka engu-1.5. Incwadi yase-KZN ithi ukuthela ngokugcwele kungakapheli izinyanga ezingu-18. Lesi isikhombo sesikhathi esingumkhawulo ongaphezulu, akusona isithembiso samakhilogremu okudla ngonyaka.

Faka izisekelo zokukhuphuka futhi uthene; gwema ukugcwala kwamanzi uhlole ukubola kwezimpande nezinkinga zamagciwane.

Iseluleko sokuthenga: I-purple granadilla iyireferensi yezithelo ezintsha yase-KZN; izinhlobo eziphuzi zimuncu kakhulu futhi zisetshenziselwa ujusi. Qinisekisa impilo yezitshalo nesikhathi sendawo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — KwaZulu-Natal (amaqembu e-Bioresource Groups 3 no-5, indawo epholile eseduze nezishisayo): Jun–Jul, Nov–Jan.

Umthombo: KZN DARD, Fruit and Nut Production, PDF pp. 14–15 (regional reference; confirm current nursery stock)

Umthombo: KwaZulu-Natal Department of Agriculture and Rural Development, Horticultural Advisory Notes: Fruit and Nut Production (in KZN), p. 14

Wild medlar

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Izithelo ezivuthiwe, ezintsha noma ezomisiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Wider fruiting observations, not a ripe picking interval: This account separately distinguishes green unripe and brown ripe fruit, but its November–April biology sentence does not date that ripening change. The wider interval remains southern African phenology. SANBI's January–April description of ripe edible fruit supplies the food-ready regional reference.

Qinisekisa izimo zokusimama endaweni ngaphambi kokuthembela kureferensi yesifunda yokuthela izithelo.

Iseluleko sokuthenga: Cela izitshalo ezithela izithelo ezifanele indawo; alukho uhlobo oluqanjwe igama olunomthombo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — South Africa (ngokujwayelekile; ukusabalala e-SA kunikezwe njenge-Eastern Cape, Free State, Gauteng, KwaZulu-Natal, Limpopo, Mpumalanga, North West, Northern Cape): Jan–Eph.

Umthombo: SANBI PlantZAfrica: vangueria-infausta

Umthombo: Vangueria infausta | PlantZAfrica (SANBI)

Umthombo: Agroforestree Database 4.0 (Orwa et al. 2009), Vangueria infausta fact sheet, BIOLOGY section, p. 1

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.