SYNTHETIC GRAPH SOURCE {COUNT} $&

Musi ni sa athu u renga kana u thoma

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Tshigwada tsha kilima tsha ṱhoḓisiso: Fhethu ha u lima a hu athu u ṱalutshedzea. Tshigwada itshi a si nyeletshedzo yo khwaṱhisedzwaho ya bulasi iḽi.

Zwe na vhiga nga bulasi iḽi

Maḓi nga khalaṅwaha yo oma

A zwo ngo rekhodwa. Fhedzisani ṱhoḓisiso ya fhethu ni khwaṱhisedze maḓi ni sa athu u nanga pulane ine ya ṱoḓa zwishumiswa zwinzhi.

Murotholo kha bulasi iḽi

Zwe zwa vhonwa nga murotholo wa henefho a zwo ngo rekhodwa. Zwikati zwa ṅwedzi zwa sathelaithi a zwi koni u khwaṱhisedza maḓuvha a murotholo wa u thoma na wa u fhedza.

Ḓuvha na u bva ha maḓi mavuni

Ḓuvha: a zwo ngo rekhodwa.

U bva ha maḓi: a zwo ngo rekhodwa. Mvelelo dza u ṱola mavu na ṱhoḓea dza tshiliṅwa tshiṅwe na tshiṅwe zwi kha ḓi ṱoḓa u ṱolwa.

Rekhodo dza ṅwaha wa u vhiga - hu si mbonelaphanḓa

Zwivhalo na miṅwedzi zwa ṅwaha wo fhiraho wa u vhiga zwi ṱalutshedza zwo vhigwaho. A zwi fulufhedzisi zwiḽiwa kha pulane i ḓaho.

Original eggs {year} $&

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 240 eggs.

Zwo shumiswaho muṱani: 0 eggs. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: Fulw, Fwan. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Fish

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: a zwo ngo rekhodwa.

Zwo shumiswaho muṱani: a zwo ngo rekhodwa. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: a zwo ngo rekhodwa. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Miṅwe miroho

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 12 kg.

Zwo shumiswaho muṱani: 7 kg. Zwo rengiswaho: 3 kg.

Miṅwedzi ya khaṇo yo vhigwaho: Phan, Nyen. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṇu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo

Ṋotshi: Honeybee (managed hives)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: mutoli. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṉotshi.

Khaṉo i ḓitika nga tshigwada tsha ṉotshi, maluvha na mvula ya henefho. Ṱolani u vhibva ni siele tshigwada zwiḽiwa; a hu na khalaṅwaha yo tiwaho ya lushaka ya mutoli.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhubveledzi: 25 kg ya mutoli/nga nnḓu ya ṉotshi (hive)/nga ṅwaha. Zwi bva kha ṱhoḓisiso ya lushaka ya poswo ya 2008 ya vhafuwi vha ṉotshi vha 112 vha re miraḓo ya SABIO (ho fhindula 22.4%) vha langaho nnḓu dza ṉotshi dzi anganyelwaho u vha 19,520 kha zwitentsi zwa ṉotshi zwa 2,094; mbalo yo vhigwa nga vhone vhane nahone a yo ngo linganyiswa nga zwileme zwa tsumbonanguludzwa. Thebuḽa 7 (ḽiṅwalwa ḽithihi, masiaṱ.13-14) ḽi sumbedza phambano khulwane u ya nga dzingu/ndivho ya bindu/vhuhulwane kha ṅwaha wonoyo: tsumbo, dzingu ḽa 'All', mabindu a vhuhulwane hoṱhe o livhaho kha mutoli = 25.1-26.9 kg/hive/yr kha zwitentsi zwa ṱhoḓisiso zwa 3; a Western Cape o livhaho kha mutoli = 23.6-27.9 kg/hive/yr; mabindu maṱuku a Western Cape o livhaho kha u endedza luvhanda lwa maluvha = 7.0-7.5 kg/hive/yr fhedzi. Ḽiṅwalwa ḽithihi ḽi dovha ḽa redza ṱhoḓisiso ya kale yo khwaṱhisedzwaho nga vhuronwane vhuhulwane: 'Avhareji ya khaṉo ye vha vhiga i fhasi vhukuma, ndi khilogireme dza 13.4 fhedzi nga nnḓu ya ṉotshi' kha nnḓu dza ṉotshi dza Western Cape (Allsopp & Cherry 2004, vho redzwa kha siaṱ.2 ḽa bammbiri iḽi), na mafhungo a kale a mbalombalo ya ṉotshi dza lushaka a 8.3 kg/hive/annum (avhareji ya 1911-1988) o gonya a vha 24 kg/hive kha mbalombalo ya 1974/5 (ḽiṅwalwa ḽithihi, siaṱ.1). A hu na mbalo nthihi ine ya nga pfi ndi yone ya u fhedza yo khwaṱhisedzwaho; 25 kg/hive/yr i shumiswa sa nyanganyelo khulwane ya lushaka ya ḽiṅwalwa ḽone ḽiṉe.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Veani miṱa ya ṉotshi kule na fhethu ha u tambela, ni ṉee maḓi o kunaho nahone ni shumise fhethu ho omaho. Humbelani mufuwi wa ṉotshi o ḓiṅwalisaho a sedzuluse u vhewa ho tsireledzeaho ha henefho phanḓa ha u engedza muṱa wa ṉotshi.

Sedzulusani tshigwada tshiṅwe na tshiṅwe tsha ṉotshi tshifhinga tshoṱhe u vhona tsumbo dza vhulwadze ha ṉotshi vhune ha tea u vhigiwa na u kavhiwa nga Cape-bee (Capensis).

Veani ni tsireledze miṱa ya ṉotshi kha vhuvhava na u tshinywa nga khole, zwine zwa vha iṅwe ya khaedu khulwane kha vhafuwi vha ṉotshi vha Afrika Tshipembe.

Ḍiṅwaliseni kha Muhasho musi ni sa athu fuwa ṉotshi. Vhuḓiṅwalisi vhu shuma miṅwedzi ya 24 u bva musi hu tshi ṅwaliswa kana hu tshi vusuludzwa nahone vhu tea u vusuludzwa musi vhu tshi fhela.

Mufuwi wa ṉotshi a sa vusuludzi vhuḓiṅwalisi musi vhu tshi fhela u ḓo bviswa kha vho ṅwaliswaho nahone a livhana na zwigwevho nga fhasi ha Mulayo.

Mishumo ya u fuwa ṉotshi na tshumelo dza u fuwa ṉotshi dzi badelwaho zwi ṱoḓa ṱhanziela ya vhuḓiṅwalisi i shumaho. Ṱolani ṱhanziela musi ni sa athu shumisa mufuwi wa ṉotshi.

Ḍulu ḽiṅwe na ḽiṅwe ḽa ṉotshi ḽi tea u swaiwa nga nomboro ya vhuḓiṅwalisi ya mufuwi wa ṉotshi nga nḓila i vhonalaho zwavhuḓi nahone i vhaleaho.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phaṋḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phaṋḓa)

Ṋotshi: Honeybee (managed hives) (zwi khou bvela phaṋḓa)

Vhulungani rekhodo dzo ṅwalwaho dza zwigwada zwa ṉotshi, fhethu ha maḓulu, malwadze, maga a u langa malwadze na u xelelwa nga zwigwada zwa ṉotshi khathihi na zwiitisi zwazwo.

Ni songo pfukisa ṉotshi mutalo wa ṉotshi dza Kapa, kana na vhulunga ṉotshi dza Kapa devhula ha mutalo wonoyo, hu si na thendelo yo ṅwalwaho.

Vhigani vhulwadze vhuṅwe na vhuṅwe vhu humbulelwaho vhune ha tea u vhigwa (American foulbrood i kha mutevhe); vhaofisiri vha nga laedza uri tshigwada tsha ṉotshi tsho kavhiwaho tshi fheliswe.

Tshiko: FAO: Beekeeping in Africa, Site selection (general African apiary guidance)

Tshiko: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, p. 6

Tshiko: Gums & Bees: A roadmap for landowners in South Africa (South African National Biodiversity Institute, SANBI), p. 21

Tshiko: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measures 2(1) and 2(4), p. 4

Tshiko: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measure 2(5), p. 4

Tshiko: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measures 2(8) and 2(9), p. 5

Tshiko: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, p. 5

Tshiko: Survey of Beekeeping in South Africa, CSSR Working Paper No. 221 (Conradie & Nortje, 2008, UCT Centre for Social Science Research), p. 14

Tshiko: FAO, Beekeeping in Africa, honey harvesting

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbaṋḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phaṋḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Nguni / crossbred beef cattle (communal and extensive veld)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṉama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṉotshi.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhubveledzi: 114.5–121.2 kg ya tshileme musi i tshi lumulwa/nga ṉamana. Thebuḽa 5 ḽi ṉea tshileme tsha u lumulwa (WW) kha dzingu nṉa dza vhulimi na mupo kha miṱambi yeneyo ya ṱahe ya Nguni ya tshitshavha: fhethu ho omaho 114.51 kg (ha fhasi-fhasi), ho omaho zwiṱuku 119.98 kg, ho omaho hu re na muṉuṉu wa vhukati 117.91 kg, hu re na muṉuṉu 121.21 kg (ha nṱhesa). Mikhano yo ṅwalwaho afha i katela avhareji dza dzingu dzo omaho u ya kha dzi re na muṉuṉu dza ṱhoḓisiso iyi nthihi; a yo ngo ṱanganyiswa na mbalo dza tshileme tsha u lumulwa dza ḽiṅwe bammbiri (dziṅwe ṱhoḓisiso dza Afrika Tshipembe dzi vhiga mikhano yo fhambanaho kha maitele o fhambanaho - tsumbo, miṱambi ya zwititshi zwa ṱhoḓisiso kana ya u bebisa - nahone dzo litshwa nga khole u itela u sa ṱanganyisa maitele). Ndi ṉamana dza Nguni dza 826 dzi bvaho kha miṱambi ya ṱahe ine bammbiri ḽone ḽiṉe ḽa ri yo vha i 'tshi fuwiwa kha maitele a mafulo mahulwane' Vunduni ḽa Limpopo - maitele a vhukuma a tshitshavha/mafulo mahulwane a fanaho na bindu iḽi.

Ndaedzi ya vhutshilo ha vhubveledzi: miṅwaha ya 6.4. Maḓuvha a 2354 / 365.25 = miṅwaha ya 6.44. 'Failure time' ndi vhulapfu ha vhutshilo ha vhubveledzi kha muṱambi kha rekhodo dza 580 dzi songo fheliswaho u sedzwa hu sa athu swikiwa magumoni (dzo sedzwaho u swika magumoni) kha mafhungo o ṱanganyiswaho; ḽiṅwalwa ḽa ṱhoḓisiso ḽone ḽiṉe ḽi ṱalusa vhutshilo ha vhubveledzi kha muṱambi sa 'tshifhinga vhukati ha datumu ya u thoma u bebwa ha ṉamana na datumu ya u bviswa muṱambini'. Mafhungo o ṱanganyiswaho a bva kha miṱambi miraru ya Nguni ya u bebisa yo fuwiwaho kha mafulo mahulwane, zwipuka zwo bebwaho nga 1968-2015.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Zwitanga zwa kholomo a zwo ngo tea u ḓala u fhirisa: hu tea u vha na tshikhala tsho eḓanaho fhasi uri tshipuka tshiṅwe na tshiṅwe tshi kone u eḓela nga tshifhinga tshithihi.

Nga tshifhinga tsha u endedzwa, kholomo iṅwe na iṅwe i tea u vha na tshikhala tsha fhasi tshi si ho fhasi ha 1.4 m² uri u laḓa zwi songo tsikeledza nga maanḓa kana u sia tshikhala tshihulwane nga maanḓa.

Kholomo a dzo ngo tea u endedzwa tshifhinga tshi fhiraho awara dza 18 dzi sa athu u tsitswa dza ṉewa zwiḽiwa, maḓi na vhudzumbamo.

Ndi mulandu u tambudza kholomo nga nḓala, u dzi ṉea zwiḽiwa zwi sa eḓani, kana u dzi dzima maḓi kana zwiḽiwa.

Vhulwadze ha milenzhe na mulomo (FMD) ndi vhulwadze ha zwifuwo vhu langiwaho nga fhasi ha Animal Diseases Act: Tshumelo dza Muvhuso dza Vhulafhi ha Zwifuwo dzi kombetshedza u khethekanya na thivhelo dza u tshimbidza.

Muṉe muṅwe na muṅwe wa kholomo u tea u ṅwalisa luswayo lwa tshiofisi lwa u dzi ṱalula na u fhisa kana u swaya kholomo dzawe ngalwo, nga fhasi ha Animal Identification Act.

U redza ha kholomo hu humbulelwaho kana ho khwaṱhisedzwaho uri hu tshimbidzana na brucellosis hu tea u vhigwa ofisini ya Dokotela wa Zwifuwo wa Muvhuso, sa tshipiḓa tsha tshikimu tsha lushaka tsha u langa brucellosis ya kholomo nga fhasi ha Animal Diseases Act.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Nguni / crossbred beef cattle (communal and extensive veld) (zwi khou bvela phanḓa)

A hu na tshifuwo tshi no tendelwa u ṱhavhiwa huṅwe hu si fhethu ha u ṱhavhela zwifuwo ho ṅwaliswaho, nga nnḓa ha zwi re afho fhasi.

U ṱhavhela zwiḽiwa zwa muṱa wa mulimi nga woṯhe, kana ndivho dza mvelele kana vhurereli, a zwi vhofhiwi nga mulayo wa fhethu ha u ṱhavhela zwifuwo.

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.1.2, p. 4

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.4.6.1, p. 7

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.7.1, p. 9

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Tshiko: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: Marumo, Hlokwe & Kayoka-Kabongo, Seroprevalence of brucellosis in communal and smallholder cattle farming in North West Province, South Africa, Onderstepoort Journal of Veterinary Research (PMC10784229)

Tshiko: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: Mpofu, Ginindza, Siwendu, Nephawe & Mtileni (2016). Effect of agro-ecological zone, season of birth and sex on pre-weaning performance of Nguni calves in Limpopo Province, South Africa. Tropical Animal Health and Production 49:187-194 (PMC5203849), Table 5

Tshiko: Ngayo, M. (2017). Factors Affecting Productive Life and Fertility in Nguni Cows (MSc dissertation, University of the Free State), Table 5.1, p. 58

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Small-scale dairy cow (Jersey, Holstein or crossbred)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: mafhi. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṋotshi.

Pulanani u ya nga u bebiwa ha vhukuma ha ṋamana/zwibudzana na u mamisa. Zwifuwo zwi sa mamisaho a zwi ṋei mafhi.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 121.8–130.5. Thebuḽa 1, khoḽomu ya AFC, mitalo nga mutevhe wa thebuḽa Holstein-Friesland Reg./Grade, Jersey Reg./Grade, Ayrshire Reg./Grade: miṅwedzi ya 28, 30, 25, 28, 29, 32. Mitalo ya Grade i shumiswaho afha ndi Holstein-Friesland 30 na Jersey 28 (Grade Ayrshire 32 a i shumiswi: bindu ndi ḽa lushaka lwa Jersey kana Holstein). 28 x 4.35 = vhege dza 121.8; 30 x 4.35 = vhege dza 130.5. Mafhi a thoma musi hu tshi bebwa ṋamana ya u thoma, ngauralo miṅwaha ya u beba ṋamana ya u thoma ndi tshifhinga tsha tshibveledzwa tsha u thoma.

Ndaedzi ya vhubveledzi: 3840–5422 kg ya mafhi/nga kholomo ya tshisadzi/nga tshifhinga tsha u bveledza mafhi. Thebuḽa 1 ('U vhambedza tshivhalo tsha kholomo dza tshisadzi, vhubveledzi na vhukoni ha u beba kha tshaka khulwane dza mafhi Afrika Tshipembe'), khoḽomu ya Milk, mitalo ya Grade: Jersey 3840 kg na Holstein-Friesland 5422 kg nga tshifhinga tshiṅwe na tshiṅwe tsha u ṋea mafhi (mitalo ya Registered: 4468 na 6426 kg). Ḽiṅwalwa ḽi ri iyi ndi miṱambi ya National Milk Recording Scheme, 'ye ya sumbedzwa uri i langwa khwine u fhira i re nnḓa ha mbekanyamushumo, vhubveledzi hayo nga tshifhinga tsha mafhi vhu fhira ha muṱambi wa lushaka nga 50 %', ngauralo muṱambi wa mufuwi muṱuku u tea u lavhelela zwi re fhasi ha izwi.

Ndaedzi ya vhutshilo ha vhubveledzi: miṅwaha ya 1.9–2. Holstein maḓuvha a 739.33 na Jersey a 696.81 a vhutshilo ha vhubveledzi (u bva kha u beba ṋamana ya u thoma u swika kha u bviswa muṱambini) kha miṱambi ya Afrika Tshipembe i re na rekhodo dza mafhi, 2000-2019: 696.81/365.25 = 1.91 na 739.33/365.25 = miṅwaha ya 2.02.

Ndaedzi ya vhukale/sisṱeme: Kha fhethu ha KZN hu fhisaho nga maanḓa hu dovha ha vha na muṋuṋu, KZN DARD i ṱalusa milingo ya kholomo dza mafhi dza Nguni × Jersey ngei Makhathini u itela u ṱanganyisa vhukoni ha mafhi na u ḓowela fhethu. U hama nga zwanḓa ṋamana i hone zwi sumbedza muṱa na ṋamana zwi tshi ṱoḓa mafhi eneo mathihi u itela u shumisa muṱani na u alusa ṋamana. Ambani henefho nga zwipuka zwo ḓowelaho fhethu na u zwi fha zwiḽiwa; ṱhanganyelo dza rekhodo dza mafhi dza mabindu a dzi vhumbi maitele aya. Ṅwalani u bebwa ha ṋamana, ḽiga ḽa u ṋea mafhi na mafhi ane a sala nga murahu ha zwine ṋamana ya ṱoḓa.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṋeani maḓi o kunaho a fulufhedzeaho.

Zwitanga zwa kholomo a zwo ngo tea u ḓala u fhirisa: hu tea u vha na tshikhala tsho eḓanaho fhasi uri tshipuka tshiṅwe na tshiṅwe tshi kone u eḓela nga tshifhinga tshithihi.

Kholomo dza tsadzi a dzo ngo tea u laḓiwa uri dzi endedzwe arali maḓamu adzo o ḓala mafhi a vho mboḓa.

Kholomo a dzo ngo tea u endedzwa tshifhinga tshi fhiraho awara dza 18 dzi sa athu u tsitswa dza ṋewa zwiḽiwa, maḓi na vhudzumbamo.

Ndi mulandu u tambudza kholomo ya mafhi nga nḓala, u i ṋea zwiḽiwa zwi sa eḓani, kana u i dzima maḓi kana zwiḽiwa.

Kholomo dza tsadzi dzi re mafuloni kana gammbeni dzo vuleaho dzi ṱoḓa murunzi: zwifhaṱo zwa murunzi zwi tea u ṋea murunzi u si ho fhasi ha 4 u swika kha 5 m² nga kholomo.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Small-scale dairy cow (Jersey, Holstein or crossbred) (zwi khou bvela phanḓa)

Vhulwadze ha milenzhe na mulomo (FMD) ndi vhulwadze ha zwifuwo vhu langiwaho nga fhasi ha Animal Diseases Act: Tshumelo dza Muvhuso dza Vhulafhi ha Zwifuwo dzi kombetshedza u khethekanya na thivhelo dza u tshimbidza.

Muṋe muṅwe na muṅwe wa kholomo u tea u ṅwalisa luswayo lwa tshiofisi lwa u dzi ṱalula na u fhisa kana u swaya kholomo dzawe ngalwo, nga fhasi ha Animal Identification Act.

Vhafuwi vha kholomo dza mafhi vha vhofhiwa nga mulayo u ṱola masambi avho TB ya kholomo, nga maanḓa nga ṅwambo wa ṱhoḓea dza u rengisela kha maṅwe mashango, ngauralo kholomo nnzhi dza mafhi Afrika Tshipembe dzi a ṱolwa.

U redza ha kholomo hu humbulelwaho kana ho khwaṱhisedzwaho uri hu tshimbidzana na brucellosis hu tea u vhigwa ofisini ya Dokotela wa Zwifuwo wa Muvhuso, nga fhasi ha tshikimu tsha lushaka tsha u langa brucellosis ya kholomo.

Kholomo i bviswaho kha sambi i nga ṱhavhiwa fhedzi fhethu ha u ṱhavhela zwifuwo, nga nnḓa ha zwiḽiwa zwa mulimi nga ene muṋe kana ndivho dza mvelele kana vhurereli.

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.1.2, p. 4

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.6.13, p. 9

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.7.1, p. 9

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Tshiko: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), p. 129

Tshiko: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: Bovine tuberculosis / dairy herd testing study, PMC10369683

Tshiko: Marumo, Hlokwe & Kayoka-Kabongo, Seroprevalence of brucellosis in communal and smallholder cattle farming in North West Province, South Africa, Onderstepoort Journal of Veterinary Research (PMC10784229)

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: KZN DARD: Subsistence Dairying in KZN, Makhathini Research Station trials

Tshiko: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), p. 10

Tshiko: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), Table 21.1, p. 122

Tshiko: Gertenbach, W.D., Dairying in KwaZulu-Natal: Breeds of Dairy Cattle, Cedara Agricultural Development Institute, KZN Department of Agriculture and Rural Development, Table 1, p. 1

Tshiko: Cow Longevity and Reasons and Risk Factors for Culling in South African Holstein and Jersey Dairy Herds, Animals 2025 (PMC12560872)

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Khuhu: Broilers (commercial)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṉama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: nangani lushaka lwa ṉama na pulane ya zwigwada ya muṉetshedzi; khwaṱhisedzani u dudedza zwikukwana, zwiḽiwa, maḓi na ndugiselelo dza u ṱhavha.

Pulanani zwiḽiwa zwo linganelaho, maḓi o kunaho, murunzi, muya na tsireledzo kha zwipuka zwi ḽaho zwiṅwe. Mphakelo wa makumba u ḓitika nga khuhu dzi kudzelaho, vhukale hadzo, mutakalo na ṱhogomelo; hoko i yoṱhe a i ṉei makumba.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 4.6–4.7. Maḓuvha a 32 / 7 = vhege dza 4.57; maḓuvha a 33 / 7 = vhege dza 4.71. Bindu iḽi ḽi na mutevhe muthihi wa u alusa u fhelaho nga u ṱhavha, ngauralo 'tshifhinga tsha tshibveledzwa tsha u thoma' = miṅwaha musi hu tshi ṱhavhiwa. Afrika Tshipembe, avhareji ya nḓowetshumo ya mabindu.

Ndaedzi ya vhubveledzi: 1.8–1.9 kg/nga tshiṉoni musi tshi tshi ṱhavhiwa (maḓuvha a 32–33). Avhareji ya lushaka ya nḓowetshumo ya khuhu dza ṉama dza mabindu, Afrika Tshipembe, 2022. Ḽiṅwe thebuḽa ḽa mulingo wa tshaka (Thebuḽa 4b, ḽiṅwalwa ḽithihi, siaṱ.39) ḽi ṉea 'Cumulative FI (kg)' na 'Body weight (kg)' zwa tshaka dzo bulwaho nga madzina kha maḓuvha a 35 kokotolo: Arbor Acres Plus 2.29kg, Cobb 500 2.52kg, Indian River 2.30kg, Ross 308 2.30kg (ṱhanganyelo ya zwiḽiwa zwo ḽiwaho 3.21-3.64kg) - miṅwaha yo engedzeaho zwiṱuku (35 zwi tshi vhambedzwa na maḓuvha a 32-33) na tshileme tshi re nṱha ha avhareji ya nḓowetshumo yoṱhe yo redzwaho afho nṱha; a zwi ṱanganyiswi na mbalo khulwane ngauri ndi mafhungo o fhambanaho (a mulingo wa zwipimo zwa tshaka), fhedzi zwi shumiswa afho fhasi kha mbalo ya zwiḽiwa zwo ḽiwaho.

Ndaedzi ya vhukale/sisṱeme: Tshikombo tshiswa tsha mabindu tsha Afrika Tshipembe: SAPA 2024 i vhiga avhareji ya u ṱhavha kha maḓuvha a 30–31 khuhu i na tshileme tsha 1.8–1.85 kg. Mikhano mihulwane i re afho nṱha i sala i tshikombo tsha kale tsha 2022 kha maḓuvha a 32–33. Hezwi ndi zwileme zwa khuhu dza mabindu, hu si kg ya ṉama yo lugiselwaho kana tshipikwa tsha muṱambi wa mahayani. Ṅwalani miṅwaha u bva kha u thothonya kana musi hu tshi rengwa, maitele a zwiḽiwa, datumu ya vhukuma ya khaṉo na uri tshibveledzwa tsho kaliwaho tsho pimiwa tshi kha tshivhumbeo tshifhio.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Khuhu dza ṉama dzi dzulaho fhasi nḓuni: tshileme tsha khuhu tshi songo fhira 40 kg nga mitara ya tshikwea.

Zwikukwana zwi kha ḓi bva u thothonya zwi tea u ṉewa zwiḽiwa hu sa athu u fhira awara dza 24 zwi tshi bva u thothonya.

Zwikukwana zwi kha ḓi bva u thothonya zwi tea u kona u wana maḓi hu sa athu u fhira awara dza 24 zwi tshi bva u thothonya, nga u ṱavhanya u fhira zwenezwo musi hu tshi fhisa.

Maḓi o kunaho na zwiḽiwa zwo teaho zwi dzule zwi hone, uri khuhu dzi si vhe na nḓala na ḓora.

Nnḓu dza khuhu dza ṉama dzi ṱoḓa mpimo wa u dzhena na u tshimbila ha muya u si ho fhasi ha mitara dza khubiki dza 5 nga awara kha khilogireme iṅwe na iṅwe ya tshileme tsha khuhu dzi re nḓuni.

Kha u fuwa khuhu dza ṉama dzi tshimbilaho nnḓa, tshivhalo tshi dzulaho nḓuni a tsho ngo tea u fhira khuhu dza 15 nga mitara ya tshikwea ya vhupo ha fhasi.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phaṋḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phaṋḓa)

Khuhu: Broilers (commercial) (zwi khou bvela phaṋḓa)

Muṋe kana mulanguli ane zwifuwo zwawe zwa vha zwo kavhiwa, kana zwi tshi nga vha zwo kavhiwa, nga vhulwadze ha zwifuwo vhu langiwaho u tea u vhiga zwenezwo nga u ṱavhanya kha mulanguli wa muvhuso wa vhulafhi ha zwifuwo.

Vhulwadze ha Newcastle na flu ya zwiṋoni ine ya tea u vhigwa zwi kha mutevhe wa muvhuso wa malwadze a zwifuwo a langiwaho na ane a tea u vhigwa.

A hu na tshifuwo tshi no tendelwa u ṱhavhiwa huṅwe hu si fhethu ha u ṱhavhela zwifuwo, nga nnḓa ha zwi re afho fhasi.

U ṱhavhela muṱa waṋu nga woṱhe, kana ndivho dza mvelele kana vhurereli, a zwi vhofhiwi nga mulayo wa fhethu ha u ṱhavhela zwifuwo.

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), 2.2 Housing of broilers in Floor Systems, p. 6

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), p. 11

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), p. 12

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), p. 7

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), p. 8

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), 2.4 Free Range Broiler Production, p. 8

Tshiko: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Tshiko: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Tshiko: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: SAPA Industry Profile 2024, section 7.9 Performance efficiency, p. 82

Tshiko: SAPA Industry Profile 2022, section 6.9 Performance efficiency, p. 79

Tshiko: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phaṋḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Khuhu: Village chickens (indigenous, free-range)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: makumba. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Buying advice: Potchefstroom Koekoek is a dual-purpose option; Venda, Ovambo and Naked Neck are other ARC-conserved options. No province-specific winning breed is claimed.

Pulanani zwiḽiwa zwo linganelaho, maḓi o kunaho, murunzi, muya na tsireledzo kha zwipuka zwi ḽaho zwiṅwe. Mphakelo wa makumba u ḓitika nga khuhu dzi kudzelaho, vhukale hadzo, mutakalo na ṱhogomelo; hoko i yoṯhe a i ṉei makumba.

Kuvhanganyani makumba tshifhinga tshoṯhe, vhulungani vhualo ha zwiṱaha ho kuna ho oma, ni fare/vhulunge makumba nga vhulondi u shumiswa muṱani kana u rengiswa.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 15.7–27.8. Khuhu dza mahayani dzi ḓitshimbilelaho nnḓa, KwaZulu-Natal; dza fhethu ho omaho dzo thoma u kudzela nga u ṱavhanya (vhege dza 15.74) u fhira dza fhethu hu ṉukalaho (vhege dza 27.78), phambano yo swaiwa sa i re ya ndeme nga mbalombalo ('*') kha thebuḽa ḽa tshiko. Mikhano yo ṱanḓavhuwaho i sumbedza phambano ya vhukuma ya mupo kha khalaṅwaha yo omaho/hu ṉukalaho yo vhigwaho nga tshiko, hu si u sa khwaṱhisedzea ha mupimo.

Ndaedzi ya vhubveledzi: 40.4–49.9 makumba/nga khuhu ya tshisadzi/nga ṅwaha. Khuhu dza mahayani dzi ḓitshimbilelaho nnḓa/dzi ḓilavelaho zwiḽiwa, KwaZulu-Natal: mupo wo omaho (40.43) u tshi vhambedzwa na u ṉukalaho (49.91), phambano a si ya ndeme nga mbalombalo ('NS'). Mulingo wa ARC Irene kha maitele a langwaho wa tshaka dza sialala dzo bulwaho nga madzina (Grobbelaar, Sutherland & Molalakgotla 2010, Animal Genetic Resources 46: 25-32) u vhiga mbalo dza nṱha nga maanḓa, zwino dzo khwaṱhisedzwaho nga thungo dza vhulungwa kha productionReferences; nyimele dza maitele a langwaho a dzi nga dzhii vhudzulo ha mikhano iyi ya mahayani.

Ndaedzi ya vhukale/sisṱeme: Mulingo wa ARC Irene wo vhambedza Potchefstroom Koekoek, Venda, Ovambo na Naked Neck dzi na zwiḽiwa zwa mabindu, maḓi na tshedza tshi langwaho. Avhareji ya makumba/nga khuhu ya tshisadzi kha mutevhe wa vhege dza 52 yo vha i 195.9, 153.7, 125.5 na 138.9 nga u tevhekana; miṅwaha ya gumba ḽa u thoma yo vha i maḓuvha a 138.5, 139.0, 134.5 na 129.0 u bva kha u thothonya, hu si na phambano ya ndeme nga mbalombalo ya miṅwaha ya gumba ḽa u thoma vhukati ha tshaka. Aya ndi mafhungo a tshaka dzi langwaho, hu si khaṉo ya khuhu dzi ḓilavelaho zwiḽiwa ngei KZN. Vhambedzani u fha zwiḽiwa na vhudzulo phanḓa ha u shumisa tshikombo tsha u vhambedza.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Kha maitele a mahayani a u fuwa fhethu ho vuleaho hu hulwane, khuhu dzi tea u ḓiwanela maḓi na zwiḽiwa.

Khuhu dza mahayani dzi ḓiṱoḓelaho zwiḽiwa dzi aluwa nga u ongolowa u fhira dzi fuwaho kha mabindu nahone dzi khomboni khulwane ya malwadze, zwilumi zwi dzulaho khadzo na zwipuka zwi dzi ḽaho.

Kha ṱhoḓisiso ya Limpopo na KwaZulu-Natal, 94.9% ya vhalimi vho vha vha tshi dzhenisa khuhu dzavho nḓuni vhusiku.

Zwe khuhu dza tsadzi dzi ḓitshimbilelaho dza vha dzi tshi ḓiwanela sa zwiḽiwa zwo vha zwi tshi eḓana u tshidza muvhili na u aluwa, fhedzi zwi sa eḓani u kudzela makumba: phurotheini kha khalaṅwaha dzoṯhe, calcium na phosphorus vhuria.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phaṋa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phaṋa)

Khuhu: Village chickens (indigenous, free-range) (zwi khou bvela phaṋa)

Muṋe kana mulanguli ane zwifuwo zwawe zwa vha zwo kavhiwa, kana zwi tshi nga vha zwo kavhiwa, nga vhulwadze ha zwifuwo vhu langiwaho u tea u vhiga zwenezwo nga u ṱavhanya kha mulanguli wa muvhuso wa vhulafhi ha zwifuwo.

Vhulwadze ha Newcastle na flu ya zwiṋoni ine ya tea u vhigwa zwi kha mutevhe wa muvhuso wa malwadze a zwifuwo a langiwaho na ane a tea u vhigwa.

A hu na tshifuwo tshi no tendelwa u ṱhavhiwa huṅwe hu si fhethu ha u ṱhavhela zwifuwo, nga nnḓa ha zwi re afho fhasi.

U ṱhavhela muṱa waṋu nga woṱhe, kana ndivho dza mvelele kana vhurereli, a zwi vhofhiwi nga mulayo wa fhethu ha u ṱhavhela zwifuwo.

Tshiko: ARC, Climate-Smart Agriculture Training Manual, Module 11: Poultry Production, p. 471

Tshiko: ARC, Climate-Smart Agriculture Training Manual, Module 11: Poultry Production, p. 468

Tshiko: Malatji, Tsotetsi, van Marle-Koster & Muchadeyi (2016), 'A description of village chicken production systems and prevalence of gastrointestinal parasites: Case studies in Limpopo and KwaZulu-Natal provinces of South Africa', Onderstepoort Journal of Veterinary Research 83(1)

Tshiko: Raphulu, Jansen van Rensburg & van Ryssen (2015), 'Nutrient content of crop contents of free ranging indigenous chickens raised under village conditions', South African Journal of Animal Science 45(2), p. 1

Tshiko: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Tshiko: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Tshiko: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: Grobbelaar, Sutherland & Molalakgotla (2010), Egg production potentials of certain indigenous chicken breeds from South Africa: methods pp27–28, first-egg p29, Table 4 p31, p. 31

Tshiko: Tenza, Mhlongo & Chimonyo (2023), 'Village chicken production and egg quality in dry and wet, resource-limited environments in KwaZulu-Natal, South Africa', South African Journal of Animal Science 53(6), p. 5

Tshiko: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

Tshiko: FAO: Small-scale poultry production, egg marketing

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phaṋa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Khuhu: Laying hens (commercial)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: makumba. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: u bveledza makumba, humbelani khuhu ṱhukhu dzo haelwaho dzi re tsini na u thoma u kudzela kha muṅetshedzi wa khuhu dzi kudzelaho, na rekhodo dza vhukale, u fhiwa zwiḽiwa na u haelwa.

Pulanani zwiḽiwa zwo linganelaho, maḓi o kunaho, murunzi, muya na tsireledzo kha zwipuka zwi ḽaho zwiṅwe. Mphakelo wa makumba u ḓitika nga khuhu dzi kudzelaho, vhukale hadzo, mutakalo na ṱhogomelo; hoko i yoṱhe a i ṅei makumba.

Kuvhanganyani makumba tshifhinga tshoṱhe, vhulungani vhualo ha zwiṱaha ho kuna ho oma, ni fare/vhulunge makumba nga vhulondi u shumiswa muṱani kana u rengiswa.

Ndaedzi ya khalaṅwaha: Nga ḓuvha ḽa tshedza ḽi dzulaho ḽi awara dza 14–16, khuhu dza makumba dza mabindu dzi bvela phanḓa na u kudzela nga mpimo wa nṱha ṅwaha woṱhe. Ndaedzi iyi ya ndangulo ya vhubindudzi a si mphakelo wa makumba wa muṱa u linganaho nga mvelo.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 21. Vhukale ha khuhu u bva i tshi thothonywa; khwaṱhisedzani lushaka na u aluswa na muṅetshedzi. Khuhu dzi re tsini na u kudzela dzi thoma nga murahu kha mutevhe uyu.

Ndaedzi ya vhubveledzi: 407.1–428.6 makumba/nga khuhu ya tshisadzi yo vhewaho nḓuni (hen housed), mutevhe wa u kudzela u swika kha vhege dza 90. Thebuḽa 4a ḽi ṅea ṱhanganyelo yo kuvhanganywaho ya 'Eggs/hen housed' kha tshaka ṱhanu dza mabindu; thebuḽa ḽithihi ḽi ṅea 'Age at depop. weeks 90.0' kha lushaka luṅwe na luṅwe. Ndi avhareji ya nnḓu/mabogisi a khuhu dza mabindu, hu si mulingo wa mufuwi muṱuku wa khuhu dzi tshimbilaho nnḓa. Zwi vhulungwa nga nḓila ine tshiko tsha zwi ṅea ngayo: mpimo wa ṅwaha u ḓo ṱoḓa miṅwaha ya u vha tsini na u thoma u kudzela i bvaho kha ḽiṅwe ḽiṅwalwa.

Ndaedzi ya vhukale/sisṱeme: Zwipimo zwa tshaka dza mabindu zwa SAPA 2024 zwo kuvhanganywaho u swika kha vhege dza 90: Dekalb Amberlink 429 eggs/hen housed, Dekalb Brown 428, Hy-Line Silver Brown 435, Hy-Line Brown 434 na Lohmann Brown Lite 413. Hezwi ndi zwipikwa zwa mutevhe wo fhelelaho, hu si makumba nga ṅwaha wa khalenda kana mbonelaphanḓa ya mufuwi muṱuku. Miṅwaha musi hu tshi rengwa, tshifhinga tsha vhukuma tsha u thoma u kudzela, khuhu dza tshisadzi dzi kudzelaho dzo tshilaho, zwiḽiwa, maḓi na tshedza zwi ṱoḓa rekhodo dzo fhambanaho.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṅeani maḓi o kunaho a fulufhedzeaho.

Kha maitele a u fuwa a tendelaho u tshimbila nnḓa, khuhu dza tsadzi dzi tea u kona u ya fhethu ha nnḓa tshifhinga tshi si ho fhasi ha awara dza 8 nga ḓuvha hu masiari.

Hune ha shumiswa mabogisi a zwiṱaha zwa khuhu nga tshithihi, hu vhe na tshiṱaha tshithihi kana u fhira kha khuhu dza tsadzi dza 8.

Khuhu dza tsadzi dzi ṱoḓa tshifhinga tshi si ho fhasi ha awara dza 8 dza swiswi ḽi sa ṱhukhuwi kha mutevhe muṅwe na muṅwe wa awara dza 24 uri dzi awele zwavhuḓi.

U dzudza fhasi nḓuni zwi ṱoḓa zwa u andadza kha tshipiḓa tshithihi kha zwiraru (33%) tsha vhupo ha fhasi kana u fhira.

Fhethu ha nnḓa ha u tshimbila a ho ngo tea u ḓala nga maanḓa: khuhu dzi songo fhira 5 nga mitara ya tshikwea ya fhethu afho.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Khuhu: Laying hens (commercial) (zwi khou bvela phanḓa)

Muṋe kana mulanguli ane zwifuwo zwawe zwa vha zwo kavhiwa, kana zwi tshi nga vha zwo kavhiwa, nga vhulwadze ha zwifuwo vhu langiwaho u tea u vhiga zwenezwo nga u ṱavhanya kha mulanguli wa muvhuso wa vhulafhi ha zwifuwo.

Vhulwadze ha Newcastle na flu ya zwiṋoni ine ya tea u vhigwa zwi kha mutevhe wa muvhuso wa malwadze a zwifuwo a langiwaho na ane a tea u vhigwa.

A hu na tshifuwo tshi no tendelwa u ṱhavhiwa huṅwe hu si fhethu ha u ṱhavhela zwifuwo, nga nnḓa ha zwi re afho fhasi.

U ṱhavhela muṱa waṋu nga woṱhe, kana ndivho dza mvelele kana vhurereli, a zwi vhofhiwi nga mulayo wa fhethu ha u ṱhavhela zwifuwo.

Tshiko: SAPA Abridged Code of Practice: Commercial Layers, p. 1

Tshiko: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Tshiko: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Tshiko: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: SAPA Industry Profile 2024, Table 4: commercial standards cumulative to 90 weeks, p. 39

Tshiko: SAPA Layer Notes, Commercial Layers (training module, November 2013), p. 13

Tshiko: SAPA Industry Profile 2022, Table 4a (Breed standards in laying hens), p. 39

Tshiko: ARC Climate-Smart Agriculture Training Manual, Poultry production, p. 8

Tshiko: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

Tshiko: FAO: Small-scale poultry production, egg marketing

Tshiko: SAPA Layer Notes, Commercial Layers (training module, November 2013)

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Masekwa: Meat duck (Pekin / Muscovy, backyard)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṉama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṉotshi.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 7–12. P44 = Pekin (vhege dza 7 u swika kha u ṱhavha); MR71 = Muscovy (vhege dza 10 kha masekwa a tshisadzi, dza 12 kha a tshinna). Zwi dzhiiwa sa 'tshifhinga tsha tshibveledzwa tsha u thoma' = miṅwaha ya u ṱhavhiwa, ngauri iḽi ndi bindu ḽa ṉama ḽa mutevhe muthihi (a ḽi na tshibveledzwa tshi dovhololaho u fana na makumba). Ndi mulingo u si wa Afrika Tshipembe wa vhaṱoḓisisi vha Warsaw, wo anḓadzwaho kha SAJAS; fhethu ha dzhenala a hu khwaṱhisedzi uri zwi a shuma henefho.

Ndaedzi ya vhubveledzi: 2.3–2.9 kg ya tshileme tsha tshiṉoni tshi tshilaho/nga tshiṉoni musi tshi tshi ṱhavhiwa. A si zwa Afrika Tshipembe (ṱhoḓisiso ya Guyana i vhigaho u redzwa ha Steklenev 1990); a hu na mbalo ya vhukuma ya tshileme tshi tshilaho musi hu tshi ṱhavhiwa ya Afrika Tshipembe yo wanalaho (sedzani zwi ṱahelaho). 2.93 kg = Pekin kha vhege dza 8-10, 2.29 kg = Muscovy kha vhege dza 8-10 - zwi fana na tshaka mbili dza bindu iḽi. Mulingo wa bammbiri ḽithihi ḽa LRRD ḽone ḽiṉe (Thebuḽa 2, maitele a ndondolo yo khwaṱhaho, Guyana) wo kala tshileme tshi tshilaho musi hu tshi ṱhavhiwa (vhege dza 8) sa: Pekin dza tshinna 2.53 kg, Pekin dza tshisadzi 2.29 kg, Muscovy dza tshinna 2.47 kg, Muscovy dza tshisadzi 1.51 kg - zwi anḓanaho nga u angaredza na mikhano yo redzwaho afho nṱha, fhedzi zwi songo ṱanganyiswa nayo ngauri ndi mafhungo/thebuḽa ḽo fhambanaho kha tshiko tshithihi. A hu na mbalo i re na tshiko ya makumba/sekwa/ṅwaha yo wanalaho kha lushaka luṅwe na luṅwe (sedzani zwi ṱahelaho); zwiko zwa LRRD na SAJAS zwi shumiswaho afha zwo ita ṱhoḓisiso ya masekwa o aluselwaho ṉama fhedzi.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Ndi mulandu u dzima sekwa zwiḽiwa kana maḓi, kana u ḽi vhea hune ha shaya tshikhala tsho eḓanaho, muya wo eḓanaho, tshedza kana vhudzumbamo kha mufhiso na phepho.

Sedzani miṱambi u vhona u fa nga khathihi, mithenga yo ṱhilinganyaho, u zwimba ha zwiṉama zwo nembelelaho fhasi ha mulomo kana kha ṱhoho, kana u fhungudzea ha makumba nga khathihi - hezwi ndi tsumbo dza mugunyuso wa zwiṉoni nahone dzi tea u vhigiwa nga u ṱavhanya.

Veani masekwa kule na zwiṉoni zwa ḓaka na maḓi kana zwiḽiwa zwo vuleaho zwi zwi kokodzaho, ni lange u dzhena ha vhaeni nḓuni dza masekwa, u fhungudza khombo ya mugunyuso wa zwiṉoni.

Masekwa ndi luṅwe lwa tshaka dza zwifuwo zwi fuwiwaho dzi re kha mutevhe wa Meat Safety Act, ngauralo milayo yawo ya fhethu ha u ṱhavhela zwifuwo ho ṅwaliswaho na vhudele i a shuma khazwo.

Masekwa a ṱhavhelwaho u rengiswa a tea u ṱhavhiwa fhethu ha u ṱhavhela zwifuwo ho ṅwaliswaho; u ṱhavhela zwiḽiwa zwa mulimi nga ene muṉe a zwi vhofhiwi nga zwenezwi fhedzi ṉama yeneyo a i tei u rengiswa.

Fhethu ha u ṱhavhela zwifuwo, masekwa a tea u farwa nga vhulenda musi a tshi laiwa, a tshi tshimbidzwa, a tshi tsitswa, a tshi dzudzwa, a tshi thivhelwa u tshimbila na u vhulawa, nga fhasi ha Animals Protection Act.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Masekwa: Meat duck (Pekin / Muscovy, backyard) (zwi khou bvela phanḓa)

Masekwa ndi zwiṉoni/kuku dzi fuwiwaho, ngauralo u phadalala ha flu ya zwiṉoni kha sambi ḽa masekwa ndi vhulwadze ha zwifuwo vhu langiwaho nga fhasi ha Animal Diseases Act nahone vhu tea u vhigwa nga u ṱavhanya kha dokotela wa zwifuwo wa muvhuso.

Tshiko: Animals Protection Act 71 of 1962 (consolidated text, s.2(1)(b)-(c)), p. 2

Tshiko: Western Cape Department of Agriculture, Avian Influenza (Bird Flu) factsheet, p. 2

Tshiko: Meat Safety Act 40 of 2000, Schedule 1 (Animals to which this Act applies), p. 16

Tshiko: Meat Safety Act 40 of 2000, s.7, p. 6

Tshiko: Meat Safety Act 40 of 2000, s.9, p. 7

Tshiko: Damaziak et al. (2014), Influence of housing system on the growth and histological structure of duck muscles, S. Afr. J. Anim. Sci. 44(2): Poland trial

Tshiko: Livestock Research for Rural Development 18(11) 2006 - Solomon et al. (Guyana; not an SA figure), citing Steklenev 1990

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Tshivhudu: Tilapia (Mozambique tilapia, small pond or tank)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: khovhe. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṋotshi.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 43.5–52.2. Miṅwedzi ya 10 x 4.35 = vhege dza 43.5; miṅwedzi ya 12 x 4.35 = vhege dza 52.2. Hetshi ndi tshifhinga tsha u alusa Mozambique Tilapia (O. mossambicus) u swika kha vhuhulwane ha u kaṋiwa; tshiko tshi bula nga thungo uri Nile Tilapia (O. niloticus) i swika kha vhuhulwane ha u kaṋiwa nga u ṱavhanya, kha miṅwedzi ya 6-10 (= vhege dza 26.1-43.5) — a zwi shumiswi afha ngauri ndi lushaka lwo fhambanaho lu re na vhuimo ha mulayo ho fhambanaho (sedzani 'mulayo').

Ndaedzi ya vhubveledzi: 800 g ya tshileme musi i tshi kaṋiwa/nga khovhe. Thebuḽa 8-3 ḽi ṋea vhuhulwane ha u kaṋiwa ha Mozambique Tilapia sa mbalo nthihi ya nyanganyelo ('+- 800g'), hu si mikhano, ngauralo hu shumiswa [800, 800] nṱhani ha u tou humbulela phambano. Tshipiḓa tshithihi tsha thebuḽa tshi khethekanya '10-12' nga u khethekanywa ha mutalo kha PDF ('10-\n12'), zwe zwa vhulungwa zwo ralo. Mutalo wa Nile Tilapia kha thebuḽa u ṋea tshileme tshithihi tsha nyanganyelo (+-800g) tshi swikiwaho nga u ṱavhanya, kha miṅwedzi ya 6-10 — a u shumiswi afha ngauri dosiye iyi yo livha kha Mozambique Tilapia ya henefha; u nanga uhu a hu khwaṱhisedzi thendelo ya zwino ya u fuwa, ine ya tea u ṱolwa nga thungo; sedzani 'mulayo' u itela uri ndi ngani Nile Tilapia i dzhiiwa nga thungo. A hu na tshiko tsha Afrika Tshipembe tsho wanalaho tshi ṋeaho mbalo yo ḓitikaho nga u shandukiswa ha zwiḽiwa kana khaṋo nga hekithara yo livhaho kha O. mossambicus ine ya nga shandukiswa ya vha yuniti iyi nga khovhe hu sa ṱanganyiswi mbalo dza maṅwalwa o fhambanaho, ngauralo outputUnit i tevhela yuniti ya tshiko tshone tshiṋe (gireme dza tshileme tsha khaṋo nga khovhe) nṱhani ha u shandukiswa.

Ndaedzi ya vhukale/sisṱeme: ARC i ita uri u tea ha tilapia hu ḓitike nga mufhiso wa maḓi: u alusa tshilimo zwi nga tea huṅwe na huṅwe Afrika Tshipembe musi maḓi a tshi fhira 20°C; u aluwa a hu vhi havhuḓi fhasi ha 18°C nahone maḓi a vhuria a re fhasi ha 13°C a nga vhulaha tilapia i fuwiwaho. Tshikombo tsha Highveld ndi tshiliṅwa tsha tshilimo; thaneḽa dzi nga ṱanḓavhudza mikhano. Kalani maḓi a dzivha ni khwaṱhisedze lushaka lu dzheniswaho na datumu. Mutsho wa muya kana dzivha ḽo swaiwaho kha mapa a zwi khwaṱhisedzi miṅwedzi ya khaṋo, tshivhalo tsha khovhe kana kg ya zwiḽiwa.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṋeani maḓi o kunaho a fulufhedzeaho.

Mutevhe wa NEMBA wa 2020 a u kateli Mozambique Tilapia ya henefha (O. mossambicus) kha tshigwada tshawo tsha Oreochromis tshi re kha mutevhe, tshi katelaho Nile Tilapia (O. niloticus). Phambano iyi ya mutevhe i yoṱhe a i khwaṱhisedzi thendelo ya mushumo muṅwe na muṅwe wa u fuwa kana fhethu.

Mutevhe wa NEMBA wa 2020 u vhea Nile Tilapia (Oreochromis niloticus) kha Tshigwada 3, kana Tshigwada 2 kha fhethu ha u fuwa zwipuka zwa maḓini hu re na thendelo. Khwaṱhisedzani lushaka, fhethu na nyimele dza thendelo dzi shumaho musi ni sa athu dzhenisa khovhe.

Kha mutevhe wa NEMBA wa 2020, u rengisa na u tshimbidza tilapia i tshilaho zwo thivhelwa nga nnḓa ha i bvaho fhethu ha u thothonya ho themendelwaho. Tshigwada 2 tsha fhethu ha u fuwa zwipuka zwa maḓini hu re na thendelo tsho fhambana na Tshigwada 3; ni songo dzhia khovhe kana damu ḽi re hone sa thendelo ya u bveledza.

Muvhigo wa IDC wa 2015 u ṱalusa u bveledza Nile Tilapia sa zwi ṱoḓaho thendelo nga fhasi ha NEMBA. Itshi ndi tshitatamennde tsha tshiko tsha tshifhinga tshenetsho; khwaṱhisedzani thendelo dza zwino na nyimele dzadzo na maanḓalanga a kwameaho musi ni sa athu bveledza.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Tshivhudu: Tilapia (Mozambique tilapia, small pond or tank) (zwi khou bvela phanḓa)

Muvhigo wa IDC wa 2015 u ṱalusa thivhelo dza fhethu ho tsireledzwaho nga fhasi ha Protected Areas Act na Fish Sanctuary Act, na ṱhoḓea ya thendelo huṅwe. Manweledzo aya a tshifhinga tsho fhiraho ha khwaṱhisedzi thendelo ya zwino ya fhethu; khwaṱhisedzani thivhelo dzi shumaho na maanḓalanga a kwameaho musi ni sa athu bveledza Nile Tilapia.

Muvhigo wa IDC wa 2015 u amba uri u bveledza tilapia zwi ṱoḓa ḽaisentsi ya u shumisa maḓi nga fhasi ha National Water Act. Thendelo ya zwino ya maḓi ya fhethu ho khetheaho a yo ngo khwaṱhisedzwa afha; khwaṱhisedzani ṱhoḓea na maanḓalanga a maḓi a kwameaho musi ni sa athu bveledza.

Tshiko: Department of Environment, Forestry and Fisheries, Alien and Invasive Species Lists, 2020, Gazette 43726, Notice 1003, List 7, item 22, p. 71

Tshiko: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 69

Tshiko: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 74

Tshiko: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 75

Tshiko: ARC Aquaculture Production App: General FAQ, Can I grow tilapia on the Highveld?

Tshiko: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), Table 8-3 (Mozambique vs. Nile Tilapia), p. 69

Tshaka dza zwiliṅwa dza u sedzulusa henefho

Vhulungani dzina ḽa lushaka lune na nanga zwa vhukuma. Mitevhe mipfufhi ya ṱhoḓisiso i ṱoḓa khwaṱhisedzo ya khalaṅwaha ya henefho, maḓi na mavu.

Tomatoes

Lushaka lwo rekhodwaho: a lu athu u nangwa.

Kilima ya fhethu hafha a i athu u ṱalutshedzea, ngauralo a hu buliwi mutevhe mupfufhi wa henefho. Vulani garaṱa ya tshiliṅwa u vhona zwiko na u rekhoda zwe na nanga.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.