SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela

Izimbuzi: Dairy goat (Saanen / Toggenburg / British Alpine)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: ubisi. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Hlela ngokuzala kwangempela kwamathole/amazinyane nokuncelisa. Izilwane ezingancelisi azinikezi ubisi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 775.4–1073.4 kg wobisi/ngembuzikazi/ngesikhathi sokuncelisa sezinsuku ezingu-305. Izilinganiso eziphansi kakhulu (ukuzala kwe->=7) neziphezulu kakhulu (ukuzala kwesi-3) zamaqembu esivuno sobisi ngesikhathi sokukhiqiza ubisi esilinganiselwe ezinsukwini ezingu-305 kumarekhodi obisi e-ARC Saanen aseNingizimu Afrika angu-16,407 ahlaziywe, 1955–2018, ikakhulukazi imihlambi yokuzalanisa enakekelwa kakhulu/ngokulingene. Ithebula 3 le-PDF yokuqala libiza iqembu lokugcina ngokuthi >=7th; i-HTML ibhala >7th. Kugcinwa ku-kg, ngaphandle kokuguqulelwa kumalitha, ukubalwa ngokonyaka noma ukuqagela isivuno ngeminyaka ephakathi kwamaphuzu edatha.

Inkomba yobudala/uhlelo: Isikhombo sama-Saanen aseNingizimu Afrika ngenombolo yomjikelezo wokukhiqiza ubisi, hhayi ubudala ngeminyaka: isisindo sobisi esimaphakathi ngesikhathi esilinganiselwe sezinsuku ezingu-305 sasingu-947.3 kg ekuzaleni kokuqala, 1043.2 kokwesibili, 1073.4 kokwesithathu, 1020.3 kokwesine, 972.8 kokwesihlanu, 901.6 kokwesithupha no-775.4 kokwe->=7. La maqembu e-ARC anamarekhodi obisi ayeyimihlambi yokuzalanisa enakekelwa kakhulu/ngokulingene ikakhulukazi. Rekhoda usuku lwangempela lokuzala kwamazinyane, inombolo yomjikelezo wobisi nobisi oluqoqiwe; ungahlukanisi lezi zamba ngokulinganayo phakathi kwezinyanga.

Inkomba yobudala/uhlelo: EPutukwane eduze kwasePolokwane, izimbuzikazi ezincelisayo ezingu-179 ezidla emadlelweni abanzi ezinokudla okwengeziwe okungajwayelekile zabhekwa izinsuku ezingu-210 ngemva kokuzala. Isisindo sobisi esimaphakathi sasingu-1.45 kg/day kuma-Saanen, 0.75 kuma-British Alpine no-0.56 kuma-Toggenburg ngesikhathi sokukhiqiza ubisi esabhekwa. Ukuqala kokukhiqiza ubisi kwedlula isigaba esiphakathi nesokugcina; ukuzala ngo-Mashi–Ephreli kwaba ngcono kuno-Okthoba–Novemba kuleli qembu. Lezi zimo zihlukile kumarekhodi emihlambi yokuzalanisa. Xoxa ngendawo ngezilwane ezijwayele indawo nokudla; lezi akuzona izethembiso zamalitha/ngosuku noma zonyaka wonke.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Kuyicala ukugcina imbuzi endaweni enendawo enganele, umoya onganele, ukukhanya okunganele noma indawo yokukhosela enganele ekushiseni, emakhazeni noma esimweni sezulu, noma ukuyivalela noma ukuyibopha ngendlela eyibangela ukuhlupheka okungadingekile.

Kuyicala ukulambisa, ukunikeza ukudla okunganele, noma ukunqabela imbuzi amanzi noma ukudla.

Umnikazi akufanele avumele imbuzi ihlale ingcolile noma inezilokazane eziphila kuyo, futhi kufanele ayitholele ukwelashwa ngudokotela wezilwane noma okunye ukwelashwa uma igula, ilimele noma inesifo lapho ekwazi.

Isifo samatele (FMD) siyisifo sezilwane esilawulwayo ngaphansi kwe-Animal Diseases Act: abezinsizakalo zokwelapha izilwane baphoqelela ukuhlukaniswa nezithiyo zokuthutha, futhi isigameko okusoleka ukuthi sikhona kufanele sibikwe.

Endaweni emenyezelwe njengethinteke yi-FMD, izimbuzi nemikhiqizo yazo (kuhlanganise nobisi) azikwazi ukuthuthelwa ngaphakathi, ngaphandle, noma ngaphakathi kuleyo ndawo ngaphandle kwemvume yokuthutha kadokotela wezilwane kahulumeni nokulandela imigomo yayo.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izimbuzi: Dairy goat (Saanen / Toggenburg / British Alpine) (kuyaqhubeka)

Wonke umnikazi wezimbuzi kufanele abhalise uphawu olusemthethweni lokuhlonza bese emaka izimbuzi zakhe ngalo, ngaphansi kwe-Animal Identification Act.

Imbuzi ingahlatshwa ngenhloso yokuthengiswa kuphela endaweni yokuhlabela ebhalisiwe ngaphansi kwe-Meat Safety Act (lokhu kubalulekile lapho izinsikazi zobisi ezisuswa emhlambini noma amazinyane esilisa ethengiselwa inyama); ukuhlaba ukuze kudle umfuyi uqobo, noma ngezinjongo zamasiko/zenkolo, akuboshwa yilokhu kodwa leyo nyama akufanele ithengiswe.

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: Malemela, Nemutandani & Tada (2024), South African Saanen goats, Table 3, p. 625

Umthombo: Norris et al. (2011), Milk Production of Three Exotic Dairy Goat Genotypes in Limpopo Province, South Africa: methods, results and Table 2

Umthombo: Malemela, Nemutandani & Tada (2024), South African Saanen goats: Table 3, 305-day milk yield by parity, p. 625

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izimbuzi: Indigenous veld / communal goat (e.g. Nguni, Tankwa, Xhosa lob-ear)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Inkomba yomkhiqizo wokuqala: amasonto angu-69.6–78.3. Lokhu ubudala bokuZALA OKOKUQALA (ukuzalwa kwamazinyane okuqala), hhayi amazinyane okuqala aselunyuliwe. Izinyanga ezingu-16 x 4.35 = amasonto angu-69.6; izinyanga ezingu-18 x 4.35 = amasonto angu-78.3, kusukela ekuzalweni kwembuzikazi kuya lapho izala okokuqala. Ukwengeza ukulunyulwa okucatshangwa ngumthombo uqobo okucishe kube izinsuku ezingu-150 (cishe izinyanga ezingu-5, cishe amasonto angu-21.75) kungabeka amazinyane okuqala ASELUNYULIWE cishe emasontweni angu-91-100 obudala bembuzikazi, kodwa lelo nani elihlanganisiwe alikhonjiswa njengenani eliyinhloko ngoba le nkambu ichazwa 'njengobudala/isikhathi kusukela ekuqaleni (ukuchanyuselwa, ukuzalwa) kuya kumkhiqizo wokuqala', futhi ukuzala kokuqala kuyisigaba esicacile esishiwo ngqo; lesi sikhathi esengeziwe sokulunyulwa sibhalwe lapha ukuze konke kucace.

Inkomba yobudala/uhlelo: Incwadi kahulumeni yezimbuzi yango-2016 ihlukanisa izilwane zenyama zendabuko, Boer, Savanna ne-Kalahari Red ezinhlotsheni zobisi/zoboya, inezinhloso zokuzalanisa namarekhodi esilwane ngasinye okuzalwa, ukulunyulwa, isisindo nokuthengiswa. Ukukhwelana komphakathi okungalawulwayo kungenza kuzalwe noma nini; lokho akuqinisekisi ukutholakala kwenyama noma kwamazinyane aselunyuliwe unyaka wonke. Khetha izilwane ezifanele uhlelo lwendawo bese urekhoda ukusinda nesigaba somkhiqizo ngaphambi kokubikezela amanani.

Inkomba yobudala/uhlelo: Ezinhlelweni zabalimi abancane ze-KZN Highland Sourveld, ukuswelakala kokudla ebusika nasekuqaleni kwentwasahlobo kungakhawulela izimbuzi. Izimbuzikazi ezizala ekwindla zondla amazinyane phakathi nobusika; ezizala entwasahlobo zibhekana nokuswelakala kokudla ekupheleni kokukhulelwa, ikakhulukazi uma izimvula ziphuza ukufika. Hlela ukudla kwasebusika kwendawo bese uqapha izisindo ngosizo lwabaluleki bezolimo; lokhu kuyisimo sokunakekela sesifunda, hhayi ama-kg noma ikhalenda lokuzala lezindawo zonke.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Kuyicala ukugcina imbuzi endaweni enendawo enganele, umoya onganele, ukukhanya okunganele noma indawo yokukhosela enganele ekushiseni, emakhazeni noma esimweni sezulu, noma ukuyivalela noma ukuyibopha ngendlela eyibangela ukuhlupheka okungadingekile.

Kuyicala ukulambisa, ukunikeza ukudla okunganele, noma ukunqabela imbuzi amanzi noma ukudla.

Umnikazi akufanele avumele imbuzi ihlale ingcolile noma inezilokazane eziphila kuyo, futhi kufanele ayitholele ukwelashwa ngudokotela wezilwane noma okunye ukwelashwa uma igula, ilimele noma inesifo lapho ekwazi.

Ukushoda kokudla ebusika emadlelweni omphakathi otshani obumuncu (sourveld) kuyingozi eyaziwayo enhlalakahleni nasekukhiqizeni: izinsikazi ezizala ekwindla kufanele zondle amazinyane ebusika, kanti ezizala entwasahlobo zithola ukudla okunganele lapho ukukhulelwa sekusekupheleni, ngakho ukwengeza ukudla ebusika kubalulekile.

Isifo samatele (FMD) siyisifo sezilwane esilawulwayo ngaphansi kwe-Animal Diseases Act: abezinsizakalo zokwelapha izilwane baphoqelela ukuhlukaniswa nezithiyo zokuthutha, futhi isigameko okusoleka ukuthi sikhona kufanele sibikwe.

Endaweni emenyezelwe njengethinteke yi-FMD, izimbuzi nemikhiqizo yazo azikwazi ukuthuthelwa ngaphakathi, ngaphandle, noma ngaphakathi kuleyo ndawo ngaphandle kwemvume yokuthutha kadokotela wezilwane kahulumeni nokulandela imigomo yayo.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izimbuzi: Indigenous veld / communal goat (e.g. Nguni, Tankwa, Xhosa lob-ear) (kuyaqhubeka)

Wonke umnikazi wezimbuzi, kuhlanganise nabanikazi bomphakathi/abafuyi abancane, kufanele abhalise uphawu olusemthethweni lokuhlonza bese emaka izimbuzi zakhe ngalo, ngaphansi kwe-Animal Identification Act.

Imbuzi ingahlatshwa ngenhloso yokuthengiswa kuphela endaweni yokuhlabela ebhalisiwe ngaphansi kwe-Meat Safety Act; ukuyihlabela ukudla komfuyi uqobo, noma ngezinjongo zamasiko/zenkolo (kuhlanganise nokuhlabela imikhosi, okuvamile ngezimbuzi zomdabu), akuboshwa yilowo mthetho, kodwa leyo nyama akufanele ithengiswe.

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Umthombo: Letty, B. & Madiba, S., KZN DARD. Constraints to Small-Scale Goat Production in the Highland Sourveld Area of KwaZulu-Natal, p. 3

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: DAFF (2016), Goat Training Manual: breeds p2, records pp4–5, uncontrolled mating section 2.4.6 p7, p. 7

Umthombo: KZN DARD: Goat Production in KwaZulu-Natal, Highland Sourveld research and winter nutrition

Umthombo: Webb, E.C. & Mamabolo, M.J. (2004). Production and reproduction characteristics of South African indigenous goats in communal farming systems. S. Afr. J. Anim. Sci. 34(5):236-239

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izimbuzi: Boer goat (meat enterprise)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 1.5 amazinyane ezimbuzi alumuliwe/ngembuzikazi ekhwelwe (doe mated). Izinga lokulunyulwa elibikiwe lingu-149%, noma amazinyane angu-1.49 aselunyuliwe ngembuzikazi ekhwelisiwe. Umthombo uchaza okwabonwa phakathi neminyaka engamashumi amabili ezimbuzikazini ze-Boer ezidla emadlelweni abanzi endaweni enemvula engu-295 mm; awusho amazinyane aselunyuliwe ngembuzikazi ngonyaka wekhalenda. Lokhu kungumphumela wokuzalana, hhayi ama-kg ezilwane eziphilayo noma enyama elungisiwe. Esinye isilinganiso sobukhulu beqoqo lamazinyane esingu-1.93 azalwa ekuzaleni ngakunye sineyunithi yokubala nesigaba esihlukile futhi asihlanganiswa naleli nani.

Inkomba yobudala/uhlelo: Incwadi kahulumeni yezimbuzi yango-2016 ihlukanisa izilwane zenyama zendabuko, Boer, Savanna ne-Kalahari Red ezinhlotsheni zobisi/zoboya, inezinhloso zokuzalanisa namarekhodi esilwane ngasinye okuzalwa, ukulunyulwa, isisindo nokuthengiswa. Ukukhwelana komphakathi okungalawulwayo kungenza kuzalwe noma nini; lokho akuqinisekisi ukutholakala kwenyama noma kwamazinyane aselunyuliwe unyaka wonke. Khetha izilwane ezifanele uhlelo lwendawo bese urekhoda ukusinda nesigaba somkhiqizo ngaphambi kokubikezela amanani.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Kuyicala ukugcina imbuzi endaweni enendawo enganele, umoya onganele, ukukhanya okunganele noma indawo yokukhosela enganele ekushiseni, emakhazeni noma esimweni sezulu, noma ukuyivalela noma ukuyibopha ngendlela eyibangela ukuhlupheka okungadingekile.

Kuyicala ukulambisa, ukunikeza ukudla okunganele, noma ukunqabela imbuzi amanzi noma ukudla.

Umnikazi akufanele avumele imbuzi ihlale ingcolile noma inezilokazane eziphila kuyo, futhi kufanele ayitholele ukwelashwa ngudokotela wezilwane noma okunye ukwelashwa uma igula, ilimele noma inesifo lapho ekwazi.

Isifo samatele (FMD) siyisifo sezilwane esilawulwayo ngaphansi kwe-Animal Diseases Act: abezinsizakalo zokwelapha izilwane baphoqelela ukuhlukaniswa nezithiyo zokuthutha, futhi isigameko okusoleka ukuthi sikhona kufanele sibikwe.

Endaweni emenyezelwe njengethinteke yi-FMD, izimbuzi nemikhiqizo yazo azikwazi ukuthuthelwa ngaphakathi, ngaphandle, noma ngaphakathi kuleyo ndawo ngaphandle kwemvume yokuthutha kadokotela wezilwane kahulumeni nokulandela imigomo yayo.

Wonke umnikazi wezimbuzi kufanele abhalise uphawu olusemthethweni lokuhlonza bese emaka izimbuzi zakhe ngalo, ngaphansi kwe-Animal Identification Act.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izimbuzi: Boer goat (meat enterprise) (kuyaqhubeka)

Imbuzi ingahlatshwa ngenhloso yokuthengiswa kuphela endaweni yokuhlabela ebhalisiwe ngaphansi kwe-Meat Safety Act; ukuyihlabela ukudla komfuyi uqobo, noma ngezinjongo zamasiko/zenkolo, akuboshwa yilowo mthetho, kodwa leyo nyama akufanele ithengiswe.

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: DAFF (2016), Goat Training Manual: breeds p2, records pp4–5, uncontrolled mating section 2.4.6 p7, p. 7

Umthombo: King, F.J.M. (2009). Production Parameters for Boer Goats in South Africa (MSc dissertation, University of the Free State), citing National Dept of Agriculture data via Malan, S.W. (2000)

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izingulube: Pig (small-scale / emerging-farmer sow herd)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yobudala/uhlelo: Ithebula 1 le-ARC libala izinsikazi zezingulube ezikhulelwe ku-10–18 L drinking water/day nezincelisayo ku-18–23 L/day. Lezi yizigaba zezinsikazi ezizalayo, hhayi inani elilodwa lazo zonke izingulube. Ukunakekela lapho kuzalwa amazinyane kuhlukanisa ukupholisa unina nokufudumeza amachwane; izinhlelo zangaphandle zidinga izilwane eziqinile ezijwayele indawo, umthunzi nendawo yokukhosela. Qinisekisa isigaba, amanzi ahlanzekile atholakala njalo, ukudla nezindlu ngendawo. Incwadi ayinikezi ama-kg aqinisekisiwe adliwayo ngengulube yensikazi ezalayo yalolu hlelo.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Uma izingulube zithuthwa ngamaloli, ikhodi yaseNingizimu Afrika yokuphatha nokuthutha izilwane incoma u-0.3 m² nge-porker, u-0.4 m² nge-baconer no-0.8 m² ngengulube endala ngayinye.

Kuyicala ukugcina ingulube endaweni enendawo enganele, umoya onganele, ukukhanya okunganele noma indawo yokukhosela enganele ekushiseni, emakhazeni noma esimweni sezulu, noma ukuyivalela noma ukuyibopha ngendlela eyibangela ukuhlupheka okungadingekile.

Kuyicala ukulambisa, ukunikeza ukudla okunganele, noma ukunqabela ingulube amanzi noma ukudla.

Ngesikhathi sokushisa okukhulu, izindlu zezingulube zidinga ukungena nokugeleza komoya okungcono nokuncishiswa kwenani lezingulube endaweni, kanti izingulube zangaphandle zidinga umthunzi nendawo yokukhosela.

I-African swine fever (ASF) isohlwini lwezifo zezilwane ezilawulwayo ezithinta izingulube ngaphansi kwe-Animal Diseases Act; izingulube zasendle (warthogs) nemikhaza ye-Ornithodorus (Ornithodorus ticks) kuyizithwali/abasabalalisi.

Isifo samatele (FMD) naso sisohlwini lwezifo zezilwane ezilawulwayo ezithinta izingulube ngaphansi kwe-Animal Diseases Act.

Izinsalela zokudla akufanele ziphiwe izingulube ngaphandle uma zibiliswe okungenani imizuzu engu-60 noma zenziwe zangaba namagciwane ngenye indlela esebenza ngokulinganayo.

Izingulube zingathuthelwa egumbini elivikelwe ezifweni kuphela zivela kwelinye igumbi elinesitifiketi/elivunyelwe ngokusemthethweni ngaleyo njongo.

Ingulube akufanele ihlatshwe kwenye indawo ngaphandle kwendawo yokuhlabela ebhalisiwe, ngaphandle uma kungokokudla komndeni womuntu uqobo noma ngezinjongo zamasiko/zenkolo.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izingulube: Pig (small-scale / emerging-farmer sow herd) (kuyaqhubeka)

Umnikazi wezingulube kufanele afake isicelo sokubhalisa uphawu olusemthethweni lokuhlonza bese emaka izingulube zakhe ngalo, ngaphansi kwe-Animal Identification Act.

Umthombo: Muchenje, V. & Ndou, S.P., How pig pre-slaughter welfare affects pork quality and the pig industry (Univ. of Fort Hare, hosted by SAPPO), quoting Tomlinson (2000) Code of Practice for the Handling and Transport of Livestock, p. 7

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Umthombo: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, p. 9

Umthombo: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, Table 2, p. 15

Umthombo: Munzhelele et al., Investigation of African swine fever outbreaks in pigs outside the controlled areas of South Africa, 2012-2017 (Journal of the South African Veterinary Association, SciELO SA mirror)

Umthombo: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: ARC Climate-Smart Agriculture: Pig production, farrowing/adaptation pp442–445, Table 1 p446, p. 446

Umthombo: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, Table 1 (Water requirements of pigs, litres/pig/day), p. 10

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Onogwaja: Meat rabbit (New Zealand White / Californian, backyard hutches)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 30–35 onogwaja abancane abafinyelela ebudaleni bokuhlatshwa/bokuzala/ngensikazi yonogwaja/ngonyaka. Inhloso evamile ye-FAO yokufuya egcekeni, hhayi izinga elabonwa eNingizimu Afrika. Amazinyane angu-30–35 ngensikazi yonogwaja ngonyaka asefinyelele ebudaleni bokuhlatshwa noma bokuzala ngemva kokubalwa kokulahleka ngemva kokulunyulwa; awagcini ngokuba aselunyuliwe futhi awawona ama-kg enyama. Umthombo ubala amaqoqo okuzala ayisithupha namazinyane angu-5.5 asindile eqoqweni ngalinye, uchaza inhloso yonogwaja abangu-30; iqoqo elilodwa elengeziwe likhuphula inhloso yawo eshiwo ibe ngu-35. Ungahlanganisi le nhloso yokufuya egcekeni nesisindo sesidumbu esivela endlini yokukhulisa konunye ukuhlolwa.

Inkomba yesikhathi sokukhiqiza: iminyaka engu-0.8. Izinsuku ezingu-279 / 365 = iminyaka engu-0.76. Leli nani livela ezindaweni zokufuya onogwaja zokuhweba zaseFrance EZINAKEKELWA KAKHULU (isilinganiso sedatha yango-1992 yohlelo lukazwelonke lokurekhoda), HHAYI ezindlwaneni zasegcekeni/emadlelweni abanzi - umthombo awunikezi inani elehlukile lokuphila kokukhiqiza kwezinhlelo zasegcekeni (bheka okushodayo). Kubheke njengesikhombo somkhawulo ophansi/sohlelo lwemboni kuphela.

Inkomba yobudala/uhlelo: Isikhombo saseNingizimu Afrika sezilwane ezikhuliswayo: onogwaja be-New Zealand White ne-Phendula ekuhlolweni kwaseStellenbosch kwango-2017 bahlatshwa benamasonto acishe abe ngu-11 kusukela ekuzalweni. Izilinganiso zonke zazingu-2.62 kg isisindo esiphilayo sokuhlatshwa, 1.55 kg isidumbu esishisayo, 1.48 kg isidumbu esipholisiwe no-1.26 kg isidumbu sesikhombo esikhishwe ikhanda nezitho zangaphakathi ezibomvu, sisahlanganisa amathambo. Ukudla okuyizinhlayiyana okulinganisiwe namanzi kwakutholakala ngokukhululeka endlini yokukhulisa. Lezi zisindo aziyona inyama engenamathambo noma umkhiqizo wonyaka wensikazi yonogwaja; ungaziphindaphindi ngenhloso ye-FAO yokufuya egcekeni engahlobene nazo.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Kuyicala ukunqabela unogwaja ukudla noma amanzi, noma ukuwugcina endaweni engenayo indawo eyanele, umoya owanele, ukukhanya noma indawo yokukhosela ekushiseni nasemakhazeni.

Nikeza onogwaja abazalisayo indawo yaphansi yendlu engaba ngu-0.48-0.70 m2 ngamunye, ukuphakama kube ngu-50-60 cm, kungabi ikheji eliminyene.

Onogwaja bangolunye lwezinhlobo zezilwane ezifuywayo ezisohlwini lwe-Meat Safety Act, ngakho imithetho yawo yezindawo zokuhlabela nenhlanzeko iyasebenza kubo, njengoba isebenza emadadeni nakwezinye izinhlobo ezisohlwini.

Onogwaja abahlatshwa ngenhloso yokuthengiswa kufanele bahlatshwe endaweni yokuhlabela ebhalisiwe; ukuhlaba ukuze kudle umfuyi uqobo akuboshwa yilowo mthetho kodwa inyama yakhona akufanele ithengiswe.

Endaweni yokuhlabela, onogwaja (njengezinye izilwane ezisohlwini) kufanele baphathwe ngobuntu ngesikhathi belayishwa, bethuthwa, bethululwa, behlaliswa, beboshwa ukuba banganyakazi nalapho bebulawa, ngaphansi kwe-Animals Protection Act.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Onogwaja: Meat rabbit (New Zealand White / Californian, backyard hutches) (kuyaqhubeka)

Unogwaja wasendle waseYurophu (uhlobo olufanayo nonogwaja abafuywayo be-New Zealand White/Californian) usohlwini lwezinhlobo ezihlaselayo ngaphansi kwe-NEMBA kuphela eziqhingini zaseNingizimu Afrika ezisolwandle ngaphandle kwezwekazi - awulona uhlobo olusohlwini/olubekelwe imingcele ezwenikazi.

Umthombo: Animals Protection Act 71 of 1962 (consolidated text, s.2(1)(b)-(c)), p. 2

Umthombo: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 172

Umthombo: Meat Safety Act 40 of 2000, Schedule 1 (Animals to which this Act applies), p. 16

Umthombo: Meat Safety Act 40 of 2000, s.7, p. 6

Umthombo: Meat Safety Act 40 of 2000, s.9, p. 7

Umthombo: South Africa's National Listed Invasive Species booklet (NEMBA Alien and Invasive Species Lists), p. 27

Umthombo: North et al. (2019), Growth, carcass and meat quality traits of two South African meat rabbit breeds: methods p816, Table 2 p819, p. 819

Umthombo: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 107

Umthombo: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 201

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Isibaya: Meat sheep (Dorper, Damara, indigenous fat-tailed and crossbred)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 0.6–1.4 amawundlu azelwe ngemvukazi. I-outputUnit ithi 'lambs born/ewe/year' esikhundleni sesiphakamiso esithi 'kg live weight/lamb at weaning or slaughter' noma 'lambs weaned/ewe/year': umthombo uchaza ukuthi 'Ukukala amaphesenti okuzala anembile kubalimi abancane bezimvu kunzima ngoba laba balimi ikakhulukazi bafuya emadlelweni abanzi futhi abagcini amarekhodi', bese ubala 'Amawundlu azalwa ngemvukazi (njengoba kurekhodiwe ocwaningweni olusekelwe ezingxoxweni nomphenduli ngamunye)' - inani lokuzalwa, hhayi lokulunyulwa, elibikwe abalimi abancane ngokwabo kunokuba likalwe/ngesisindo. 139%=1.39, 83%=0.83, 61%=0.61 amawundlu azalwa/ngemvukazi/ngonyaka; ububanzi [0.61, 1.39] buhlanganisa izifunda ezintathu zabalimi abancane zase-Western Cape ezacwaningwa (Eden, Central Karoo, West Coast), konke kusuka kulolu cwaningo/amazwi acashuniwe kuphela - akuhlanganiswa nomunye umbhalo. Iphepha elifanayo lisho ngokwehlukana isilinganiso sokuqhathanisa sezohwebo emadlelweni abanzi sokuzalwa esingu-110-156% nokulunyulwa okungu-94-132% (Snyman & Herselman, 2005), lisho ngqo ukuthi 'kubalwe phezu kwezimvukazi ezifakwe ekukhwelaneni' (iyunithi yokubala/uhlelo oluhlukile) - akuhlanganiswa nalobu bubanzi babalimi abancane.

Inkomba yobudala/uhlelo: Incwadi kahulumeni yezimvu ichaza ukuzalanisa okulawulwayo e-Mara Research Station, Limpopo: ukukhwelana ngo-Juni–Julayi nokuzala ngo-Novemba–Disemba ukuze kuhambisane nemvula notshani. Leli yikhalenda lokuzalanisa lesiteshi esisodwa, hhayi izinyanga zokuvuna inyama yemvu. Fanisa izilwane ezifuyelwa inyama ezijwayele indawo nokudla kwendawo, bese urekhoda ukuzalwa, ukusinda, ukulunyulwa nokuhlatshwa noma ukuthengiswa kwangempela; amawundlu azalwa ngemvukazi awawona ama-kg adliwayo.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Izimvu akufanele ziminyaniswe esibayeni: okungenani u-0.56 wamamitha ayisikwele wendawo yaphansi ngemvu ngayinye ukuze sonke isilwane sikwazi ukulala.

Izinduku zikagesi ezithusayo, izinduku noma izikhonkwane zokugqugquzela akufanele zisetshenziswe ezimvini.

Izimvu eziqhutshwa ngezinyawo akufanele zihanjiswe ibanga elingaphezu kuka-20 km ngosuku olulodwa (u-25 km uthathwa njengokweqile).

Imfuyo kufanele inikwe amanzi nokudla ngokushesha lapho ifika enkanjini yasebusuku noma lapho eya khona ekugcineni.

Izimvu ezilimele, ezikhubazekile noma eziyizimpumputhe kufanele zibekwe phambili ekuhlatshweni, noma zihlatshwe ngokuphuthumayo, ukuze kuvinjelwe ubuhlungu noma ukuhlupheka okwengeziwe.

Isifo samatele (FMD) siyisifo sezilwane esilawulwayo ngaphansi kwe-Animal Diseases Act; abezinsizakalo zokwelapha izilwane baphoqelela ukuhlukaniswa nezithiyo zokuthutha.

Endaweni emenyezelwe njengeyokulawula i-FMD, izimvu nemikhiqizo yazo azikwazi ukuthuthelwa ngaphakathi, ngaphandle, noma ngaphakathi kuyo ngaphandle kwemvume kadokotela wezilwane kahulumeni.

Utwayi lwezimvu (sheep scab) luyisifo esilawulwayo ngokomthetho: isigameko esisolekayo noma esiqinisekisiwe kufanele sibikwe masinyane kuDokotela Wezilwane Kahulumeni.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Isibaya: Meat sheep (Dorper, Damara, indigenous fat-tailed and crossbred) (kuyaqhubeka)

Ukulwa notwayi lwezimvu, yonke imfuyo encane epulazini kufanele yelashwe ngomuthi obhaliswe ngaphansi koMthetho 36 ka-1947, futhi izimvu ezinalesi sifo zelashwe kabili, ngezikhathi eziqhelelene ngezinsuku eziyisishiyagalombili kuya kweziyishumi.

Wonke umnikazi wezimvu kufanele abhalise uphawu olusemthethweni lokuhlonza bese emaka izimvu zakhe ngalo, ngaphansi kwe-Animal Identification Act.

Imvu ingahlatshwa kuphela endaweni yokuhlabela, ngaphandle uma kungokokudla komfuyi uqobo noma ngezinjongo zamasiko noma zenkolo.

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.5, p. 6

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Umthombo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: DAFF: Sheep General Information Manual, Final Draft, section 3.4.6, p. 12

Umthombo: Factors influencing off-take rates of smallholder sheep farming systems in the Western Cape Province of South Africa (South African Journal of Agricultural Extension, 47(3), 2019)

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Isibaya: Wool sheep (Merino / Dohne Merino, incl. communal wool growers)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: uboya (akukona ukudla). Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 4–5 kg woboya obunamafutha/ngemvu/ngonyaka. Ububanzi bamadlelo omile ngokwengxenye/abanzi (4-5 kg greasy wool/sheep/year) busetshenziswa njengenani eliyinhloko; inani elingu-8 kg/year lomusho ofanayo lingelohlelo oluhlukile (izimvu eziklaba amadlelo ATSHALIWE) futhi likhishwa ngamabomu kububanzi kunokuba lifakwe esilinganisweni. Isabelomali esihlukile se-Western Cape Government (Elsenburg) sohlobo lokufuya lwe-Dohne Merino Extensive (Ceres-Karoo, 2024) sibika ngokwehlukana uboya obuthengisiwe bomhlambi bonke obungu-4439.64 kg obuvela emhlambini wama-Smallstock Units angu-'1 519', okungukuthi 4439.64/1519 = 2.92 kg per Smallstock Unit/year - akusetshenziswa njengenani eliyinhloko ngoba umthombo awusho ukuthi 1 Smallstock Unit = 1 imvu (i-SSU yisisindo esilinganiselwe sesigaba semfuyo, hhayi isibalo sangempela samakhanda), ngakho ukuguqulela ku-kg/sheep kungadinga isici sokuguqula esingashiwongo. Elinye iphepha le-NWGA/Mandela Initiative elikhuluma nge-Eastern Cape communal Wool Sheep Development Program libika ukuhlolwa kwenzalo kwe-Grootfontein ADI okuthi 'Greasy fleece weight (kg) 2.8 [izinqama zokuhweba] 2.4 [izinqama zomphakathi]' kwemihlambi yomphakathi yase-Eastern Cape - akuhlanganiswa nenani eliyinhloko ngoba lelo thebula lithi ngqo 'amawundlu anezinyanga ezingu-6' (isigaba sokuphila esihlukile eboyeni bonyaka ogcwele bemvu esikhulile), okuhambisana nomthetho wokungaxutshi izibalo zezigaba zokuphila ezihlukene; kugcinwa lapha kuphela njengomongo womphakathi wase-EC: amawundlu ayinzalo yezinqama zokuhweba anezinyanga ezingu-6 ayenesilinganiso esingu-2.8 kg, ayinzalo yezinqama zomphakathi 2.4 kg, umehluko ka-+16%.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Izimvu akufanele ziminyaniswe esibayeni: okungenani u-0.56 wamamitha ayisikwele wendawo yaphansi ngemvu ngayinye ukuze sonke isilwane sikwazi ukulala.

Izinduku zikagesi ezithusayo, izinduku noma izikhonkwane zokugqugquzela akufanele zisetshenziswe ezimvini.

Izimvu eziqhutshwa ngezinyawo akufanele zihanjiswe ibanga elingaphezu kuka-20 km ngosuku olulodwa (u-25 km uthathwa njengokweqile).

Izimvu ezilimele, ezikhubazekile noma eziyizimpumputhe kufanele zibekwe phambili ekuhlatshweni, noma zihlatshwe ngokuphuthumayo, ukuze kuvinjelwe ubuhlungu noma ukuhlupheka okwengeziwe.

Kufanele kube nohlelo lokwelapha utwayi lwezimvu (sheep scab): lesi sifo sinezindleko eziphezulu zomnotho nenhlalakahle yezilwane.

Umbiko wonyaka ka-Cape Wools ka-2020/2021 ubika ukuthi ukuthunyelwa koboya emazweni angaphandle kwaqhubeka naphezu kwesifo samatele (FMD), ngaphansi kwesigatshana sokwenza igciwane lingasebenzi semithetho ye-OIE (World Organisation for Animal Health). Lo mbiko waleyo nkathi awuqinisekisi imvume yamanje yokuthumela emazweni angaphandle; qinisekisa izidingo zamanje ngaphambi kokuthengisa noma ukuthumela emazweni angaphandle.

Endaweni emenyezelwe njengeyokulawula i-FMD, izimvu nemikhiqizo yazo azikwazi ukuthuthelwa ngaphakathi, ngaphandle, noma ngaphakathi kuyo ngaphandle kwemvume kadokotela wezilwane kahulumeni.

Utwayi lwezimvu (sheep scab) luyisifo esilawulwayo ngokomthetho: isigameko esisolekayo noma esiqinisekisiwe kufanele sibikwe masinyane kuDokotela Wezilwane Kahulumeni.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Isibaya: Wool sheep (Merino / Dohne Merino, incl. communal wool growers) (kuyaqhubeka)

Uboya bezimvu ezinotwayi kufanele bubhujiswe kunokuba buthunyelwe kumthengi, lapho bebungamakwa njengoboya obunotwayi.

Wonke umnikazi wezimvu kufanele abhalise uphawu olusemthethweni lokuhlonza bese emaka izimvu zakhe ngalo, ngaphansi kwe-Animal Identification Act.

Imvu ingahlatshwa kuphela endaweni yokuhlabela, ngaphandle uma kungokokudla komfuyi uqobo noma ngezinjongo zamasiko noma zenkolo.

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Umthombo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Umthombo: Cape Wools SA Annual Review 2020/2021, p. 8

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: Assessing Socio-economic Factors Influencing Wool Production in Kolomana Villages of Eastern Cape, South Africa (South African Journal of Agricultural Extension), citing Bot et al., 2004

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.