SYNTHETIC GRAPH SOURCE {COUNT} $&

Pele o reka kapa o qala

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Sehlopha sa tlelaemete sa dipatlisiso: Sebaka sa temo ha se eso hlake. Sehlopha sena ha se keletso e netefaditsweng bakeng sa polasi ena.

Seo o se tlalehileng ka polasi ena

Metsi nakong ya komello

Ha ho a rekotwa. Qetella phuputso ya sebaka mme o netefatse metsi pele o kgetha moralo o hlokang disebediswa tse ngata.

Serame polasing ena

Se bonweng ka serame sebakeng ha se a rekotwa. Dikarolelano tsa kgwedi tsa sathelaete di ke ke tsa tiisa matsatsi a pele le a ho qetela a serame.

Letsatsi le phallo ya metsi mobung

Letsatsi: ha ho a rekotwa.

Phallo ya metsi: ha ho a rekotwa. Diphetho tsa teko ya mobu le ditlhoko tsa sejalo ka seng di ntse di hloka ho hlahlojwa.

Direkoto tsa selemo sa tlaleho - eseng ponelopele

Dikakaretso le dikgwedi tsa selemo sa tlaleho se fetileng di hlalosa se tlalehilweng. Ha di tshepise dijo moralong o tlang.

Original eggs {year} $&

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 240 eggs.

Tshebediso ya lelapa: 0 eggs. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: Php, Phu. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Fish

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: ha ho a rekotwa.

Tshebediso ya lelapa: ha ho a rekotwa. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: ha ho a rekotwa. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Meroho e meng

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 12 kg.

Tshebediso ya lelapa: 7 kg. Ho rekisitsweng: 3 kg.

Dikgwedi tsa kotulo tse tlalehilweng: Phe, Tsh. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae

Kriedoring

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: sehlahiswa sa dijo ha se eso netefatswe.

Tlhahlobo ya tshebediso e le dijo: netefatsa hore ke semela sefe, karolo e jewang le tokiso e nepahetseng le moeletsi wa sebaka ya nang le tsebo pele o se kenya dijong tsa lelapa. Se tlohetswe dikakaretsong tsa dijo tse tlwaelehileng le mesebetsing ya kotulo.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Exact identity; no confirmed household food part: The checked primary assessment establishes exact identity and South African distribution only. It does not establish edible parts, food-use preparation, picking dates or yield; claims for a different Lycium species are not transferred.

Rekota hore ke semela sefe hantle mme o fumane keletso ya setsebi sa lehae ka tshebediso e le dijo pele o se bala e le dijo tsa lelapa.

Keletso ya ho reka: Netefatsa mofuta o nepahetseng setsing sa dimela tsa tlhaho se nang le tsebo e loketseng. O se ke wa sebedisa ditlaleho tsa monokotshwai boemong ba genus ho ena le ho hlwaya mofuta hantle.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI Red List: Lycium cinereum

Kriedoring

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: monokotshwai — tshebediso e le dijo e hloka tlhahlobo ya setsebi.

Tlhahlobo ya tshebediso e le dijo: netefatsa hore ke semela sefe, karolo e jewang le tokiso e nepahetseng le moeletsi wa sebaka ya nang le tsebo pele o se kenya dijong tsa lelapa. Se tlohetswe dikakaretsong tsa dijo tse tlwaelehileng le mesebetsing ya kotulo.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Documented berry-use caution: This explicit caution prevents routine household-food forecasting. Sporadic all-year fruiting is not promoted to an edible-food availability calendar.

Boloka sena e le semela se hlwauweng sa lekhoakhoa kapa sa lenane la dimela tse teng. Kopa tlhahlobo ya setsebi sa lehae ka tshebediso e le dijo pele o nka monokotshwai e le dijo tsa lelapa.

Keletso ya ho reka: Netefatsa mofuta o nepahetseng le tshebediso e rerilweng ya lekhoakhoa setsing sa lehae sa dimela tsa tlhaho.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica: Lycium ferocissimum

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Ice plant

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: makgasi le ditholwana.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Annual edible leaf and fruit crop: This is an annual, not a fruit tree. The account describes boiled leaves as a spinach substitute and pickling. It supplies no food harvest duration, kg/plant or exact leaf calendar.

Rekota dihlopha tsa ho lema le makgasi kapa ditholwana tse kotutsweng ka thoko.

Bapisa semela sena se angwang ke serame se nang le leqhwa le maemo a ommeng a nang le letswai kapa a lebopong. Letswai le bokellaneng ho sona le ka kgutlela mobung ha dimela di shwa.

Keletso ya ho reka: Fumana peo kapa dimela tsa mofuta o nepahetseng mme o hlahlobe mobu wa bethe; ha ho mofuta wa dijo wa sebaka kapa kotulo ya dijo ya selemo e netefaditsweng.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica: Mesembryanthemum crystallinum

Coastal red milkwood

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana tse butswitseng.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Karolo e jewang le tshebediso ya sebaka: The source describes bright orange-red mature fruit. It does not give a picking calendar.

SANBI e rekota sefate sena merung ya ditutulu tsa lehlabathe tsa lebopo le ka botjhabela ho tloha Eastern Cape ho pholletsa le KwaZulu-Natal, se mamella marothodi a lewatle a nang le letswai.

Keletso ya ho reka: Netefatsa Mimusops afra le hore e tswa setsing sa dimela ka molao. Hlahloba ditlhoko tsa hajwale tsa ho bokella difate tse sireleditsweng pele o nka dimela kapa dihlahiswa difateng tse teng.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica, mimusops-afra

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Nkaka

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: makgasi/ditholwana tse lokisitsweng ka mokgwa wa setso — tlhahlobo ya setsebi e a hlokahala.

Tlhahlobo ya tshebediso e le dijo: netefatsa hore ke semela sefe, karolo e jewang le tokiso e nepahetseng le moeletsi wa sebaka ya nang le tsebo pele o se kenya dijong tsa lelapa. Se tlohetswe dikakaretsong tsa dijo tse tlwaelehileng le mesebetsing ya kotulo.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Tlhahlobo ya karolo e jewang le polokeho: SANBI reports culinary uses but also toxic constituents and poisoning concerns. A preparation report is not a complete safe household recipe.

Boloka semela sena se namelang lenaneng la dimela tse teng mmapeng, empa o se ke wa se bala e le dijo tse tlwaelehileng tsa lelapa ho fihlela setsebi sa lehae se tshwanelehang se netefatsa hore ke semela sefe, karolo e jewang le tokiso e bolokehileng.

SANBI e se rekota dibakeng tse fapaneng ho pholletsa le South Africa ntle le Western Cape.

Keletso ya ho reka: Rarolla tshebediso e le dijo le tokiso le setsebi sa lehae se nang le boiphihlelo ka dimela tsa dijo pele o se reka e le sejalo sa lelapa.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica, momordica-balsamica

Waxberry

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: mafura a monokotshwai — sehlahiswa se sebetswang ka mokgwa wa setso.

Tlhahlobo ya tshebediso e le dijo: netefatsa hore ke semela sefe, karolo e jewang le tokiso e nepahetseng le moeletsi wa sebaka ya nang le tsebo pele o se kenya dijong tsa lelapa. Se tlohetswe dikakaretsong tsa dijo tse tlwaelehileng le mesebetsing ya kotulo.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Historical processed fat, not a fresh-fruit forecast: Historical food use concerns the fatty berry coating, not a generic fresh sweet berry. No validated household extraction method, recovered food yield or storage life is established. Source coating/oil percentages are not assigned as processing conversion factors.

Nka tokiso ya mafura a jewang e le tshebetso ya setsebi e hlokang netefatso ya lehae.

Sebedisa lehlabathe la lebopong le ntshang metsi hantle, letsatsing kapa moriting o sa fellang; tlhahiso ya ditholwana e hloka dimela tsa ho lema tse hlwauweng bong ba tsona hantle.

Keletso ya ho reka: Netefatsa mofuta o nepahetseng le dimela tse tona/tse tshehadi setsing sa dimela tsa tlhaho. Arola tshebediso ya ho kgabisa sebaka le tshebetso ya dijo tsa lelapa e sa netefatswang.

Ho tsamaiswa ha peo ya dipalesa: dimela tse arohaneng tse tona le tse tshehadi. Hlahloba ditlhoko tsa mofuta o kgethilweng le sebaka sa kgodiso ya dimela.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica: Morella cordifolia

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Black mulberry

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Exact fruit identity and variability: The institutional species reference distinguishes fruiting forms and variable breeding systems. Ripe fruits are used as food; a black-fruited tree must not silently inherit this identity or the legal status of another Morus species.

South African taxonomic cultivation record: The museum lists M. nigra as cultivated in southern Africa and distinguishes naturalised Morus taxa. It gives no ripe-harvest months or quantified yield.

Fruit maturity and water context: Institutional management reference links dry roots to early fruit drop. It contains a non-local 15-year substantial-bearing statement; that is not a South African first-crop age and is not used as a forecast.

Netefatsa mofuta o nepahetseng wa mulberry le hore semela se kgethilweng ke se behang ditholwana. Mmala wa tholwana feela o ke ke wa se hlwaya.

Hlokomela kgatello ya kgaello ya metsi nakong ya kgolo ya ditholwana mme o rekote dikgwedi tsa nnete tsa ho kga tse butswitseng.

Keletso ya ho reka: Kopa dimela tsa Morus nigra tse hlwauweng tse behang ditholwana ka nako e bonweng sebakeng seo. O se ke wa sebedisa mulberry efe kapa efe e nang le ditholwana tse ntsho kapa semela sa mokgabiso se sa beheng ditholwana e le bopaki ba sehlahiswa sena.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: Orwa et al. (2009), World Agroforestry, Morus nigra profile, p. 1

Mohlodi: Iziko Museums, Biodiversity Explorer, Morus

Mohlodi: Orwa et al. (2009), World Agroforestry, Morus nigra profile, p. 4

Wild olive

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana tse butswitseng tsa wild-olive.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Karolo e jewang le tshebediso ya sebaka: Wild olive is distinct from a named commercial olive cultivar. March–July describes fruit following flowers; no exact ripe-picking start/end is established.

SANBI e rekota sefate sena se holang butle dibakeng tsa pula ya lehlabula le ya mariha, se mamella serame sa leqhwa, komello le moya.

Boloka metso ya sona hole le mabota, mathule a katilweng le matamo a ho sesa; SANBI e bolela hore e ka nama ka matla.

Keletso ya ho reka: Kopa taxon ya wild-olive e khathalokong ho ena le ho e nkela sebaka ka mofuta wa olive wa kgwebo. Rekota ho kga ha nnete ha sebakeng seo.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica, olea-europaea-subsp-africana

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Olive

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Cultivar and product choice: Frantoio is described as an oil and cross-pollen candidate. Mission suits black table olives and oil; Kalamata black table, Manzanilla and Barouni green table. Climate fit and pollen needs depend on cultivar.

Regional orchard budget is not per-tree yield evidence: This is a historical one-hectare financial model; it does not provide matched per-tree kg or a measured biological maturity curve. No financial values or pesticide recipes are copied.

Bapisa mofuta o kgethilweng le diolive tsa ho jewa kapa oli. Hlahloba ho tswa ha metsi mobung, nosetso le maemo a mariha; pula ya lehlabula e nang le mongobo e ka tlisa mathata a mafu.

Kga boemong bo rerilweng ba botala, botsho kapa oli. Maemo a ho sebetswa le a ho boloka sehlahiswa ka polokeho a tlameha ho rekotwa ka thoko.

Keletso ya ho reka: Mission ke mofuta o ka kgethwang bakeng sa diolive tse ntsho tsa ho jewa le oli o tsheheditsweng ke mohlodi; Kalamata ke ya diolive tse ntsho tsa ho jewa; Manzanilla le Barouni ke tsa diolive tse tala tsa ho jewa; Frantoio ke ya oli le peo ya dipalesa e tsamaellanang. Netefatsa ho tshwaneleha ha sebaka ka ditsi tsa dimela tse ngodisitsweng tsa SA Olive.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — Western Cape — kotulo ya olive e itshetlehileng ka mofuta le tshebediso ya ho qetela: Hlk–Phu.

Mohlodi: SA Olive Association, Olive Growing

Mohlodi: Western Cape Department of Agriculture, Oil Olives, Garden/Little Karoo budget, 13 March 2021, p. 1

Bietou

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana tse butswitseng.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Karolo e jewang le tshebediso ya sebaka: Food is the ripe fruit. Main flowering in autumn/winter and fruit shortly afterwards do not establish named picking months.

SANBI e hlalosa sehlahla sa pele se namang se ratang letsatsi le mobu o ntshang metsi hantle, ho akarelletsa dibaka tsa lebopong le tsa ka hare ho naha. Siya sebaka sa ho nama ha sona.

Keletso ya ho reka: Netefatsa mofuta o nepahetseng le tshimoloho ya lehae; mohlodi o hlahlobilweng ha o fane ka mofuta wa tholwana o kgethilweng o nang le lebitso.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica, osteospermum-moniliferum

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Date palm

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Kakamas phenology is not a picking calendar: Table is fruit-set-to-maturation duration, not months of ripe harvest. Its separate table lists July–August flowering. Neither becomes a food-availability bar.

Southern Hemisphere reference, awaiting local confirmation: Broad hemispheric context, not a measured cultivar/site calendar. Kept outside the structured local harvest windows.

Western Cape Medjool ripening and spoilage trial: 2022 trial at Kleinplasie near Hermon concerns Medjool. Abstract treatment dates label ripening stages inconsistently; no harvest months are inferred. Full university handle returned HTTP 403 during checking.

Dipalema tse tshehadi di hloka peo ya dipalesa e loketseng ya tse tona. Rekota bong, mofuta o kgethilweng le taolo ya ho tsamaisa peo ya dipalesa pele o etsa ponelopele ya ditholwana.

Hlahloba mocheso, metsi le pula nakong ya ho butswa. Teko ya Hermon e fumane ho butswa ho sa lekaneng le ho senyeha, kahoo katleho ya sebaka feela ha e netefatse sejalo sa lehae.

Keletso ya ho reka: Medjool e ngotswe phuputsong ya Hermon. Fumana dimela tse tshehadi tse tsejwang di beha ditholwana le keletso ka peo ya dipalesa e tsamaellanang; ponahalo ya semela se tswang peong ha e netefatse bong ba sona kapa boleng ba ditholwana tseo se tla di beha.

Ho tsamaiswa ha peo ya dipalesa: dimela tse arohaneng tse tona le tse tshehadi. Hlahloba ditlhoko tsa mofuta o kgethilweng le sebaka sa kgodiso ya dimela.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: FAO Date Palm Cultivation (2002), Chapter VIII

Mohlodi: FAO Date Palm Cultivation (2002), Chapter IV, Table 23

Mohlodi: FAO Date Palm Cultivation (2002), Chapter IX

Mohlodi: Peddie (2023), Stellenbosch MScAgric thesis, university-provided abstract in FAO AGRIS

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Pistachio

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana tse nang le dikgapetla tse thata.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Producer's own cultivars: The same questionnaire confirms the nuts are grown on the producer's farm. Cultivar names are reproduced as written; spelling is not a taxonomy or catalogue change.

Prince Albert establishment and maturity expectation: An expectation for the newly established Platberg project, not a measured universal age curve. Its planted cultivars are Shufra, Ariyeh and Sirora; irrigated Karoo context retained.

Difate tse tshehadi di beha ditholwana tse nang le dikgapetla tse thata mme di hloka peo ya dipalesa ya difate tse tona tse loketseng. Tshupiso ya Prieska e tswa polasing e ommeng ya Karoo e nosetswang.

Netefatsa dimela tsa ho lema tse tona le tse tshehadi, nosetso le maemo a lehae a mariha/lehlabula; tshupiso ya mohlahisi ya Hlakola ha e netefatse lebopo le nang le mongobo.

Keletso ya ho reka: Buisana le setsi sa dimela se nang le botsebi ka Shufrah le Ariyeh tse bopaking ba mohlahisi wa Prieska, kapa Shufra, Ariyeh le Sirora tse projekeng ya Prince Albert. Kgetha semela se setona se tsamaellanang mme o netefatse ho tshwaneleha ha sebaka.

Ho tsamaiswa ha peo ya dipalesa: dimela tse arohaneng tse tona le tse tshehadi. Hlahloba ditlhoko tsa mofuta o kgethilweng le sebaka sa kgodiso ya dimela.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — polasi ya Orange River haufi le Prieska, Northern Cape — se bonweng ke mohlahisi wa Karoo Pistachios: Hlk.

Mohlodi: Karoo Pistachios, first-person producer questionnaire on FoodHub

Mohlodi: Prince Albert Municipality, Pistachio Pioneers, 20 October 2025

Spekboom

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: makgasi a jewang.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Karolo e jewang le tshebediso ya sebaka: The food is the tart leaf; flowers do not define leaf picking months.

Primary food-processing research: The study analyses processed spekboom leaves. Its laboratory method and composition are not a farm harvest rate, storage life or household food-safety recipe.

Sireletsa dimela tse ntjha ho fulwa haholo. SANBI e tlaleha dibaka tse futhumetseng tse majwe le tse batlang di omme; ho fulwa ke dipodi haufi le mobu ho ka thibela ho ata ka dikarolo tsa semela le ho fokotsa ho ikgolela hape.

Keletso ya ho reka: Kopa spekboom e hlwauweng hantle mme o rekote hore e lenngwe bakeng sa dijo, ho fulwa kapa ho tsosolosa sebaka. Ha ho kotulo e lekantsweng ya makgasi bakeng sa lelapa e fanweng.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica, portulacaria-afra

Mohlodi: Mahlanza et al., University of Johannesburg research record, International Journal of Food Science and Technology (2026)

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Apricot

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Solitaire winter and pollen context: Solitaire is listed as self-compatible. Its chilling units are named-cultivar requirements and are not a numeric range for every apricot.

Irrigated Robertson trial context: The field experiment used managed organic orchards and found trade-offs in mulch effects; it does not justify a universal yield improvement from mulch.

Boloka tshupiso ya ho kga ya mofuta ka mong o kgethilweng ka thoko. Mohlala wa Robertson o sebedisitse nosetso ya lehlabula.

Netefatsa ho bata ha mariha, metsi le dimela tsa sebele tsa ho lema pele o sebedisa tshupiso e le moralo wa lehae.

Keletso ya ho reka: Solitaire e na le tshupiso ya ho kga ha pele ka Pundungwane e nang le mohlodi le maemo a ho bata a boletsweng Simondium; buisana le setsi sa dimela ka ho tshwaneleha ha yona sebakeng seo.

Keletso ya ho reka: Imperial e na le tshupiso ya Tshitwe Robertson. Ke mofuta o ka lekwang sebakeng seo, eseng keletso ya lebopo la KZN le se nang serame sa leqhwa.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — Bien Donne, Simondium, Western Cape — kotulo ya pele ya Solitaire: Pun.

Tshupiso feela — Tierhoek Organic Farm, Robertson, Breede River Valley, Western Cape — teko ya Imperial: Tsh.

Mohlodi: Culdevco / ARC Infruitec-Nietvoorbij, Solitaire apricot cultivar sheet

Mohlodi: Birkhofer et al. (2019), Effects of Ground Cover Management in Organic Deciduous Fruit Orchards in South Africa, Table 1

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Sweet cherry

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: Dicheri tse monate tse butswitseng.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Production at age six: The guide reports 4–6 kg/tree in year 6 and warns that yields are difficult to predict because of pollination and fruit set. The separate good result at year 8–9 is 9 t/ha. Do not connect them into a made-up growth curve or convert the later hectare result to arbitrary tree spacing.

Chilling and pollen partners: Conventional commercial cherry reference: more than 1,000 Positive Utah Chill Units, not 1,000 chill hours. Low-chill candidates need their own verified requirements. Most cultivars need compatible cross-pollination; the named self-fertile choices differ. The September flowering reference is not a picking-month array.

Observed Ceres season start: Ceres growers reported the start of the 2025 cherry harvest in late October, seven to ten days earlier than the prior year. This is an observed season in a named region, not a fixed future duration, KZN calendar or all-variety season.

Hlahloba ho bata ha mariha ho lekantsweng, serame sa leqhwa sa selemo, ho tswa ha metsi le pula haufi le nako ya ho kga. Tataiso ya kgale ya KZN e ne e nka hore ho tshwaneleha bakeng sa kgwebo moo ho ntse ho le tekong; leibole e akaretsang ya sebaka sa tlelaemete ha e nke sebaka sa keletso ya hajwale ya lehae.

Ho tsamaiswa ha peo ya dipalesa ho itshetlehile ka mofuta o kgethilweng. Ho thunya ho tsamaellanang le mehlodi ya peo ya dipalesa ho fapane le ho butswa ha ditholwana kapele kapa hamorao.

Keletso ya ho reka: Mefuta e ka kgethwang tataisong ya sebaka e kenyelletsa Bing, Van, Rainier, Burlat le Vista, tseo ka kakaretso di hlokang balekane ba peo ya dipalesa ba tsamaellanang. E thathamisa ka ho hlaka Lapins, Stella le Sweetheart e le tse kgonang ho beha ditholwana ka peo ya tsona ya dipalesa. Minnie Royal, Royal Lee, Royal Dawn le Early Sweet ke mefuta e ka kgethwang e hlokang ho bata ho fokolang. Netefatsa dimela tse fumanehang hajwale, kutu ya motso e nepahetseng, ho tsamaellana le ho bata ha lehae ho lekantsweng pele o reka; sena ha se kgothaletso ya lebopo le futhumetseng.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Yield, p. 31

Mohlodi: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Climate and Cultivars, p. 30

Mohlodi: Hortgro / Tru-Cape growers, Cherry season begins: Ideal conditions, 29 October 2025

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Almond

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana tse nang le dikgapetla tse thata.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Texas Mission pollen, chill and weight context: Texas Mission is classified high chill and names Nonpareil as pollinator. Its 5 kg/tree production entry does not state tree age, management, trial region or whether weight is kernel or in-shell; it is not a mature annual food forecast.

Texas Mission named production entry: The Texas Mission table's Production (kg/tree) row gives 5 kg/tree. It does not state tree age, reporting period, trial region or whether this means kernels or nuts in shell. Retained as a cultivar source claim to investigate; numeric mature annual kg remains null.

Hlahloba ditlhoko tsa mariha tsa mofuta o boletsweng ka lebitso le peo ya dipalesa e tsamaellanang pele o lema. Texas Mission ha e tsamaellane le peo ya yona ya dipalesa.

Rekota hore boima ba ditholwana tse dikgapetla tse thata bo bolela dikahare tse jewang kapa ditholwana di sa le dikgapetleng; tsena ke dipalo tse fapaneng.

Keletso ya ho reka: Texas Mission ke mofuta o ngotsweng ke SAPO; leqephe la wona le bolela Nonpareil e le molekane wa peo ya dipalesa mme le hlalosa tlhoko e phahameng ya ho bata. Netefatsa ho tshwaneleha ha lehae le setsi sa dimela.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — leqephe la mofuta la SAPO la South Africa; sebaka sa teko ha se a bolelwa — kotulo ya pele ya Texas Mission: Hlk.

Mohlodi: SAPO Trust, Texas Mission almond cultivar information

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Pear

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Rosemarie Select pollen partners: These are cultivar-specific compatible-pollen candidates, not a guarantee that any two pear trees pollinate one another.

Packham's Triumph pollen partners: SAPO describes chilling qualitatively as low and production as high; neither supplies a numeric age or kg/tree.

Rekota mofuta o boletsweng ka lebitso le dikgwedi tsa nnete tsa ho kga ha pele le ha ho qetela. Ditshupiso tsa Pherekgong le Hlakola ke dikgetho tse fapaneng, eseng khalendara ya serapa sa difate se kopantsweng bakeng sa sefate ka seng.

Keletso ya ho reka: Rosemarie Select ke mofuta wa Western Cape o ka kgethwang o tsheheditsweng ke mohlodi oo o ka buisanang le setsi sa dimela ka wona. Botsa ka December kapa Packham's Triumph e le balekane ba peo ya dipalesa ba tsamaellanang.

Keletso ya ho reka: Bakeng sa Packham's Triumph, botsa ka Clapp's Favourite, December kapa Starkrimson mme o hlahlobe maemo a mariha a lehae.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — Ceres, Koue Bokkeveld, Western Cape — kotulo ya pele ya Rosemarie Select: Phe.

Tshupiso feela — Wolseley, Western Cape — kotulo ya pele ya Rosemarie Select: Phe.

Tshupiso feela — leqephe la mofuta la South Africa; sebaka sa teko ha se a bolelwa — kotulo ya pele ya Packham's Triumph: Hlk.

Mohlodi: Culdevco / ARC Infruitec-Nietvoorbij, Rosemarie Select pear cultivar sheet

Mohlodi: SAPO Trust, Packham's Triumph pear cultivar sheet

Mefuta ya dijalo e lokelang ho hlahlojwa sebakeng seo

Boloka lebitso la mofuta oo o o kgethang ka nnete. Manane a makgutshwane a dipatlisiso a hloka netefatso bakeng sa nako ya sebaka, metsi le mobu.

Tomatoes

Mofuta o rekotilweng: ha ho eso kgethwe.

Maemo a lehodimo a sebaka sena ha a eso hlake, kahoo ha ho bolelwe lenane le lekgutshwane la sebaka. Bula karete ya sejalo ho bona mehlodi le ho rekota kgetho ya hao.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.