SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Kriedoring

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: umkhiqizo wokudla awukaqinisekiswa.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Exact identity; no confirmed household food part: The checked primary assessment establishes exact identity and South African distribution only. It does not establish edible parts, food-use preparation, picking dates or yield; claims for a different Lycium species are not transferred.

Bhala ubunikazi obuqondile besitshalo bese uthola iseluleko sikachwepheshe wendawo ngokusetshenziswa njengokudla ngaphambi kokusibala njengokudla kwasekhaya.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile ngenkulisa yezitshalo zomdabu enobungcweti. Ungasebenzisi izimangalo zamajikijolo ezingeni le-genus esikhundleni sokuhlonza uhlobo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI Red List: Lycium cinereum

Kriedoring

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo — ukusetshenziswa njengokudla kudinga ukubuyekezwa uchwepheshe.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Documented berry-use caution: This explicit caution prevents routine household-food forecasting. Sporadic all-year fruiting is not promoted to an edible-food availability calendar.

Gcina lesi njengesitshalo esihlonziwe sothango noma sohlu lwezitshalo ezikhona. Funa ukubuyekezwa nguchwepheshe wendawo ngokusetshenziswa njengokudla ngaphambi kokuphatha amajikijolo njengokudla kwasekhaya.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile nokusetshenziswa okuhlosiwe kothango ngenkulisa yendawo yezitshalo zomdabu.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Lycium ferocissimum

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Ice plant

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga nezithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Annual edible leaf and fruit crop: This is an annual, not a fruit tree. The account describes boiled leaves as a spinach substitute and pickling. It supplies no food harvest duration, kg/plant or exact leaf calendar.

Bhala amaqoqo okutshalwa namaqabunga noma izithelo ezivuniwe ngokwehlukana.

Fanisa lesi sitshalo esizwela isithwathwa nezimo ezomile ezinosawoti noma zasogwini. Usawoti osiqongelelile ungabuyela emhlabathini lapho izitshalo zifa.

Iseluleko sokuthenga: Thola imbewu noma izitshalo zohlobo oluqondile bese uhlola inhlabathi yombhede; alukho uhlobo lokudla lwesifunda noma isivuno sokudla sonyaka oluqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Mesembryanthemum crystallinum

Coastal red milkwood

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: The source describes bright orange-red mature fruit. It does not give a picking calendar.

I-SANBI ibhala lesi sihlahla ehlathini lezindunduma zogwini olusempumalanga kusukela e-Eastern Cape kudlule KwaZulu-Natal, sibekezelela inkungu yasolwandle enosawoti.

Iseluleko sokuthenga: Qinisekisa i-Mimusops afra nokuthi ivela ngokusemthethweni enkulisa. Hlola izidingo zamanje zokuqoqwa kwezihlahla ezivikelwe ngaphambi kokuthatha izitshalo noma imikhiqizo ezihlahleni ezikhona.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, mimusops-afra

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Nkaka

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga/izithelo ezilungiswe ngendlela yesintu — kudingeka ukubuyekezwa uchwepheshe.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukubuyekezwa kwengxenye edliwayo nokuphepha: SANBI reports culinary uses but also toxic constituents and poisoning concerns. A preparation report is not a complete safe household recipe.

Gcina lesi sitshalo esikhwelayo ohlwini lwezitshalo ezikhona ebalazweni, kodwa ungasibali njengokudla okuvamile kwasekhaya kuze kube uchwepheshe wendawo oqeqeshiwe uqinisekisa ubunikazi, ingxenye edliwayo nendlela ephephile yokusilungisa.

I-SANBI isibhala ezindaweni ezihlukahlukene e-South Africa yonkana ngaphandle kwase-Western Cape.

Iseluleko sokuthenga: Cacisa ukusetshenziswa njengokudla nendlela yokulungisa nochwepheshe wendawo onolwazi lwezitshalo zokudla ngaphambi kokusithenga njengesitshalo sokudla kwasekhaya.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, momordica-balsamica

Waxberry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amafutha amajikijolo — umkhiqizo ocutshungulwe ngendlela yesintu.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Historical processed fat, not a fresh-fruit forecast: Historical food use concerns the fatty berry coating, not a generic fresh sweet berry. No validated household extraction method, recovered food yield or storage life is established. Source coating/oil percentages are not assigned as processing conversion factors.

Phatha ukulungiswa kwamafutha adliwayo njengenqubo yobuchwepheshe edinga ukuqinisekiswa endaweni.

Sebenzisa isihlabathi sasogwini esikhipha amanzi kahle, elangeni noma emthunzini oyingxenye; ukukhiqiza izithelo kudinga izitshalo zokutshala eziqinisekiswe kahle ukuthi ezesilisa noma ezesifazane.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile nezitshalo zesilisa/zesifazane ngenkulisa yezitshalo zomdabu. Hlukanisa ukusetshenziswa kokulungisa indawo nenqubo yokudla kwasekhaya engakaqinisekiswa.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Morella cordifolia

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Black mulberry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Exact fruit identity and variability: The institutional species reference distinguishes fruiting forms and variable breeding systems. Ripe fruits are used as food; a black-fruited tree must not silently inherit this identity or the legal status of another Morus species.

South African taxonomic cultivation record: The museum lists M. nigra as cultivated in southern Africa and distinguishes naturalised Morus taxa. It gives no ripe-harvest months or quantified yield.

Fruit maturity and water context: Institutional management reference links dry roots to early fruit drop. It contains a non-local 15-year substantial-bearing statement; that is not a South African first-crop age and is not used as a forecast.

Qinisekisa uhlobo oluqondile lwe-mulberry nokuthi isitshalo esikhethiwe siyathela. Umbala wesithelo uwodwa awukwazi ukusihlonza.

Qaphela ukushoda kwamanzi ngesikhathi sokukhula kwezithelo bese ubhala izinyanga zangempela zokukha ezivuthiwe.

Iseluleko sokuthenga: Cela izitshalo zokutshala ze-Morus nigra ezihlonziwe, ezithela ngezikhathi ezibonwe endaweni. Ungasebenzisi i-mulberry nje enezithelo ezimnyama noma isitshalo sokuhlobisa esingathelisi njengobufakazi balo mkhiqizo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: Orwa et al. (2009), World Agroforestry, Morus nigra profile, p. 1

Umthombo: Iziko Museums, Biodiversity Explorer, Morus

Umthombo: Orwa et al. (2009), World Agroforestry, Morus nigra profile, p. 4

Wild olive

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe ze-wild-olive.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Wild olive is distinct from a named commercial olive cultivar. March–July describes fruit following flowers; no exact ripe-picking start/end is established.

I-SANBI ibhala lesi sihlahla esikhula kancane ezindaweni zemvula yasehlobo neyasebusika, simelana nesithwathwa, isomiso nomoya.

Gcina izimpande zaso zikude nezindonga, izindawo ezingaphandle ezigandayiwe namachibi okubhukuda; i-SANBI ithi zinganda ngamandla.

Iseluleko sokuthenga: Cela i-wild-olive taxon esohlwini lwezitshalo, ungayishintshi ngohlobo lwe-olive lokuhweba. Bhala ukukha kwangempela kwendawo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, olea-europaea-subsp-africana

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Olive

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Cultivar and product choice: Frantoio is described as an oil and cross-pollen candidate. Mission suits black table olives and oil; Kalamata black table, Manzanilla and Barouni green table. Climate fit and pollen needs depend on cultivar.

Regional orchard budget is not per-tree yield evidence: This is a historical one-hectare financial model; it does not provide matched per-tree kg or a measured biological maturity curve. No financial values or pesticide recipes are copied.

Fanisa uhlobo olukhethiwe nama-olive okudliwa etafuleni noma amafutha. Hlola ukuphuma kwamanzi enhlabathini, ukuchelela nezimo zasebusika; imvula yasehlobo enomswakama ingaletha izinkinga zezifo.

Kha ngesikhathi esihlosiwe sokuba luhlaza, mnyama noma ukwenza amafutha. Izimo zokucutshungulwa nokugcinwa komkhiqizo ngokuphephile kufanele zibhalwe ngokwehlukana.

Iseluleko sokuthenga: I-Mission iyindlela engase ikhethwe, esekelwe emthonjeni, yama-olive amnyama okudliwa namafutha; i-Kalamata ingeyama-olive amnyama okudliwa; i-Manzanilla ne-Barouni ingeyama-olive aluhlaza okudliwa; i-Frantoio ingeyamafutha nempova ehambisanayo. Qinisekisa ukufaneleka kwesifunda ngezinkulisa ezibhalisiwe ze-SA Olive.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Western Cape — isivuno se-olive esincike ohlotsheni nasekusetshenzisweni kokugcina: Feb–Jul.

Umthombo: SA Olive Association, Olive Growing

Umthombo: Western Cape Department of Agriculture, Oil Olives, Garden/Little Karoo budget, 13 March 2021, p. 1

Bietou

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Food is the ripe fruit. Main flowering in autumn/winter and fruit shortly afterwards do not establish named picking months.

I-SANBI ichaza isihlahla esincane esiyiphayona esisakazekayo, esifanele ilanga nenhlabathi ekhipha amanzi kahle, kuhlanganise nezindawo zasogwini nezangaphakathi. Shiya indawo yokusakazeka kwaso.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile nemvelaphi yendawo; umthombo ohloliwe awunikezi uhlobo lwesithelo olukhethiwe olunegama.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, osteospermum-moniliferum

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Date palm

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Kakamas phenology is not a picking calendar: Table is fruit-set-to-maturation duration, not months of ripe harvest. Its separate table lists July–August flowering. Neither becomes a food-availability bar.

Southern Hemisphere reference, awaiting local confirmation: Broad hemispheric context, not a measured cultivar/site calendar. Kept outside the structured local harvest windows.

Western Cape Medjool ripening and spoilage trial: 2022 trial at Kleinplasie near Hermon concerns Medjool. Abstract treatment dates label ripening stages inconsistently; no harvest months are inferred. Full university handle returned HTTP 403 during checking.

Amasundu esifazane adinga impova yesilisa efanele. Bhala ubulili, uhlobo olukhethiwe nokuphathwa kokuvundiswa ngempova ngaphambi kokubikezela izithelo.

Hlola ukushisa, amanzi nemvula ngesikhathi sokuvuthwa. Ucwaningo lwase-Hermon lwathola ukuvuthwa okungalingani nokonakala, ngakho impumelelo yesifunda iyodwa ayiqinisekisi isivuno sendawo.

Iseluleko sokuthenga: I-Medjool ibhalwe ocwaningweni lwase-Hermon. Thola izitshalo zesifazane ezaziwayo ukuthi ziyathela neseluleko sempova ehambisanayo; ukubukeka kwesithombo akufakazeli ubulili baso noma ikhwalithi yezithelo esiyozithela.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: FAO Date Palm Cultivation (2002), Chapter VIII

Umthombo: FAO Date Palm Cultivation (2002), Chapter IV, Table 23

Umthombo: FAO Date Palm Cultivation (2002), Chapter IX

Umthombo: Peddie (2023), Stellenbosch MScAgric thesis, university-provided abstract in FAO AGRIS

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Pistachio

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amantongomane.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Producer's own cultivars: The same questionnaire confirms the nuts are grown on the producer's farm. Cultivar names are reproduced as written; spelling is not a taxonomy or catalogue change.

Prince Albert establishment and maturity expectation: An expectation for the newly established Platberg project, not a measured universal age curve. Its planted cultivars are Shufra, Ariyeh and Sirora; irrigated Karoo context retained.

Izihlahla zesifazane zithela amantongomane futhi zidinga impova yezihlahla zesilisa ezifanele. Isikhombo sase-Prieska sivela epulazini elomile lase-Karoo eliniselwa ngenkasa.

Qinisekisa izitshalo zokutshala zesilisa nezesifazane, ukuchelela nezimo zasebusika/ehlobo zendawo; isikhombo somkhiqizi sango-Februwari asiqinisekisi ukufaneleka kogwini olunomswakama.

Iseluleko sokuthenga: Xoxa ngama-Shufrah ne-Ariyeh asebufakazini bomkhiqizi wase-Prieska, noma ama-Shufra, Ariyeh ne-Sirora asephrojekthini yase-Prince Albert, nenkulisa enobuchwepheshe. Khetha isitshalo sesilisa esihambisanayo bese uqinisekisa ukufaneleka kwendawo.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — ipulazi lase-Orange River eduze ne-Prieska, Northern Cape — okubikwe umkhiqizi we-Karoo Pistachios: Feb.

Umthombo: Karoo Pistachios, first-person producer questionnaire on FoodHub

Umthombo: Prince Albert Municipality, Pistachio Pioneers, 20 October 2025

Spekboom

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga adliwayo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: The food is the tart leaf; flowers do not define leaf picking months.

Primary food-processing research: The study analyses processed spekboom leaves. Its laboratory method and composition are not a farm harvest rate, storage life or household food-safety recipe.

Vikela izitshalo ezincane ekudliweni kakhulu yizilwane. I-SANBI ibika izindawo ezifudumele ezinamatshe nezomile kancane; ukudla kwezimbuzi eduze komhlabathi kungavimbela ukusabalala ngezingxenye zesitshalo futhi kunciphise ukuvuseleleka.

Iseluleko sokuthenga: Cela i-spekboom ehlonzwe kahle bese ubhala ukuthi itshalelwa ukudla, ukudliwa yizilwane noma ukubuyisela indawo esimweni. Asikho isivuno samaqabunga esilinganisiwe sokudla kwasekhaya esinikeziwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, portulacaria-afra

Umthombo: Mahlanza et al., University of Johannesburg research record, International Journal of Food Science and Technology (2026)

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Apricot

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Solitaire winter and pollen context: Solitaire is listed as self-compatible. Its chilling units are named-cultivar requirements and are not a numeric range for every apricot.

Irrigated Robertson trial context: The field experiment used managed organic orchards and found trade-offs in mulch effects; it does not justify a universal yield improvement from mulch.

Gcina isikhombo sokukha sohlobo ngalunye olukhethiwe ngokwehlukana. Isibonelo sase-Robertson sasebenzisa ukuchelela ehlobo.

Qinisekisa ukubanda kwasebusika, amanzi nezitshalo zangempela zokutshala ngaphambi kokusebenzisa isikhombo njengohlelo lwendawo.

Iseluleko sokuthenga: I-Solitaire inesikhombo esivela emthonjeni sokukha kokuqala ngo-Novemba nezimo zokubanda ezichaziwe e-Simondium; xoxa ngenkulisa ngokufaneleka kwayo endaweni.

Iseluleko sokuthenga: I-Imperial inesikhombo sango-Disemba e-Robertson. Iyindlela engase ihlolwe endaweni, hhayi iseluleko sasogwini lwase-KZN olungenasithwathwa.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Bien Donne, Simondium, Western Cape — ukuvuna kokuqala kwe-Solitaire: Nov.

Inkomba kuphela — Tierhoek Organic Farm, Robertson, Breede River Valley, Western Cape — ukuhlolwa kwe-Imperial: Dis.

Umthombo: Culdevco / ARC Infruitec-Nietvoorbij, Solitaire apricot cultivar sheet

Umthombo: Birkhofer et al. (2019), Effects of Ground Cover Management in Organic Deciduous Fruit Orchards in South Africa, Table 1

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Sweet cherry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Ama-cherry amnandi avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Production at age six: The guide reports 4–6 kg/tree in year 6 and warns that yields are difficult to predict because of pollination and fruit set. The separate good result at year 8–9 is 9 t/ha. Do not connect them into a made-up growth curve or convert the later hectare result to arbitrary tree spacing.

Chilling and pollen partners: Conventional commercial cherry reference: more than 1,000 Positive Utah Chill Units, not 1,000 chill hours. Low-chill candidates need their own verified requirements. Most cultivars need compatible cross-pollination; the named self-fertile choices differ. The September flowering reference is not a picking-month array.

Observed Ceres season start: Ceres growers reported the start of the 2025 cherry harvest in late October, seven to ten days earlier than the prior year. This is an observed season in a named region, not a fixed future duration, KZN calendar or all-variety season.

Hlola ukubanda kwasebusika okulinganisiwe, isithwathwa sasentwasahlobo, ukuphuma kwamanzi nemvula eduze nesikhathi sokukha. Umhlahlandlela wakudala wase-KZN wawubheka ukufaneleka kokuhweba khona njengokusahlolwa; ilebula elibanzi lendawo yesimo sezulu alithathi indawo yeseluleko samanje sendawo.

Ukuvundiswa ngempova kuya ngohlobo olukhethiwe. Ukuqhakaza okuhambisanayo nemithombo yempova kwehlukile ekuvuthweni kwezithelo kusenesikhathi noma sekwephuzile.

Iseluleko sokuthenga: Izinhlobo ezingase zikhethwe emhlahlandleleni wesifunda zihlanganisa i-Bing, Van, Rainier, Burlat ne-Vista, ngokuvamile ezidinga izinhlobo zempova ezihambisanayo. Ubala ngokucacile i-Lapins, Stella ne-Sweetheart njengezivundisayo ngempova yazo. I-Minnie Royal, Royal Lee, Royal Dawn ne-Early Sweet yizinhlobo ezingase zikhethwe ezidinga ukubanda okuncane. Qinisekisa izitshalo ezitholakalayo manje, isiphunzi esiqondile, ukuhambisana nokubanda kwendawo okulinganisiwe ngaphambi kokuthenga; lokhu akusona isincomo sogu olufudumele.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Yield, p. 31

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Climate and Cultivars, p. 30

Umthombo: Hortgro / Tru-Cape growers, Cherry season begins: Ideal conditions, 29 October 2025

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Almond

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amantongomane.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Texas Mission pollen, chill and weight context: Texas Mission is classified high chill and names Nonpareil as pollinator. Its 5 kg/tree production entry does not state tree age, management, trial region or whether weight is kernel or in-shell; it is not a mature annual food forecast.

Texas Mission named production entry: The Texas Mission table's Production (kg/tree) row gives 5 kg/tree. It does not state tree age, reporting period, trial region or whether this means kernels or nuts in shell. Retained as a cultivar source claim to investigate; numeric mature annual kg remains null.

Hlola izidingo zasebusika zohlobo oluqanjwe ngegama nempova ehambisanayo ngaphambi kokutshala. I-Texas Mission ayihambisani nempova yayo.

Bhala ukuthi izisindo zamantongomane zisho ingaphakathi elidliwayo noma amantongomane asenamagobolondo; lezi izilinganiso ezihlukene.

Iseluleko sokuthenga: I-Texas Mission iwuhlobo olubhalwe yi-SAPO; iphepha layo liqamba i-Nonpareil njengomlingani wempova futhi lichaza isidingo esikhulu sokubanda. Qinisekisa ukufaneleka kwendawo ngenkulisa.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — ikhasi lohlobo le-SAPO lase-South Africa; indawo yokuhlola ayishiwongo — ukuvuna kokuqala kwe-Texas Mission: Feb.

Umthombo: SAPO Trust, Texas Mission almond cultivar information

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Pear

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Rosemarie Select pollen partners: These are cultivar-specific compatible-pollen candidates, not a guarantee that any two pear trees pollinate one another.

Packham's Triumph pollen partners: SAPO describes chilling qualitatively as low and production as high; neither supplies a numeric age or kg/tree.

Bhala uhlobo oluqanjwe ngegama nezinyanga zangempela zokukha kokuqala nokokugcina. Izikhombo zango-Januwari no-Februwari zingezinye ongakhetha kuzo, hhayi ikhalenda lensimu exubile lezihlahla zonke.

Iseluleko sokuthenga: I-Rosemarie Select iwuhlobo lwase-Western Cape olungase lukhethwe, olusekelwe emthonjeni, okufanele kuxoxwe ngalo nenkulisa. Buza nge-December noma i-Packham's Triumph njengezinhlobo zempova ezihambisanayo.

Iseluleko sokuthenga: Nge-Packham's Triumph, buza nge-Clapp's Favourite, December noma i-Starkrimson bese uhlola izimo zasebusika zendawo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Ceres, Koue Bokkeveld, Western Cape — ukuvuna kokuqala kwe-Rosemarie Select: Jan.

Inkomba kuphela — Wolseley, Western Cape — ukuvuna kokuqala kwe-Rosemarie Select: Jan.

Inkomba kuphela — ikhasi lohlobo lase-South Africa; indawo yokuhlola ayishiwongo — ukuvuna kokuqala kwe-Packham's Triumph: Feb.

Umthombo: Culdevco / ARC Infruitec-Nietvoorbij, Rosemarie Select pear cultivar sheet

Umthombo: SAPO Trust, Packham's Triumph pear cultivar sheet

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.