SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Dogwood

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga okunandisa lapho kuphiswa — ukusetshenziswa nguchwepheshe.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Documented food-processing use is leaf bittering: The Ethiopian gesho-leaf brewing context establishes a specialist processed flavour use, not ordinary fresh fruit nutrition or a South African household recipe. No leaf kg/plant, food storage life or local harvest date is assigned.

South African berry phenology concerns wildlife food: December–June berries are documented in the ecology account as wildlife food; this is not a verified human berry-picking window.

Qinisekisa ubunikazi obuqondile nendlela ehlosiwe yokulungisa ukudla nomeluleki wendawo onolwazi.

Umbhalo wase-South Africa uchaza ukukhula osebeni lwemifudlana nasemithambekeni yamahlathi nokumelana nesithwathwa; amajikijolo aso achazwa njengokudla kwezinyoni.

Iseluleko sokuthenga: Thenga izitshalo zohlobo oluqondile ukuze zisetshenziselwe inhloso eqinisekisiwe. Ungaphathi ubufakazi bokwelapha noma bezithelo ezidliwa izilwane zasendle njengesibikezelo sokudla okusha kwasekhaya.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: Negash et al. (2021), primary study of Rhamnus prinoides leaves

Umthombo: SANBI PlantZAfrica: Rhamnus prinoides

Baboon grape

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: The source gives a ripe-berry interval. This does not establish stored jam months or safe shelf life.

Nika isekelo sokukhwela bese ulawula ukusakazeka kwaso lapho indawo incane. I-SANBI isibhala ezindundumeni zasogwini nasemaphethelweni amahlathi kusukela e-Western Cape kuya KwaZulu-Natal nase-Mpumalanga.

Iseluleko sokuthenga: Qinisekisa i-Rhoicissus digitata; ezinye izinhlobo ze-wild-grape zinezincazelo ezihlukile futhi azikwazi ukunikeza izikhathi zayo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — umbhalo webhothani wase-Western/Eastern Cape, KwaZulu-Natal nase-Mpumalanga — amajikijolo avuthiwe: Mas–Aga.

Umthombo: SANBI PlantZAfrica, rhoicissus-digitata

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Bushman's grape

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo adliwayo; izimpande azifakiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Food is the berry; the same SANBI account reports poisonous tuberous roots. September–June describes berry occurrence, not a measured ripe-picking interval.

Nika uhlaka lokukhwela noma esinye isekelo. Izitshalo ezincane zidinga amanzi zize zime kahle; i-SANBI ichaza ukubekezelela isomiso kamuva nokukhula elangeni kuya emthunzini oyingxenye.

Iseluleko sokuthenga: Cela i-Rhoicissus tridentata bese ubhala izinyanga zezithelo ezivuthiwe endaweni. Ungasebenzisi ukusetshenziswa kwezimpande ekwelapheni noma ezilwaneni njengobufakazi bokudla.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, rhoicissus-tridentata

Rosemary

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga amasha noma omisiwe okunandisa ukudla.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Food-leaf product distinct from essential oil: The brochure uses the older botanical name Rosmarinus officinalis; catalogue identity is preserved. It documents food seasoning leaves and separate essential oil uses, without a food-leaf yield, first cut age or local picking calendar.

Sebenzisa inhlabathi ekhipha amanzi kahle namanzi anele lapho izitshalo zisakhula ukuze zime kahle; gwema ukugcwala kwamanzi nokubola kwezimpande.

Bhala amaqabunga amasha, isinongo esomisiwe namafutha ephunga lesitshalo (essential oil) njengemikhiqizo ehlukene.

Iseluleko sokuthenga: Thola izitshalo ezinempilo ze-rosemary ezihlonziwe neseluleko sokukhulisa sendawo; alukho uhlobo lwesifunda olunesivuno samaqabunga okupheka oluqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: DAFF: Rosemary production brochure (2012), p. 2

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Karoo boer-bean

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: imbewu edliwayo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Edibility is recorded for this exact variety; do not apply the common name boer-bean to every species as food evidence.

Indawo yaso yemvelo ihlanganisa osebeni olomile lwemifudlana e-Little Karoo nasezindaweni ezomile kakhulu zase-Eastern Cape naseningizimu ye-Western Cape.

Imidumba isabalalisa imbewu lapho yomile. Bhala ukuqoqwa nokusetshenziswa kwembewu endaweni yakini; lokhu akusona isivuno sokudla esilinganisiwe.

Iseluleko sokuthenga: Cela i-Schotia afra var. afra, ubunikazi besitshalo buqinisekisiwe. Isimangalo somthombo somthunzi ngeminyaka emihlanu asisona isikhathi sokudla kokuqala.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — umbhalo webhothani wase-Little Karoo nasezindaweni ezomile kakhulu zase-Cape — inkomba yokukhiqizwa kwembewu edliwayo: Mey–Jun.

Umthombo: SANBI PlantZAfrica, schotia-afra-var-afra

Karee

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: September–January describes fruit production; exact ripe-picking dates are not stated. Do not count leaves used as livestock fodder as household food.

I-SANBI ibhala lesi sihlahla somthunzi esimelana nesithwathwa nesomiso ezimweni zase-Karoo nase-Kalahari.

Ngokusho kwe-SANBI, amaqabunga aso amaningi angonakalisa ukunambitheka kobisi lwezilwane zobisi; lokhu akusona isincomo sesabelo sokudla.

Iseluleko sokuthenga: Buza ngezitshalo zesilisa nezesifazane uma kuhloswe izithelo. Ukusabalala kwemvelo okusemthonjeni akuhlanganisi i-KwaZulu-Natal; ukubekezelela izimo eziningi akusona isiqinisekiso sezithelo endaweni.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, searsia-lancea

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Glossy currant

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Currant fruit food use and phenology: The primary account establishes edible ripe fruit and October–June fruit appearance. That interval includes developing fruit and is retained only as phenology, not a ripe picking calendar. No annual food kg or bearing age is supplied.

Kha izithelo ezivuthiwe bese ubhala ukomisa ngokwehlukana.

Lesi sihlahla esincane sifanele izingadi zasogwini ezivulekele umoya nokuqinisa izindunduma zesihlabathi; qinisekisa imvelaphi yendawo.

Iseluleko sokuthenga: Cela inkulisa yezitshalo zomdabu ukuthi iqinisekise uhlobo oluqondile nezitshalo zendawo. Alukho uhlobo lokudla lwesifunda olunesivuno esikhulu oluqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Searsia lucida

Natal currant

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Edible Natal currant fruit and local phenology: The primary account establishes edible ripe fruit and February–July fruit appearance. That interval includes developing fruit and is retained only as phenology, not a ripe picking calendar. No annual food kg or bearing age is supplied.

Vumela izithelo zivuthwe. Lesi sihlahla esincane esimelana nesomiso singaba uthango; sithene sifanele indawo ekhona.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile ngenkulisa yendawo yezitshalo zomdabu; alukho uhlobo lwesifunda oluhloliwe noma ukukhethwa kwesivuno esikalwe ngobuningi okuqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Searsia natalensis

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Kuni bush

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe ezomisiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Named traditional dried-fruit food use: The discussion explicitly includes S. undulata among edible dried ripe currant fruits and traditional fermentation uses. Its host article species calendar is not transferred to S. undulata.

Exact species and habitat: Assessment identifies the catalogue species and Northern/Western Cape distribution; it does not provide a harvest calendar or food yield.

Bhala ukukha izithelo ezivuthiwe nokuzomisa ngokwehlukana. Asikho isikhathi sokugcina noma iresiphi yokuvutshelwa enikeziwe.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile nemvelaphi yendawo; ukuhlolwa kwe-SANBI kusibeka emithambekeni enamatshe ye-fynbos/karroid yase-Northern Cape nase-Western Cape.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Searsia burchellii, food-use discussion naming S. undulata

Umthombo: SANBI Red List: Searsia undulata

White milkwood

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: SANBI qualifies the food statement; it is about ripe berries, not latex, bark or roots. Fruit presence February–September does not establish ripe picking throughout.

Species identification in KwaZulu-Natal: The primary study records confusion with Bridelia micrantha. It does not supply a safe harvest calendar or kg/tree.

Vikela lesi sihlahla sasogwini emoyeni wasolwandle oqonde kuso onosawoti; i-SANBI ibika ukushiswa usawoti nakuba sikhula ogwini.

Iseluleko sokuthenga: Cela inkulisa ukuthi iqinisekise uhlobo nemvelaphi esemthethweni. Hlola izidingo zamanje zokuqoqa ngaphambi kokuthatha izitshalo noma imikhiqizo ezihlahleni ezikhona.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, sideroxylon-inerme

Umthombo: University of KwaZulu-Natal, Phytochemical and elemental studies of two indigenous medicinal plants

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Dune spinach

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: iziqongo ezincane ezinamaqabunga neziqu.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Leaf vegetable harvesting and preparation: New rainy-season growth gives the best tops; wash off coastal sand thoroughly and boil for the documented vegetable preparation. August–November flowering is not leaf availability.

Vuna iziqongo ezincane ezinamaqabunga; geza isihlabathi ngaphambi kokupheka.

Sebenzisa isihlabathi sasogwini esikhipha amanzi kahle bese ugcina izitshalo ezihlukanisiwe zinomswakama zize zime kahle.

Iseluleko sokuthenga: Thola izitshalo zasogwini zokutshala ezihlonzwe kahle; bhala ukukhula nezinyanga zokukha amaqabunga endaweni ngoba izikhathi zemvula ziyehluka e-South Africa.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Tetragonia decumbens

Kinkelbossie

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amahlumela amancane, aphekiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Young-shoot vegetable use: The account describes boiling young shoots until tender. September–January flowering is not a shoot harvest calendar; fodder output is not household food kg.

Vuna amahlumela amancane okupheka. Bhala isivuno sokudla ngokwehlukana nokudla kwezilwane.

Sebenzisa indawo enelanga, ekhipha amanzi kahle, yasogwini, ye-fynbos noma ye-Karoo, efanele lesi sitshalo esiyiphayona esingadingi amanzi amaningi.

Iseluleko sokuthenga: Thola izitshalo zendawo zokutshala ezihlonzwe kahle; alukho uhlobo lokudla olunegama noma isilinganiso sonyaka se-kg/plant esivela emthonjeni.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Tetragonia fruticosa

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Veldkool

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: imiqumbe yezimbali.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Edible bud identity: Coastal-sand perennial with edible congested flower buds. The stated July–September flowering interval does not identify exact unopened-bud picking months.

Bhala ukukha imiqumbe emincane yezimbali ngokwehlukana nezimbali ezivulekile.

Fanisa isitshalo nezimo zesihlabathi sasogwini ezikhipha amanzi kahle nokukhula kwaso ngokwezikhathi zonyaka.

Iseluleko sokuthenga: Sebenzisa ukuhlonza kwenkulisa okuqinisekisa uhlobo oluqondile; ayiqinisekisiwe iminyaka yokuvuna imiqumbe kokuqala noma isilinganiso sokudla se-kg/plant.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Trachyandra ciliata

Pigeonwood

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga amancane okuba yimifino ephekiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Documented young-leaf food use: The human food product is young leaves. Berries described as bird/bat food are not promoted to a human fruit harvest. No leaf cutting age, exact months or household leaf kg is given.

Fanisa lesi sitshalo esiyiphayona esikhula ngokushesha nezimo ezifudumele ezinomswakama zasempumalanga/zasenyakatho; vikela izithombo ezinomswakama ezisemthunzini.

Bhala isivuno samaqabunga amancane ngokwehlukana nezithelo ezidliwa izilwane zasendle.

Iseluleko sokuthenga: Sebenzisa izitshalo zendawo zokutshala ezihlonzwe kahle; alukho uhlobo olunegama lwamaqabunga okudla noma umkhiqizo wokudla wonyaka olinganisiwe ngobuningi okuqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Trema orientalis

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Wild garlic

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga nezimbali ezidliwayo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Leaves and flowers are documented culinary parts. Medicinal bulb use does not make every part a food.

Sibekezelela isomiso eside kodwa sikhula kangcono ngamanzi avamile. I-SANBI ibhala ukusabalala kwaso empumalanga ye-South Africa.

Iseluleko sokuthenga: Cela i-Tulbaghia violacea, unganeliseki ngesitshalo esihlonzwe kuphela njenge-wild garlic. Bhala ukukha amaqabunga nezimbali kwendawo ngokwehlukana.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — umbhalo webhothani wasempumalanga ye-South Africa — izimbali ezidliwayo kuphela: Jan–Eph.

Umthombo: SANBI PlantZAfrica, tulbaghia-violacea

Ginger

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: iziqu ezingaphansi komhlabathi ezisanda kuvunwa; ujinja omisiwe ubhalwa ngokwehlukana.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

South African trial harvest duration and native yields: Pretoria Hillcrest rain-shelter trial, 2015/16 and 2016/17, drip irrigation on sandy clay loam. Commercial ginger Z. officinale at eight months: 38.3 t/ha fresh and 8.8 t/ha dry rhizomes in the well-watered treatment; African ginger was a different species with different values. No matched plant density is supplied, so no kg/plant or household drying conversion is derived. The abstract says open field, while Methods specifies rain shelter; conditions are retained.

Confirmed culinary species and product: Extension identifies culinary ginger rhizomes used as spice, preserves and beverages. Florida planting and harvest months are not imported into the South African calendar.

Harvest recommendation: The author abstract recommends harvest seven to eight months after planting; it is a rhizome crop-cycle duration, not a full-bearing tree age.

Sebenzisa usuku lokutshala ukubhala umjikelezo wokuvuna ama-rhizome, iziqu ezingaphansi komhlabathi. Isikhombo socwaningo lwase-Pretoria sinemibandela, akusona ikhalenda elingaguquki kuzo zonke izimo zezulu.

Bhala izisindo zama-rhizome amasha nesinongo esomisiwe ngokwehlukana; hlukanisa ujinja odliwayo nezinhlobo zejinja zokuhlobisa noma ze-African ginger.

Iseluleko sokuthenga: Cela umphakeli wendawo ama-rhizome okutshala e-Zingiber officinale anempilo, ahlonziwe; alikho ijika lesivuno lohlobo oluthile lwase-South Africa eliqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: Gatabazi et al. (2022), Scientia Horticulturae 304:111353, p. 17

Umthombo: UF/IFAS: Ginger, Galangal, and Turmeric Production in Florida

Umthombo: University of Pretoria author manuscript: Gatabazi et al. (2022)

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Buffalo thorn

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: SANBI describes dry, slightly sweet ripe pulp. Fruit remaining on leafless trees March–August is persistence, not a verified six-month picking season.

I-SANBI ibhala ukusabalala okubanzi kusukela ogwini olungenasithwathwa kuya ezifundeni ezinesithwathwa sasebusika. Ameva aso agobile naqondile abalulekile lapho kukhethwa izindlela zokungena nokuhamba.

Iseluleko sokuthenga: Cela isitshalo se-buffalo-thorn esihlonziwe esifanele izimo zendawo; umthombo ohloliwe awunikezi uhlobo lokudla olunegama.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, ziziphus-mucronata

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.