SYNTHETIC GRAPH SOURCE {COUNT} $&

U nga si xava kumbe ku sungula

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Ntlawa wa maxelo wa ndzavisiso: Ndhawu yo byala a yi si tiveka. Ntlawa lowu a hi xitsundzuxo lexi tiyisisiweke xa purasi leri.

Leswi u swi vikeleke hi purasi leri

Mati hi nguva yo oma

A swi rhekhodiwanga. Hetisa vulavisisi bya ndhawu u tiyisisa mati u nga si hlawula kungu leri lavaka switirhisiwa swo tala.

Rharhama epurasini leri

Leswi voniweke hi rharhama endhawini a swi rhekhodiwanga. Miringaniso ya n’hweti ya sathelayiti a yi koti ku tiyisisa masiku yo sungula ni yo hetelela ya rharhama.

Dyambu ni ku huma ka mati emisaveni

Dyambu: a swi rhekhodiwanga.

Ku huma ka mati: a swi rhekhodiwanga. Mbuyelo wa ku kambela misava ni swilaveko swa xibyariwa xin’wana ni xin’wana swa ha fanele ku kamberiwa.

Tirhekhodo ta lembe ro vika - ku nga ri mvhumbo

Tinhlayo ni tin’hweti ta lembe leri hundzeke ro vika swi hlamusela leswi vikiweke. A swi tshembisi swakudya eka kungu leri taka.

Original eggs {year} $&

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: 240 eggs.

Ku tirhisiwa ekaya: 0 eggs. Swo xavisiwa: a swi rhekhodiwanga.

Tin’hweti ta ntshovelo leti vikiweke: Khot, Maw. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

Fish

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: a swi rhekhodiwanga.

Ku tirhisiwa ekaya: a swi rhekhodiwanga. Swo xavisiwa: a swi rhekhodiwanga.

Tin’hweti ta ntshovelo leti vikiweke: a swi rhekhodiwanga. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

Miroho yin’wana

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: 12 kg.

Ku tirhisiwa ekaya: 7 kg. Swo xavisiwa: 3 kg.

Tin’hweti ta ntshovelo leti vikiweke: Sung, N'we. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko

Dogwood

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: nantswo wa matluka loko ku swekiwa swakunwa — ku tirhisiwa hi mutivi.

Nkambisiso wa ku tirhisiwa ku ri swakudya: tiyisisa leswaku i ximilana xihi, xiphemu lexi dyiwaka ni malunghiselelo lama faneleke ni mutsundzuxi wa ndhawu loyi a nga ni vutivi u nga si xi katsa eka swakudya swa le kaya. A xi katsiwanga eka tinhlayo ta swakudya swa ntolovelo ni mintirho yo tshovela.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Documented food-processing use is leaf bittering: The Ethiopian gesho-leaf brewing context establishes a specialist processed flavour use, not ordinary fresh fruit nutrition or a South African household recipe. No leaf kg/plant, food storage life or local harvest date is assigned.

South African berry phenology concerns wildlife food: December–June berries are documented in the ecology account as wildlife food; this is not a verified human berry-picking window.

Tiyisisa muxaka lowu kongomeke ni malulamiselo ya swakudya lama kunguhatiweke ni mutsundzuxi wa laha kaya la nga ni ntokoto.

Rungula ra South Africa ri hlamusela ku kula eribuweni ra milambu leyitsongo ni le mikhupeni ya makhwati ni ku tiyisela gwitsi; mihandzu leyitsongo ya xona yi hlamuseriwa tani hi swakudya swa tinyenyana.

Switsundzuxo swo xava: Xava swimila swa muxaka lowu kongomeke swa ku tirhisiwa loku kunguhatiweke loku tiyisisiweke. U nga teki vumbhoni bya vutshunguri kumbe bya mihandzu ya swiharhi swa nhova tani hi mvhumbo wa swakudya leswintshwa swa le kaya.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: Negash et al. (2021), primary study of Rhamnus prinoides leaves

Xihlovo: SANBI PlantZAfrica: Rhamnus prinoides

Baboon grape

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu ya berry leyi vupfeke.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Xiphemu lexi dyiwaka ni ku tirhisiwa endhawini: The source gives a ripe-berry interval. This does not establish stored jam months or safe shelf life.

Nyika xiseketelo xo khandziya kutani u lawula ku hangalaka ka xona laha ndhawu yi nga yitsongo. SANBI yi xi rhekhoda eswitsungeni swa sava swa ribuwa ni le makumu ka makhwati ku suka Western Cape ku ya KwaZulu-Natal na Mpumalanga.

Switsundzuxo swo xava: Tiyisisa Rhoicissus digitata; mixaka yin'wana ya wild-grape yi ni tinhlamuselo leti hambaneke naswona a yi nge nyiki masiku ya yona.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun’we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — xihlovo xa botaniki xa Western/Eastern Cape, KwaZulu-Natal na Mpumalanga — tibere leti vupfeke: Nyku–Mhaw.

Xihlovo: SANBI PlantZAfrica, rhoicissus-digitata

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Bushman's grape

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu leyitsongo leyi dyiwaka; timitsu a ti katsiwi.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Xiphemu lexi dyiwaka ni ku tirhisiwa endhawini: Food is the berry; the same SANBI account reports poisonous tuberous roots. September–June describes berry occurrence, not a measured ripe-picking interval.

Nyika fureme yo khandziya kumbe xiseketelo xin'wana. Swimila leswintshwa swi lava mati ku kondza swi tiya; SANBI yi hlamusela ku tiyisela dyandza endzhaku ni ku tirhisiwa edyambyini ku ya eka ndzhuti wo ringanela.

Switsundzuxo swo xava: Kombela Rhoicissus tridentata kutani u rhekhoda tin'hweti ta mihandzu leyi vupfeke ya laha kaya. U nga tirhisi ku tirhisiwa ka timitsu eku tshunguleni kumbe eka swiharhi tani hi vumbhoni bya swakudya.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica, rhoicissus-tridentata

Rosemary

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: matluka lamantshwa kumbe lama omisiweke yo nandzihisa swakudya.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Food-leaf product distinct from essential oil: The brochure uses the older botanical name Rosmarinus officinalis; catalogue identity is preserved. It documents food seasoning leaves and separate essential oil uses, without a food-leaf yield, first cut age or local picking calendar.

Tirhisa misava leyi humesaka mati kahle ni mati lama ringaneke loko swimila swi sungula ku tiya; papalata ku tala ka mati ni ku bola ka timitsu.

Rhekhoda matluka lamantshwa, swo nandzihisa leswi omisiweke ni mafurha ya risuna ra ximilana (essential oil) tani hi swikumiwa leswi hambaneke.

Switsundzuxo swo xava: Kuma swimila swa rosemary leswi hanyeke kahle leswi tiviwaka ni switsundzuxo swa ku kurisa swa laha kaya; a ku na muxaka wa xifundzha wa ntshovelo wa matluka yo sweka lowu tiyisisiweke.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: DAFF: Rosemary production brochure (2012), p. 2

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Karoo boer-bean

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mbewu leyi dyiwaka.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Xiphemu lexi dyiwaka ni ku tirhisiwa endhawini: Edibility is recorded for this exact variety; do not apply the common name boer-bean to every species as food evidence.

Ndhawu ya xona ya ntumbuluko yi katsa maribuwa lama omeke ya milambu leyitsongo eLittle Karoo ni le tindhawini leti omeke swinene ta Eastern Cape ni le dzongeni ra Western Cape.

Ti-pod (swikhwama swa mbewu) ti hangalasa mbewu loko ti omile. Rhekhoda ku hlengeleta ni ku tirhisa mbewu ka laha kaya; leswi a hi ntshovelo wa swakudya lowu pimiweke.

Switsundzuxo swo xava: Kombela Schotia afra var. afra, muxaka wa xona wa xibotani wu tiyisisiwile. Rungula ra xihlovo ra ndzhuti hi nkarhi wa malembe ya ntlhanu a ri vuli vukhale bya swakudya swo sungula.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun’we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — xihlovo xa botaniki xa Little Karoo ni Cape leyi omeke ku tlurisa — xikombo xa vuhumelerisi bya mbewu leyi dyiwaka: Mudy–Khot.

Xihlovo: SANBI PlantZAfrica, schotia-afra-var-afra

Karee

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu ya berry leyi vupfeke.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Xiphemu lexi dyiwaka ni ku tirhisiwa endhawini: September–January describes fruit production; exact ripe-picking dates are not stated. Do not count leaves used as livestock fodder as household food.

SANBI yi rhekhoda murhi lowu wa ndzhuti lowu tiyiselaka gwitsi ni dyandza eka swiyimo swa Karoo na Kalahari.

Hi ku ya hi SANBI, matluka ya xona yo tala ya nga onha nantswo wa ntswamba wa swifuwo swa masi; leswi a hi swibumabumelo swa mpimo wa swakudya.

Switsundzuxo swo xava: Vutisa hi swimila swa xinuna ni swa xisati loko ku kunguhatiwa mihandzu. Ku hangalaka ka ntumbuluko eka xihlovo a ku katsi KwaZulu-Natal; ku tiyisela swiyimo swo tala a hi xitiyisekiso xa mihandzu ya laha kaya.

Ku hundziseriwa ka pholeni: swimilana swo hambana swa xinuna ni swa xisati. Kambela swilaveko swa muxaka lowu hlawuriweke ni ndhawu yo kurisa swimilana.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica, searsia-lancea

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Glossy currant

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu leyi vupfeke.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Currant fruit food use and phenology: The primary account establishes edible ripe fruit and October–June fruit appearance. That interval includes developing fruit and is retained only as phenology, not a ripe picking calendar. No annual food kg or bearing age is supplied.

Kha mihandzu leyi vupfeke kutani u rhekhoda ku omisa swi ri swoxe.

Xihlahla lexi faneleka eka swirhapa swa le ribuweni leswi nga sirheleriwang ni ku tiyisa switsunga swa sava; tiyisisa laha xi humaka kona endhawini.

Switsundzuxo swo xava: Kombela muxaka lowu kongomeke ni swimila swa laha kaya eka ndhawu yo kurisa swimilana swa ndhavuko. A ku na muxaka wa swakudya wa xifundzha wa ntshovelo wo tala lowu tiyisisiweke.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica: Searsia lucida

Natal currant

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu leyi vupfeke.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Edible Natal currant fruit and local phenology: The primary account establishes edible ripe fruit and February–July fruit appearance. That interval includes developing fruit and is retained only as phenology, not a ripe picking calendar. No annual food kg or bearing age is supplied.

Pfumelela mihandzu yi vupfa. Xihlahla lexi tiyiselaka dyandza xi nga endla rihlampfu; xi tsemelela leswaku xi ringana ndhawu.

Switsundzuxo swo xava: Tiyisisa muxaka lowu kongomeke ni ndhawu ya laha kaya yo kurisa swimilana swa ndhavuko; a ku na muxaka wa xifundzha lowu ringiweke kumbe nhlawulo wa ntshovelo lowu pimiweke hi nhlayo lowu tiyisisiweke.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica: Searsia natalensis

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Kuni bush

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu leyi vupfeke leyi omisiweke.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Named traditional dried-fruit food use: The discussion explicitly includes S. undulata among edible dried ripe currant fruits and traditional fermentation uses. Its host article species calendar is not transferred to S. undulata.

Exact species and habitat: Assessment identifies the catalogue species and Northern/Western Cape distribution; it does not provide a harvest calendar or food yield.

Rhekhoda ku kha mihandzu leyi vupfeke ni ku omisa swi hambanile. A ku na nkarhi wo hlayisa kumbe rhisipi yo virisa leyi nyikiweke.

Switsundzuxo swo xava: Tiyisisa muxaka lowu kongomeke ni laha xi humaka kona endhawini; nkambisiso wa SANBI wu xi veka emikhupeni ya maribye ya fynbos/karroid ya Northern Cape na Western Cape.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica: Searsia burchellii, food-use discussion naming S. undulata

Xihlovo: SANBI Red List: Searsia undulata

White milkwood

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu ya berry leyi vupfeke.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Xiphemu lexi dyiwaka ni ku tirhisiwa endhawini: SANBI qualifies the food statement; it is about ripe berries, not latex, bark or roots. Fruit presence February–September does not establish ripe picking throughout.

Species identification in KwaZulu-Natal: The primary study records confusion with Bridelia micrantha. It does not supply a safe harvest calendar or kg/tree.

Sirhelela murhi lowu wa le ribuweni eka moya wa lwandle lowu wu baka hi ku kongoma lowu rhwaleke munyu; SANBI yi vika ku tshwa hi munyu hambiloko wu ri ni ndhawu ya ntumbuluko ya le ribuweni.

Switsundzuxo swo xava: Kombela ndhawu yo kurisa swimilana yi tiyisisa muxaka ni laha swi humaka kona hi nawu. Kambela swilaveko swa sweswi swa ku hlengeleta u nga si teka swimila kumbe swikumiwa eka mirhi leyi nga kona.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica, sideroxylon-inerme

Xihlovo: University of KwaZulu-Natal, Phytochemical and elemental studies of two indigenous medicinal plants

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Dune spinach

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: swiphemu swa le henhla leswintshwa leswi nga ni matluka ni swirhabyana.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Leaf vegetable harvesting and preparation: New rainy-season growth gives the best tops; wash off coastal sand thoroughly and boil for the documented vegetable preparation. August–November flowering is not leaf availability.

Tshovela swiphemu swa le henhla leswintshwa leswi nga ni matluka; hlantswa sava u nga si sweka.

Tirhisa sava ra le ribuweni leri humesaka mati kahle kutani u hlayisa swimila leswi avanyisiweke swi ri ni ndzhongo ku kondza swi tiya.

Switsundzuxo swo xava: Kuma swimila swo byala swa le ribuweni leswi tiviwaka kahle; rhekhoda ku kula ni tin'hweti ta ku kha matluka ta laha kaya hikuva tinguva ta mpfula ta hambana eSouth Africa.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica: Tetragonia decumbens

Kinkelbossie

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: swihluke leswintshwa, swi swekiwile.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Young-shoot vegetable use: The account describes boiling young shoots until tender. September–January flowering is not a shoot harvest calendar; fodder output is not household food kg.

Tshovela swihluke leswintshwa swo sweka. Rhekhoda ntshovelo wa swakudya swi hambanile ni furu ya swiharhi.

Tirhisa ndhawu ya dyambu leyi humesaka mati kahle ya le ribuweni, fynbos kumbe Karoo leyi faneleke ximilana lexi sungulaka ku mila endhawini lexi tirhisaka mati hi ku hlayisa.

Switsundzuxo swo xava: Kuma swimila swo byala swa laha kaya leswi tiviwaka kahle; a ku na muxaka wa swakudya lowu nga ni vito kumbe mpimo wa lembe wa kg/plant lowu nga ni xihlovo.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica: Tetragonia fruticosa

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Veldkool

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: swiluva leswi nga si pfuleka.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Edible bud identity: Coastal-sand perennial with edible congested flower buds. The stated July–September flowering interval does not identify exact unopened-bud picking months.

Rhekhoda ku kha ka swiluva leswintshwa leswi nga si pfuleka swi hambanile ni swiluva leswi pfulekeke.

Fananisa ximilana ni swiyimo swa sava ra le ribuweni leri humesaka mati kahle ni ku kula ka xona ka tinguva.

Switsundzuxo swo xava: Tirhisa ku tiva muxaka lowu kongomeke eka ndhawu yo kurisa swimilana; a ku na vukhale bya ntshovelo wo sungula wa swiluva leswi nga si pfuleka kumbe mpimo wa swakudya wa kg/plant lowu tiyisisiweke.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica: Trachyandra ciliata

Pigeonwood

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: matluka lamantshwa ya matsavu lama swekiweke.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Documented young-leaf food use: The human food product is young leaves. Berries described as bird/bat food are not promoted to a human fruit harvest. No leaf cutting age, exact months or household leaf kg is given.

Fananisa ximilana lexi sungulaka ku mila endhawini lexi kulaka hi ku hatlisa ni swiyimo swo kufumela leswi nga ni ndzhongo swa le vuxeni/n'walungwini; sirhelela swimilana leswi nga ni ndzhongo leswi nga endzhutini.

Rhekhoda ntshovelo wa matluka lamantshwa swi hambanile ni mihandzu leyi dyiwaka hi swiharhi swa nhova.

Switsundzuxo swo xava: Tirhisa swimila swo byala swa laha kaya leswi tiviwaka kahle; a ku na muxaka wa matluka ya swakudya lowu nga ni vito kumbe vuhumelerisi bya swakudya bya lembe lowu pimiweke hi nhlayo lowu tiyisisiweke.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica: Trema orientalis

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Wild garlic

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: matluka ni swiluva leswi dyiwaka.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Xiphemu lexi dyiwaka ni ku tirhisiwa endhawini: Leaves and flowers are documented culinary parts. Medicinal bulb use does not make every part a food.

Xi tiyisela dyandza ra nkarhi wo leha kambe xi kula kahle swinene loko xi kuma mati nkarhi na nkarhi. SANBI yi rhekhoda ku hangalaka ka xona evuxeni bya South Africa.

Switsundzuxo swo xava: Kombela Tulbaghia violacea, ku nga ri ximilana lexi tiviwaka ntsena tani hi wild garlic. Rhekhoda ku kha ka matluka ni swiluva ka laha kaya swi hambanile.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun'we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — xihlovo xa botaniki xa le vuxa bya South Africa — mabilomu lama dyiwaka ntsena: Sung–Dziv.

Xihlovo: SANBI PlantZAfrica, tulbaghia-violacea

Ginger

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: swirhabyana leswintshwa swa le hansi ka misava; ginger leyi omisiweke yi rhekhodiwa yi ri yoxe.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

South African trial harvest duration and native yields: Pretoria Hillcrest rain-shelter trial, 2015/16 and 2016/17, drip irrigation on sandy clay loam. Commercial ginger Z. officinale at eight months: 38.3 t/ha fresh and 8.8 t/ha dry rhizomes in the well-watered treatment; African ginger was a different species with different values. No matched plant density is supplied, so no kg/plant or household drying conversion is derived. The abstract says open field, while Methods specifies rain shelter; conditions are retained.

Confirmed culinary species and product: Extension identifies culinary ginger rhizomes used as spice, preserves and beverages. Florida planting and harvest months are not imported into the South African calendar.

Harvest recommendation: The author abstract recommends harvest seven to eight months after planting; it is a rhizome crop-cycle duration, not a full-bearing tree age.

Tirhisa siku ro byala ku rhekhoda xirhendzevutana xa ntshovelo wa rhizome, ku nga xirhabyana xa le hansi ka misava. Xikombiso xa ndzavisiso wa Pretoria xi ni swipimelo, a hi khalendara leyi nga cinciki eka maxelo yo hambana.

Rhekhoda ntiko wa rhizome leyintshwa ni swo nandzihisa leswi omisiweke swi hambanile; hambanisa ginger leyi dyiwaka ni mixaka ya ginger yo khavisa kumbe ya African ginger.

Switsundzuxo swo xava: Kombela muphakeri wa laha kaya ti-rhizome to byala ta Zingiber officinale leti hanyeke kahle leti tiviwaka; a ku na girafu ya ntshovelo ya muxaka wo karhi wa South Africa leyi tiyisisiweke.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin'hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: Gatabazi et al. (2022), Scientia Horticulturae 304:111353, p. 17

Xihlovo: UF/IFAS: Ginger, Galangal, and Turmeric Production in Florida

Xihlovo: University of Pretoria author manuscript: Gatabazi et al. (2022)

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Buffalo thorn

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu ya berry leyi vupfeke.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Xiphemu lexi dyiwaka ni ku tirhisiwa endhawini: SANBI describes dry, slightly sweet ripe pulp. Fruit remaining on leafless trees March–August is persistence, not a verified six-month picking season.

SANBI yi rhekhoda ndhawu yo anama ku suka eribuweni leri nga riki na gwitsi ku ya eka swifundzha swa gwitsi ra xixika. Mitwa ya xona leyi govekeke ni leyi kongomeke i ya nkoka loko ku hlawuriwa tindlela to nghena.

Switsundzuxo swo xava: Kombela ximilana xa buffalo-thorn lexi tiviwaka lexi faneleke swiyimo swa laha kaya; xihlovo lexi kambisisiweke a xi nyiki muxaka wa swakudya lowu nga ni vito.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica, ziziphus-mucronata

Tinxaka ta swibyariwa to kambela endhawini

Hlayisa vito ra muxaka lowu u wu hlawulaka hakunene. Minxaxamelo yo koma ya ndzavisiso yi lava ku tiyisisiwa eka nguva ya ndhawu, mati ni misava.

Tomatoes

Muxaka lowu rhekhodiweke: a wu si hlawuriwa.

Maxelo ya ndhawu leyi a ma si tiveka, kutani a ku vuriwi leswaku ku ni nxaxamelo wo koma wa ndhawu. Pfula khadi ra xibyariwa u vona swihlovo ni ku rhekhoda xihlawuriwa xa wena.

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.