SYNTHETIC GRAPH SOURCE {COUNT} $&

Musi ni sa athu u renga kana u thoma

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Tshigwada tsha kilima tsha ṱhoḓisiso: Fhethu ha u lima a hu athu u ṱalutshedzea. Tshigwada itshi a si nyeletshedzo yo khwaṱhisedzwaho ya bulasi iḽi.

Zwe na vhiga nga bulasi iḽi

Maḓi nga khalaṅwaha yo oma

A zwo ngo rekhodwa. Fhedzisani ṱhoḓisiso ya fhethu ni khwaṱhisedze maḓi ni sa athu u nanga pulane ine ya ṱoḓa zwishumiswa zwinzhi.

Murotholo kha bulasi iḽi

Zwe zwa vhonwa nga murotholo wa henefho a zwo ngo rekhodwa. Zwikati zwa ṅwedzi zwa sathelaithi a zwi koni u khwaṱhisedza maḓuvha a murotholo wa u thoma na wa u fhedza.

Ḓuvha na u bva ha maḓi mavuni

Ḓuvha: a zwo ngo rekhodwa.

U bva ha maḓi: a zwo ngo rekhodwa. Mvelelo dza u ṱola mavu na ṱhoḓea dza tshiliṅwa tshiṅwe na tshiṅwe zwi kha ḓi ṱoḓa u ṱolwa.

Rekhodo dza ṅwaha wa u vhiga - hu si mbonelaphanḓa

Zwivhalo na miṅwedzi zwa ṅwaha wo fhiraho wa u vhiga zwi ṱalutshedza zwo vhigwaho. A zwi fulufhedzisi zwiḽiwa kha pulane i ḓaho.

Original eggs {year} $&

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 240 eggs.

Zwo shumiswaho muṱani: 0 eggs. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: Fulw, Fwan. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Fish

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: a zwo ngo rekhodwa.

Zwo shumiswaho muṱani: a zwo ngo rekhodwa. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: a zwo ngo rekhodwa. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Miṅwe miroho

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 12 kg.

Zwo shumiswaho muṱani: 7 kg. Zwo rengiswaho: 3 kg.

Miṅwedzi ya khaṇo yo vhigwaho: Phan, Nyen. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṇu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani

Kriedoring

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: tshibveledzwa tsha zwiḽiwa a tshi athu khwaṱhisedzwa.

U sedzulusa tshumiso ya zwiḽiwa: khwaṱhisedzani vhuvha, tshipiḓa tshi ḽiwaho na u lugisela ho teaho na mueletshedzi wa henefho a re na ndalukanyo ni sa athu u katela tshimela itshi kha zwiḽiwa zwa muṱa. A tshi katelwi kha zwivhalo zwa zwiḽiwa zwo ḓoweleaho na mishumo ya u kaṋa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Exact identity; no confirmed household food part: The checked primary assessment establishes exact identity and South African distribution only. It does not establish edible parts, food-use preparation, picking dates or yield; claims for a different Lycium species are not transferred.

Rekhodani vhuvha ha tshimela nga vhuḓalo ni wane nyeletshedzo ya muḓivhi wa henefho nga ha u shumiswa sa zwiḽiwa musi ni sa athu u tshi vhalela sa zwiḽiwa zwa muṱa.

Nyeletshedzo ya u renga: Khwaṱhisedzani lushaka lwo teaho na neseḽi ya zwimela zwa henefho i re na ndalukanyo. Ni songo dzhia zwine zwa ambiwa nga mitshelo miṱuku kha vhuimo ha genus sa u dzhiela vhudzulo u topola lushaka nga vhuḓalo.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI Red List: Lycium cinereum

Kriedoring

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo miṱuku — u shumiswa sa zwiḽiwa zwi ṱoḓa u sedzuluswa nga muḓivhi.

U sedzulusa tshumiso ya zwiḽiwa: khwaṱhisedzani vhuvha, tshipiḓa tshi ḽiwaho na u lugisela ho teaho na mueletshedzi wa henefho a re na ndalukanyo ni sa athu u katela tshimela itshi kha zwiḽiwa zwa muṱa. A tshi katelwi kha zwivhalo zwa zwiḽiwa zwo ḓoweleaho na mishumo ya u kaṋa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Documented berry-use caution: This explicit caution prevents routine household-food forecasting. Sporadic all-year fruiting is not promoted to an edible-food availability calendar.

Tshimela itshi tshi dzule tshi tshi ḓivhea sa tsha luhura kana kha mutevhe wa zwimela zwi re hone. Ṱoḓani tsedzuluso ya muḓivhi wa henefho nga ha u shumiswa sa zwiḽiwa musi ni sa athu u dzhia mitshelo miṱuku sa zwiḽiwa zwa muṱa.

Nyeletshedzo ya u renga: Khwaṱhisedzani lushaka lwo teaho na tshumiso yo dzudzanywaho ya luhura na neseḽi ya henefho ya zwimela zwa henefho.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica: Lycium ferocissimum

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Ice plant

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: maṱari na mitshelo.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Annual edible leaf and fruit crop: This is an annual, not a fruit tree. The account describes boiled leaves as a spinach substitute and pickling. It supplies no food harvest duration, kg/plant or exact leaf calendar.

Rekhodani zwigwada zwa u ṱavha na maṱari kana mitshelo yo kaṋwaho nga thungo.

Fanyisani tshimela itshi tshi kwameaho nga murotholo wa gwanda na nyimele dzo omaho dzi re na muṋo kana dza khunzi. Muṋo wo kuvhanganywaho u nga humela mavuni musi zwimela zwi tshi fa.

Nyeletshedzo ya u renga: Wanani mbeu kana zwimela zwa lushaka lwo teaho ni ṱole mavu a mubete; a hu na lushaka lwa zwiḽiwa lwa dzingu kana khaṋo ya zwiḽiwa ya ṅwaha yo khwaṱhisedzwaho.

Khalaṅwaha ya u kaṇa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṇa henefho.

Tshiko: SANBI PlantZAfrica: Mesembryanthemum crystallinum

Coastal red milkwood

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo yo vhibvaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tshipiḓa tshi ḽiwaho na tshumiso ya henefho: The source describes bright orange-red mature fruit. It does not give a picking calendar.

SANBI i rekhoda muri uyu ḓakani ḽa zwikwara zwa muṱavha zwa khunzi ya vhubvaḓuvha u bva Eastern Cape u fhira KwaZulu-Natal, u tshi konḓelela tshifafhadzo tsha maḓi a lwanzhe a re na muṋo.

Nyeletshedzo ya u renga: Khwaṱhisedzani Mimusops afra na vhubvo ha neseḽi vhu tevhelaho mulayo. Ṱolani ṱhoḓea dza zwino dza u kuvhanganya miri yo tsireledzwaho musi ni sa athu u dzhia zwimela kana zwibveledzwa kha miri i re hone.

Khalaṅwaha ya u kaṇa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṇa henefho.

Tshiko: SANBI PlantZAfrica, mimusops-afra

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Nkaka

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: maṱari/mitshelo yo lugiswaho nga nḓila ya sialala — hu ṱoḓea u sedzuluswa nga muḓivhi.

U sedzulusa tshumiso ya zwiḽiwa: khwaṱhisedzani vhuvha, tshipiḓa tshi ḽiwaho na u lugisela ho teaho na mueletshedzi wa henefho a re na ndalukanyo ni sa athu u katela tshimela itshi kha zwiḽiwa zwa muṱa. A tshi katelwi kha zwivhalo zwa zwiḽiwa zwo ḓoweleaho na mishumo ya u kaṋa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tsedzuluso ya tshipiḓa tshi ḽiwaho na tsireledzo: SANBI reports culinary uses but also toxic constituents and poisoning concerns. A preparation report is not a complete safe household recipe.

Tshimela itshi tshi gonyelelaho tshi dzule kha mutevhe wa zwimela zwi re kha mapa, fhedzi ni songo tshi vhalela sa zwiḽiwa zwo ḓoweleaho zwa muṱa u swika muḓivhi wa henefho a re na ndalukanyo a tshi khwaṱhisedza vhuvha hatsho, tshipiḓa tshi ḽiwaho na u lugisela ho tsireledzeaho.

SANBI i tshi rekhoda vhudzuloni ho fhambanaho u mona na South Africa nga nnḓa ha Western Cape.

Nyeletshedzo ya u renga: Tandululani tshumiso sa zwiḽiwa na u lugisela na muḓivhi wa henefho a re na tshenzhelo ya zwimela zwa zwiḽiwa musi ni sa athu u tshi renga sa tshiliṅwa tsha muṱa.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica, momordica-balsamica

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Waxberry

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mapfura a mitshelo miṱuku — tshibveledzwa tsho shumiwaho nga nḓila ya sialala.

U sedzulusa tshumiso ya zwiḽiwa: khwaṱhisedzani vhuvha, tshipiḓa tshi ḽiwaho na u lugisela ho teaho na mueletshedzi wa henefho a re na ndalukanyo ni sa athu u katela tshimela itshi kha zwiḽiwa zwa muṱa. A tshi katelwi kha zwivhalo zwa zwiḽiwa zwo ḓoweleaho na mishumo ya u kaṋa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Historical processed fat, not a fresh-fruit forecast: Historical food use concerns the fatty berry coating, not a generic fresh sweet berry. No validated household extraction method, recovered food yield or storage life is established. Source coating/oil percentages are not assigned as processing conversion factors.

Dzhiani u lugisela mapfura a ḽiwaho sa maitele a muḓivhi a ṱoḓaho u khwaṱhisedzwa henefho.

Shumisani muṱavha wa khunzi u bvisaho maḓi zwavhuḓi, ḓuvhani kana murunzini u sa fhelelaho; u bveledza mitshelo zwi ṱoḓa zwimela zwa u ṱavha zwo topolwaho zwavhuḓi uri ndi zwa tshiduna kana tshisadzi.

Nyeletshedzo ya u renga: Khwaṱhisedzani lushaka lwo teaho na zwimela zwa tshiduna/tshisadzi na neseḽi ya zwimela zwa henefho. Fhambanyani tshumiso ya u khavhisa fhethu na maitele a zwiḽiwa zwa muṱa a sa athu khwaṱhisedzwa.

U phaḓaladzwa ha muvhere: zwimela zwa tshinna na zwa tshisadzi zwo fhambanaho. Ṱolani ṱhoḓea dza lushaka lwo nangwaho na nesari.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica: Morella cordifolia

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Black mulberry

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Exact fruit identity and variability: The institutional species reference distinguishes fruiting forms and variable breeding systems. Ripe fruits are used as food; a black-fruited tree must not silently inherit this identity or the legal status of another Morus species.

South African taxonomic cultivation record: The museum lists M. nigra as cultivated in southern Africa and distinguishes naturalised Morus taxa. It gives no ripe-harvest months or quantified yield.

Fruit maturity and water context: Institutional management reference links dry roots to early fruit drop. It contains a non-local 15-year substantial-bearing statement; that is not a South African first-crop age and is not used as a forecast.

Khwaṱhisedzani lushaka lwo teaho lwa mulberry na uri tshimela tsho nangwaho tshi a aṋwa mitshelo. Muvhala wa mutshelo u woṱhe a u koni u tshi topola.

Sedzani mutsiko wa ṱhahelelo ya maḓi musi mitshelo i tshi aluwa ni rekhode miṅwedzi ya vhukuma ya u kaṋa yo vhibvaho.

Nyeletshedzo ya u renga: Humbelani zwimela zwa Morus nigra zwo topolwaho zwi aṋwaho mitshelo nga tshifhinga tsho sedzwaho henefho. Ni songo shumisa mulberry iṅwe na iṅwe i re na mitshelo mitswu kana tshimela tsha u khavhisa tshi sa aṋwiho sa vhuṱanzi ha tshibveledzwa itshi.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: Orwa et al. (2009), World Agroforestry, Morus nigra profile, p. 1

Tshiko: Iziko Museums, Biodiversity Explorer, Morus

Tshiko: Orwa et al. (2009), World Agroforestry, Morus nigra profile, p. 4

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Wild olive

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo yo vhibvaho ya wild-olive.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tshipiḓa tshi ḽiwaho na tshumiso ya henefho: Wild olive is distinct from a named commercial olive cultivar. March–July describes fruit following flowers; no exact ripe-picking start/end is established.

SANBI i rekhoda muri uyu u aluwaho nga u ongolowa fhethu ha mvula ya tshilimo na ya vhuriha, u tshi konḓelela murotholo wa gwanda, gomelelo na muya.

Midzi yatsho i dzule kule na mbondo, fhethu ho pavhiwaho nnḓa na mativa a u tala; SANBI i amba uri i nga phaḓalala nga maanḓa.

Nyeletshedzo ya u renga: Humbelani taxon ya wild-olive i re kha khathaḽogo, ni songo i dzhiela vhudzulo nga lushaka lwa olive lwa bindzu. Rekhodani u kaṋa ha vhukuma ha henefho.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica, olea-europaea-subsp-africana

Olive

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Cultivar and product choice: Frantoio is described as an oil and cross-pollen candidate. Mission suits black table olives and oil; Kalamata black table, Manzanilla and Barouni green table. Climate fit and pollen needs depend on cultivar.

Regional orchard budget is not per-tree yield evidence: This is a historical one-hectare financial model; it does not provide matched per-tree kg or a measured biological maturity curve. No financial values or pesticide recipes are copied.

Fanyisani lushaka lwo nangwaho na olive dza u ḽa kana mapfura. Ṱolani u bva ha maḓi mavuni, u sheledza na nyimele dza vhuriha; mvula ya tshilimo i re na muṋa i nga ḓisa thaidzo dza malwadze.

Kaṋani kha vhuimo ho dzudzanywaho ha vhudala, vhutswu kana mapfura. Nyimele dza u shuma na dza u vhulunga tshibveledzwa nga nḓila yo tsireledzeaho dzi tea u rekhodiwa nga thungo.

Nyeletshedzo ya u renga: Mission ndi lushaka lu nga nangwaho lwa olive ntswu dza u ḽa na mapfura lwo tikedzwaho nga tshiko; Kalamata ndi ya olive ntswu dza u ḽa; Manzanilla na Barouni ndi dza olive ndala dza u ḽa; Frantoio ndi ya mapfura na luvhanda lu tshimbidzanaho. Khwaṱhisedzani u tea ha dzingu nga neseḽi dzo ṅwaliswaho dza SA Olive.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — Western Cape — khaṋo ya olive i ḓitikaho nga lushaka na tshumiso ya u fhedza: Luhu–Fwan.

Tshiko: SA Olive Association, Olive Growing

Tshiko: Western Cape Department of Agriculture, Oil Olives, Garden/Little Karoo budget, 13 March 2021, p. 1

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Bietou

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo yo vhibvaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tshipiḓa tshi ḽiwaho na tshumiso ya henefho: Food is the ripe fruit. Main flowering in autumn/winter and fruit shortly afterwards do not establish named picking months.

SANBI i ṱalusa tshiṱaka tsha u thoma u mela fhethu tshi phaḓalalaho tsha ḓuvhani na mavu a bvisaho maḓi zwavhuḓi, hu tshi katelwa vhudzulo ha khunzi na ha ngomu shangoni. Siani tshikhala tsha u phaḓalala hatsho.

Nyeletshedzo ya u renga: Khwaṱhisedzani lushaka lwo teaho na vhubvo ha henefho; tshiko tsho ṱolwaho a tshi ṋei lushaka lwa mitshelo lwo nangwaho lu re na dzina.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica, osteospermum-moniliferum

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Date palm

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Kakamas phenology is not a picking calendar: Table is fruit-set-to-maturation duration, not months of ripe harvest. Its separate table lists July–August flowering. Neither becomes a food-availability bar.

Southern Hemisphere reference, awaiting local confirmation: Broad hemispheric context, not a measured cultivar/site calendar. Kept outside the structured local harvest windows.

Western Cape Medjool ripening and spoilage trial: 2022 trial at Kleinplasie near Hermon concerns Medjool. Abstract treatment dates label ripening stages inconsistently; no harvest months are inferred. Full university handle returned HTTP 403 during checking.

Miri ya palema ya tshisadzi i ṱoḓa luvhanda lwo teaho lwa tshiduna. Rekhodani mbeu ya tshiduna kana tshisadzi, lushaka lwo nangwaho na ndangulo ya u phaḓaladza luvhanda musi ni sa athu u bvumba mitshelo.

Ṱolani mufhiso, maḓi na mvula musi mitshelo i tshi vhibva. Mulingo wa Hermon wo wana u vhibva hu sa lingani na u sina, ngauralo u bvelela ha dzingu hu hoṱhe a hu khwaṱhisedzi tshiliṅwa tsha henefho.

Nyeletshedzo ya u renga: Medjool yo ṅwalwa kha ṱhoḓisiso ya Hermon. Wanani zwimela zwa tshisadzi zwi ḓivheaho uri zwi a aṋwa mitshelo na nyeletshedzo ya luvhanda lu tshimbidzanaho; u vhonala ha tshimela tsho melaho nga mbeu a hu khwaṱhisedzi mbeu yatsho ya tshiduna kana tshisadzi kana ndeme ya mitshelo yatsho ya tshifhingani tshi ḓaho.

U phaḓaladzwa ha muvhere: zwimela zwa tshinna na zwa tshisadzi zwo fhambanaho. Ṱolani ṱhoḓea dza lushaka lwo nangwaho na nesari.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: FAO Date Palm Cultivation (2002), Chapter VIII

Tshiko: FAO Date Palm Cultivation (2002), Chapter IV, Table 23

Tshiko: FAO Date Palm Cultivation (2002), Chapter IX

Tshiko: Peddie (2023), Stellenbosch MScAgric thesis, university-provided abstract in FAO AGRIS

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Pistachio

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo ya makanda o khwaṱhaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Producer's own cultivars: The same questionnaire confirms the nuts are grown on the producer's farm. Cultivar names are reproduced as written; spelling is not a taxonomy or catalogue change.

Prince Albert establishment and maturity expectation: An expectation for the newly established Platberg project, not a measured universal age curve. Its planted cultivars are Shufra, Ariyeh and Sirora; irrigated Karoo context retained.

Miri ya tshisadzi i aṋwa mitshelo ya makanda o khwaṱhaho nahone i ṱoḓa luvhanda lwa miri ya tshiduna yo teaho. Tshikombo tsha Prieska tshi bva kha bulasi ḽo omaho ḽa Karoo ḽi sheledzwaho.

Khwaṱhisedzani zwimela zwa u ṱavha zwa tshiduna na tshisadzi, u sheledza na nyimele dza henefho dza vhuriha/tshilimo; tshikombo tsha mubveledzi tsha Luhuhi a tshi khwaṱhisedzi u tea ha khunzi i re na muṋa.

Nyeletshedzo ya u renga: Haseledzani na neseḽi ya vhuḓivhi nga Shufrah na Ariyeh zwi bvaho kha vhuṱanzi ha mubveledzi wa Prieska, kana Shufra, Ariyeh na Sirora zwi bvaho kha thandela ya Prince Albert. Nangani tshimela tsha tshiduna tshi tshimbidzanaho ni khwaṱhisedze u tea ha henefho.

U phaḓaladzwa ha muvhere: zwimela zwa tshinna na zwa tshisadzi zwo fhambanaho. Ṱolani ṱhoḓea dza lushaka lwo nangwaho na nesari.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — bulasi ḽa Orange River tsini na Prieska, Northern Cape — zwo vhonwaho nga mubveledzi wa Karoo Pistachios: Luhu.

Tshiko: Karoo Pistachios, first-person producer questionnaire on FoodHub

Tshiko: Prince Albert Municipality, Pistachio Pioneers, 20 October 2025

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Spekboom

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: maṱari a ḽiwaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tshipiḓa tshi ḽiwaho na tshumiso ya henefho: The food is the tart leaf; flowers do not define leaf picking months.

Primary food-processing research: The study analyses processed spekboom leaves. Its laboratory method and composition are not a farm harvest rate, storage life or household food-safety recipe.

Tsireledzani zwimela zwiṱuku kha u ḽiwa nga zwifuwo nga maanḓa. SANBI i vhiga vhudzulo ho fhisaho ha matombo na ho omaho zwiṱuku; u ḽa ha mbudzi tsini na mavu hu nga thivhela u phaḓalala nga zwipiḓa zwa tshimela na u fhungudza u dovha tsha mela.

Nyeletshedzo ya u renga: Humbelani spekboom yo topolwaho zwavhuḓi ni rekhode arali yo ṱavhelwa zwiḽiwa, u ḽiwa nga zwifuwo kana u vhuyedzedza fhethu. A hu na khaṋo yo kaliwaho ya maṱari a muṱa yo ṋewaho.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica, portulacaria-afra

Tshiko: Mahlanza et al., University of Johannesburg research record, International Journal of Food Science and Technology (2026)

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Apricot

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Solitaire winter and pollen context: Solitaire is listed as self-compatible. Its chilling units are named-cultivar requirements and are not a numeric range for every apricot.

Irrigated Robertson trial context: The field experiment used managed organic orchards and found trade-offs in mulch effects; it does not justify a universal yield improvement from mulch.

Tshikombo tsha u kaṋa tsha lushaka luṅwe na luṅwe lwo nangwaho tshi dzule nga thungo. Tsumbo ya Robertson yo shumisa u sheledza ha tshilimo.

Khwaṱhisedzani u rothola ha vhuriha, maḓi na zwimela zwa vhukuma zwa u ṱavha musi ni sa athu u shumisa tshikombo sa pulane ya henefho.

Nyeletshedzo ya u renga: Solitaire i na tshikombo tshi bvaho tshikoni tsha u kaṋa ha u thoma nga Ḽara na nyimele dza u rothola dzo bulwaho ngei Simondium; haseledzani na neseḽi nga ha u tea hayo henefho.

Nyeletshedzo ya u renga: Imperial i na tshikombo tsha Nyendavhusiku ngei Robertson. Ndi lushaka lu nga lingwaho henefho, hu si nyeletshedzo ya khunzi ya KZN i si na murotholo wa gwanda.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — Bien Donne, Simondium, Western Cape — khaṋo ya u thoma ya Solitaire: Ḽara.

Ndaedzi fhedzi — Tierhoek Organic Farm, Robertson, Breede River Valley, Western Cape — ndingo ya Imperial: Nyen.

Tshiko: Culdevco / ARC Infruitec-Nietvoorbij, Solitaire apricot cultivar sheet

Tshiko: Birkhofer et al. (2019), Effects of Ground Cover Management in Organic Deciduous Fruit Orchards in South Africa, Table 1

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Sweet cherry

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: Mitshelo ya cherries i ṱapilaho yo vhibvaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Production at age six: The guide reports 4–6 kg/tree in year 6 and warns that yields are difficult to predict because of pollination and fruit set. The separate good result at year 8–9 is 9 t/ha. Do not connect them into a made-up growth curve or convert the later hectare result to arbitrary tree spacing.

Chilling and pollen partners: Conventional commercial cherry reference: more than 1,000 Positive Utah Chill Units, not 1,000 chill hours. Low-chill candidates need their own verified requirements. Most cultivars need compatible cross-pollination; the named self-fertile choices differ. The September flowering reference is not a picking-month array.

Observed Ceres season start: Ceres growers reported the start of the 2025 cherry harvest in late October, seven to ten days earlier than the prior year. This is an observed season in a named region, not a fixed future duration, KZN calendar or all-variety season.

Ṱolani u rothola ha vhuriha ho kaliwaho, murotholo wa gwanda wa luṱavula, u bva ha maḓi na mvula tsini na tshifhinga tsha u kaṋa. Ngeletshedzo ya kale ya KZN yo dzhia u tea ha bindzu henefho sa zwi kha ḓi lingwaho; ḽebuḽu yo angalalaho ya dzingu ḽa kilima a i dzhieli vhudzulo nyeletshedzo ya zwino ya henefho.

U phaḓaladzwa ha luvhanda zwi ya nga lushaka lwo nangwaho. U vha na maluvha a tshimbidzanaho na zwiko zwa luvhanda zwi fhambana na u vhibva ha mitshelo nga u ṱavhanya kana nga murahu.

Nyeletshedzo ya u renga: Tshaka dzi nga nangwaho kha ngeletshedzo ya dzingu dzi katela Bing, Van, Rainier, Burlat na Vista, dzine nga u angaredza dza ṱoḓa balekane vha luvhanda vha tshimbidzanaho. I bula nga vhuḓalo Lapins, Stella na Sweetheart sa dzi konaho u aṋwa mitshelo nga luvhanda lwadzo. Minnie Royal, Royal Lee, Royal Dawn na Early Sweet ndi tshaka dzi nga nangwaho dzi ṱoḓaho u rothola huṱuku. Khwaṱhisedzani zwimela zwi re hone zwino, mudzi wa mutheo wo teaho, u tshimbidzana na u rothola ha henefho ho kaliwaho musi ni sa athu u renga; izwi a si themendelo ya khunzi i fhisaho.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Yield, p. 31

Tshiko: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Climate and Cultivars, p. 30

Tshiko: Hortgro / Tru-Cape growers, Cherry season begins: Ideal conditions, 29 October 2025

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Almond

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo ya makanda o khwaṱhaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Texas Mission pollen, chill and weight context: Texas Mission is classified high chill and names Nonpareil as pollinator. Its 5 kg/tree production entry does not state tree age, management, trial region or whether weight is kernel or in-shell; it is not a mature annual food forecast.

Texas Mission named production entry: The Texas Mission table's Production (kg/tree) row gives 5 kg/tree. It does not state tree age, reporting period, trial region or whether this means kernels or nuts in shell. Retained as a cultivar source claim to investigate; numeric mature annual kg remains null.

Ṱolani ṱhoḓea dza vhuriha dza lushaka lwo bulwaho nga dzina na luvhanda lu tshimbidzanaho musi ni sa athu u ṱavha. Texas Mission a i tshimbidzani na luvhanda lwayo.

Rekhodani arali zwileme zwa mitshelo ya makanda o khwaṱhaho zwi tshi amba zwipiḓa zwa ngomu kana mitshelo i tshee na makanda; izwi ndi zwikalo zwo fhambanaho.

Nyeletshedzo ya u renga: Texas Mission ndi lushaka lwo ṅwalwaho nga SAPO; siaṱari ḽayo ḽi bula Nonpareil sa muṅwe wa luvhanda nahone ḽi ṱalusa ṱhoḓea khulwane ya u rothola. Khwaṱhisedzani u tea ha henefho na neseḽi.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — bammbiri ḽa lushaka ḽa SAPO ḽa South Africa; fhethu ha ndingo a ho ngo bulwa — khaṋo ya u thoma ya Texas Mission: Luhu.

Tshiko: SAPO Trust, Texas Mission almond cultivar information

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Pear

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Rosemarie Select pollen partners: These are cultivar-specific compatible-pollen candidates, not a guarantee that any two pear trees pollinate one another.

Packham's Triumph pollen partners: SAPO describes chilling qualitatively as low and production as high; neither supplies a numeric age or kg/tree.

Rekhodani lushaka lwo bulwaho nga dzina na miṅwedzi ya vhukuma ya u kaṋa ha u thoma na ha u fhedza. Zwikombo zwa Phando na Luhuhi ndi zwinangwaho zwo fhambanaho, a si khaḽenda ya tsimu ya miri yo ṱanganaho ya muri muṅwe na muṅwe.

Nyeletshedzo ya u renga: Rosemarie Select ndi lushaka lwa Western Cape lu nga nangwaho lwo tikedzwaho nga tshiko lu no tea u haseledzwa na neseḽi. Vhudzisani nga December kana Packham's Triumph sa balekane vha luvhanda vha tshimbidzanaho.

Nyeletshedzo ya u renga: Kha Packham's Triumph, vhudzisani nga Clapp's Favourite, December kana Starkrimson ni ṱole nyimele dza vhuriha dza henefho.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — Ceres, Koue Bokkeveld, Western Cape — khaṋo ya u thoma ya Rosemarie Select: Phan.

Ndaedzi fhedzi — Wolseley, Western Cape — khaṋo ya u thoma ya Rosemarie Select: Phan.

Ndaedzi fhedzi — bammbiri ḽa lushaka ḽa South Africa; fhethu ha ndingo a ho ngo bulwa — khaṋo ya u thoma ya Packham's Triumph: Luhu.

Tshiko: Culdevco / ARC Infruitec-Nietvoorbij, Rosemarie Select pear cultivar sheet

Tshiko: SAPO Trust, Packham's Triumph pear cultivar sheet

Tshaka dza zwiliṅwa dza u sedzulusa henefho

Vhulungani dzina ḽa lushaka lune na nanga zwa vhukuma. Mitevhe mipfufhi ya ṱhoḓisiso i ṱoḓa khwaṱhisedzo ya khalaṅwaha ya henefho, maḓi na mavu.

Tomatoes

Lushaka lwo rekhodwaho: a lu athu u nangwa.

Kilima ya fhethu hafha a i athu u ṱalutshedzea, ngauralo a hu buliwi mutevhe mupfufhi wa henefho. Vulani garaṱa ya tshiliṅwa u vhona zwiko na u rekhoda zwe na nanga.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.