

BOOTCAMP: TRANSFORMACIÓN DIGITAL PARA LA DOCENCIA TÉCNICA

Nombre del participante: ROSARIO DEL CARMEN SORTO
AARGUETA

Institución:


Instituto Nacional de Osicala.

Tema:  Primer API REST con Express.js


Link del Entregable: rosariosortoargueta/APPI: APPI

1. Prueba que el servidor esta activo	3
2. GET - Todos los estudiantes	3
3. GET - Estudiante por ID	4
4.GET - Error 404.....	4
5. POST - Crear estudiante.....	5
6. POST - Error 400 (validación).....	5
7. PUT - Actualizar estudiante.....	6
8. PUT - Error 404.....	6
9. DELETE - Eliminar estudiante.....	7
10 DELETE - Error 404	7


1. Prueba que el servidor esta activo




2. GET - Todos los estudiantes




3. GET - Estudiante por ID



4. GET - Error 404



5. POST - Crear estudiante



The screenshot shows a REST client interface with a POST request to `http://localhost:4000/api/estudiantes`. The request body is a JSON object containing student details. The response is a 201 status code with a message and the created student data.

```
POST http://localhost:4000/api/estudiantes
```

Params Headers Auth Body


```
1 {
2   "firstName": "Daniel",
3   "lastName": "Torres",
4   "email": "daniel.torres@email.com",
5   "phone": "+503 7777 7777",
6   "address": {
7     "country": "El Salvador",
8     "city": "Santa Ana"
9   },
10  "isActive": true,
11  "courses": ["Programación", "Base de Datos"]
12 }
```

Request POST Response 201

```
1 HTTP/1.1 201 Created (6 headers)
2 {
3   "message": "Estudiante creado exitosamente",
4   "data": {
5     "id": 4,
6     "firstName": "Daniel",
7     "lastName": "Torres",
8     "email": "daniel.torres@email.com",
9     "phone": "+503 7777 7777",
10    "address": {
11      "country": "El Salvador",
12      "city": "Santa Ana"
13    },
14    "isActive": true,
15    "courses": [
16      "Programación",
17      "Base de Datos"
18    ]
19  }
20 }
```

489B, 653ms, now

6. POST - Error 400 (validación)



The screenshot shows a REST client interface with a POST request to `http://localhost:4000/api/estudiantes`. The request body is a JSON object with only the `firstName` field. The response is a 400 status code with an error message indicating that the data is incomplete.

```
POST http://localhost:4000/api/estudiantes
```

Params Headers Auth Body

```
1 {
2   "firstName": "Lucia"
3 }
4
```

Request POST Response 400

```
1 HTTP/1.1 400 Bad Request (6 headers)
2 {
3   "error": "Datos incompletos",
4   "message": "Los campos firstName, lastName y email son obligatorios"
5 }
```

313B, 101ms, now

7. PUT - Actualizar estudiante

The screenshot shows a REST client interface with a PUT request to `http://localhost:4000/api/estudiantes/1`. The request body is a JSON object with `firstName` and `phone` fields. The response is a 200 OK status with a JSON body containing a success message and the updated student data.

```
PUT: http://localhost:4000/api/estudiantes/1
```

Params Headers Auth Body

```
1 {
2   "firstName": "Rosario Maria",
3   "phone": "+503 7888 8888"
4 }
```

Request PUT Response 200

```
1 HTTP/1.1 200 OK (6 headers)
2 {
3   "message": "Estudiante actualizado exitosamente",
4   "data": {
5     "id": 1,
6     "firstName": "Rosario Maria",
7     "lastName": "del Carmen",
8     "email": "rosario.carmen@email.com",
9     "phone": "+503 7888 8888",
10    "address": {
11      "country": "El Salvador",
12      "city": "San Salvador"
13    },
14    "isActive": true,
15    "courses": [
16      "Matemáticas",
17      "Programación",
18      "Base de Datos"
19    ]
20  }
21 }
```

JSON: 520B, 41ms, now

8. PUT - Error 404

The screenshot shows a REST client interface with a PUT request to `http://localhost:4000/api/estudiantes/1`. The request body is a JSON object with `firstName` field. The response is a 200 OK status with a JSON body containing a success message and the updated student data.

```
PUT: http://localhost:4000/api/estudiantes/1
```

Params Headers Auth Body


```
1 {
2   "firstName": "Jose"
3 }
```

Request PUT Response 200

```
1 HTTP/1.1 200 OK (6 headers)
2 {
3   "message": "Estudiante actualizado exitosamente",
4   "data": {
5     "id": 1,
6     "firstName": "Jose",
7     "lastName": "del Carmen",
8     "email": "rosario.carmen@email.com",
9     "phone": "+503 7888 8888",
10    "address": {
11      "country": "El Salvador",
12      "city": "San Salvador"
13    },
14    "isActive": true,
15    "courses": [
16      "Matemáticas",
17      "Programación",
18      "Base de Datos"
19    ]
20  }
21 }
```

JSON: 510B, 103ms, now

9. DELETE - Eliminar estudiante



DELETE `http://localhost:4000/api/estudiantes/3` Send

Params Headers Auth **Body**

1


Request **DELETE** Response **200**

▶ HTTP/1.1 200 OK (6 headers)

```
1 {
2   "message": "Estudiante eliminado exitosamente",
3   "data": {
4     "id": 3,
5     "firstName": "Sofia",
6     "lastName": "Vásquez",
7     "email": "sofia.vasquez@email.com",
8     "phone": "+503 7225 2225",
9     "address": {
10      "country": "El Salvador",
11      "city": "Cuscatlán"
12    },
13     "isActive": false,
14     "courses": [
15       "Base de Datos",
16       "Matemáticas"
17     ]
18   }
19 }
```

Text JSON 490B, 67ms, now

10 DELETE - Error 404



DELETE `http://localhost:4000/api/estudiantes/10` Send

Params Headers Auth **Body**

1

Request **DELETE** Response **404**

▶ HTTP/1.1 404 Not Found (6 headers)

```
1 {
2   "error": "Estudiante no encontrado",
3   "message": "No existe un estudiante con el ID 10"
4 }
```

Text JSON 299B, 37ms, now