## 1. MAIN ACTIVITY < DOT> JAVA

```
import androidx.appcompat.app.AlertDialog;
import androidx.appcompat.app.AppCompatActivity;
import android.database.Cursor;
import android.os.Bundle;
import android.view.Menu;
import android.view.MenuItem;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;
public class MainActivity extends AppCompatActivity {
    DatabaseHelper myDb;
   EditText editName, editSurname, editMarks, editTextId;
   Button btnAddData;
    Button btnviewAll;
    Button btnDelete;
   Button btnviewUpdate;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
       super.onCreate(savedInstanceState);
       setContentView(R.layout.activity main);
       myDb = new DatabaseHelper(this);
       editName = (EditText)findViewById(R.id.editText name);
       editSurname = (EditText)findViewById(R.id.editText surname);
       editMarks = (EditText)findViewById(R.id.editText Marks);
       editTextId = (EditText)findViewById(R.id.editText id);
       btnAddData = (Button)findViewById(R.id.button add);
       btnviewAll = (Button)findViewById(R.id.button viewAll);
       btnviewUpdate= (Button)findViewById(R.id.button update);
       btnDelete= (Button)findViewById(R.id.button delete);
       AddData();
       viewAll():
       UpdateData();
       DeleteData();
    public void DeleteData() {
       btnDelete.setOnClickListener(
               new View.OnClickListener() {
                   @Override
                   public void onClick(View v) {
                       Integer deletedRows =
myDb.deleteData(editTextId.getText().toString());
                       if(deletedRows > 0)
                           Toast.makeText(MainActivity.this,"Data
Deleted",Toast.LENGTH LONG).show();
                       else
                           Toast.makeText(MainActivity.this,"Data not
Deleted", Toast. LENGTH LONG). show();
```

```
}
               }
       );
   public void UpdateData() {
       btnviewUpdate.setOnClickListener(
                new View.OnClickListener() {
                   @Override
                   public void onClick(View v) {
                        boolean isUpdate =
myDb.updateData(editTextId.getText().toString(),
                               editName.getText().toString(),
editSurname.getText().toString(),editMarks.getText().toString());
                       if(isUpdate == true)
                            Toast.makeText(MainActivity.this,"Data
Update", Toast. LENGTH LONG). show();
                       else
                            Toast.makeText(MainActivity.this,"Data not
Updated",Toast.LENGTH LONG).show();
                }
       );
    public void AddData() {
       btnAddData.setOnClickListener(
                new View.OnClickListener() {
                   @Override
                   public void onClick(View v) {
                        boolean isInserted =
myDb.insertData(editName.getText().toString(),
                               editSurname.getText().toString(),
                               editMarks.getText().toString() );
                       if(isInserted == true)
                            Toast.makeText(MainActivity.this,"Data
Inserted", Toast. LENGTH LONG). show();
                       else
                            Toast.makeText(MainActivity.this,"Data not
Inserted", Toast. LENGTH LONG). show();
                }
       );
   public void viewAll() {
       btnviewAll.setOnClickListener(
                new View.OnClickListener() {
                   @Override
                   public void onClick(View v) {
                       Cursor res = myDb.getAllData();
                       if(res.getCount() == 0) {
                           // show message
```

```
showMessage("Error","Nothing found");
                           return:
                       StringBuffer buffer = new StringBuffer();
                       while (res.moveToNext()) {
                           buffer.append("Id :"+ res.getString(0)+"\n");
                           buffer.append("Name :"+ res.getString(1)+"\n");
                           buffer.append("Surname :"+ res.getString(2)+"\n");
                           buffer.append("Marks:"+ res.getString(3)+"\n\n");
                       }
                       // Show all data
                       showMessage("Data",buffer.toString());
                   }
               }
       );
    }
   public void showMessage(String title,String Message){
       AlertDialog.Builder builder = new AlertDialog.Builder(this);
        builder.setCancelable(true);
       builder.setTitle(title);
       builder.setMessage(Message);
       builder.show();
    }
    @Override
    public boolean onCreateOptionsMenu(Menu menu) {
       // Inflate the menu; this adds items to the action bar if it is present.
       //getMenuInflater().inflate(R.menu.menu main, menu);
       return true:
    }
    @Override
    public boolean onOptionsItemSelected(MenuItem item) {
       // Handle action bar item clicks here. The action bar will
       // automatically handle clicks on the Home/Up button, so long
       // as you specify a parent activity in AndroidManifest.xml.
       int id = item.getItemId();
       //noinspection SimplifiableIfStatement
      /* if (id == R.id.action settings) {
           return true;
       return super.onOptionsItemSelected(item);
    }
}
2. ACTIVITY MAIN < DOT> XML
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"</p>
    xmlns:tools="http://schemas.android.com/tools"
android:layout width="match parent"
    android:layout height="match parent" tools:context=".MainActivity">
    <TextView
```

```
android:layout width="wrap content"
   android:layout height="wrap content"
   android:textAppearance="?android:attr/textAppearanceLarge"
   android:text="Name"
   android:id="@+id/textView"
   android:layout alignParentTop="true"
   android:layout alignParentLeft="true"
   android:layout alignParentStart="true" />
<TextView
   android:layout width="wrap content"
   android:layout height="wrap content"
   android:textAppearance="?android:attr/textAppearanceLarge"
   android:text="Surname"
   android:id="@+id/textView2"
   android:layout below="@+id/editText name"
   android:layout alignParentLeft="true"
   android:layout alignParentStart="true" />
<TextView
   android:layout width="wrap content"
   android:layout height="wrap content"
   android:textAppearance="?android:attr/textAppearanceLarge"
   android:text="Marks"
   android:id="@+id/textView3"
   android:layout below="@+id/editText surname"
   android:layout alignParentLeft="true"
   android:layout alignParentStart="true" />
<EditText
   android:layout width="match parent"
   android:layout height="wrap content"
   android:id="@+id/editText name"
   android:layout alignTop="@+id/textView"
   android:layout toRightOf="@+id/textView"
   android:layout toEndOf="@+id/textView" />
   android:layout width="match parent"
   android:layout height="wrap content"
   android:id="@+id/editText surname"
   android:layout alignTop="@+id/textView2"
   android:layout toRightOf="@+id/textView2"
   android:layout toEndOf="@+id/textView2" />
<EditText
   android:layout width="match parent"
   android:layout height="wrap content"
   android:id="@+id/editText Marks"
   android:layout below="@+id/editText surname"
   android:layout toRightOf="@+id/textView3"
   android:layout toEndOf="@+id/textView3" />
<Button
   android:layout width="wrap content"
   android:layout height="wrap content"
   android:text="Add Data"
```

```
android:id="@+id/button add"
       android:layout below="@+id/editText Marks"
       android:layout alignParentLeft="true"
       android:layout_alignParentStart="true"
       android:layout marginTop="76dp" />
   <Button
       android:lavout width="wrap content"
       android:layout height="wrap content"
       android:text="View All"
       android:id="@+id/button viewAll"
       android:layout above="@+id/button update"
       android:layout centerHorizontal="true" />
   <Button
       android:layout width="wrap content"
       android:layout height="wrap content"
       android:text="Update"
       android:id="@+id/button update"
       android:layout below="@+id/button add"
       android:layout alignParentLeft="true"
       android:layout alignParentStart="true" />
   <Button
       android:layout width="wrap content"
       android:layout height="wrap content"
       android:text="Delete"
       android:id="@+id/button delete"
       android:layout centerVertical="true"
       android:layout_below="@+id/button_viewAll"
       android:layout alignLeft="@+id/button viewAll"
       android:layout alignStart="@+id/button viewAll" />
   <TextView
       android:layout width="wrap content"
       android:layout height="wrap content"
       android:textAppearance="?android:attr/textAppearanceLarge"
       android:text="id"
       android:id="@+id/textView id"
       android:layout below="@+id/editText Marks"
       android:layout alignParentLeft="true"
       android:layout alignParentStart="true" />
   <EditText
       android:layout width="match parent"
       android:layout height="wrap content"
       android:id="@+id/editText id"
       android:layout alignTop="@+id/textView id"
       android:layout toRightOf="@+id/textView3"
       android:layout toEndOf="@+id/textView3" />
</RelativeLayout>
```

## 3. DATABASEHELPER <DOT> JAVA

import android.content.ContentValues; import android.content.Context; import android.database.Cursor;

```
import android.database.sglite.SQLiteDatabase;
import android.database.sglite.SQLiteOpenHelper;
* Created by ProgrammingKnowledge on 4/3/2015.
public class DatabaseHelper extends SQLiteOpenHelper {
   public static final String DATABASE NAME = "Student.db";
   public static final String TABLE NAME = "student table";
   public static final String COL 1 = "ID";
   public static final String COL 2 = "NAME";
   public static final String COL_3 = "SURNAME";
   public static final String COL 4 = "MARKS";
   public DatabaseHelper(Context context) {
       super(context, DATABASE NAME, null, 1);
   }
   @Override
   public void onCreate(SQLiteDatabase db) {
       db.execSQL("create table " + TABLE NAME +" (ID INTEGER PRIMARY
KEY AUTOINCREMENT, NAME TEXT, SURNAME TEXT, MARKS INTEGER)");
   @Override
   public void onUpgrade(SQLiteDatabase db, int oldVersion, int newVersion) {
       db.execSQL("DROP TABLE IF EXISTS "+TABLE NAME);
       onCreate(db);
   public boolean insertData(String name,String surname,String marks) {
       SQLiteDatabase db = this.getWritableDatabase();
       ContentValues contentValues = new ContentValues();
       contentValues.put(COL 2,name);
       contentValues.put(COL 3,surname);
       contentValues.put(COL 4,marks);
       long result = db.insert(TABLE NAME,null ,contentValues);
       if(result == -1)
           return false:
       else
           return true;
   }
   public Cursor getAllData() {
       SQLiteDatabase db = this.getWritableDatabase();
       Cursor res = db.rawQuery("select * from "+TABLE NAME,null);
       return res;
   public boolean updateData(String id,String name,String surname,String
marks) {
       SQLiteDatabase db = this.getWritableDatabase();
       ContentValues contentValues = new ContentValues();
       contentValues.put(COL 1,id);
       contentValues.put(COL 2,name);
       contentValues.put(COL 3,surname);
       contentValues.put(COL 4,marks);
       db.update(TABLE NAME, contentValues, "ID = ?",new String[] { id });
```

```
return true;
}
public Integer deleteData (String id) {
    SQLiteDatabase db = this.getWritableDatabase();
    return db.delete(TABLE_NAME, "ID = ?",new String[] {id});
}
```