

```

import React, { useState } from 'react';
import { Copy, Zap, Mail, Share2, Lightbulb, Sparkles, CheckCircle } from 'lucide-react';

export default function MarketingContentGenerator() {
  const [contentType, setContentType] = useState('email');
  const [productInfo, setProductInfo] = useState('');
  const [audience, setAudience] = useState('');
  const [tone, setTone] = useState('professional');
  const [generatedContent, setGeneratedContent] = useState('');
  const [loading, setLoading] = useState(false);
  const [copied, setCopied] = useState(false);

  const contentTypes = {
    email: { name: 'Email Campaign', icon: Mail, prompt: 'Create a compelling email campaign for my business.' },
    social: { name: 'Social Media Posts', icon: Share2, prompt: 'Create 3 engaging social media posts for my business.' },
    ads: { name: 'Ad Copy', icon: Zap, prompt: 'Create Google/Facebook ad copy with a strong call to action.' },
    landing: { name: 'Landing Page', icon: Lightbulb, prompt: 'Create compelling landing page copy for my business.' },
    product: { name: 'Product Description', icon: Sparkles, prompt: 'Create a persuasive product description for my business.' }
  };

  const generateContent = async () => {
    if (!productInfo.trim() || !audience.trim()) {
      alert('Please fill in product info and target audience');
      return;
    }

    setLoading(true);
    setGeneratedContent('');

    try {
      const systemPrompt = `You are an expert marketing copywriter specializing in creating compelling marketing copy. Your task is to create compelling, persuasive marketing copy that drives action and increases sales. Tone: ${tone} Always be concise, impactful, and include specific benefits. Format the output clearly with sections.`;

      const userPrompt = `${contentTypes[contentType].prompt}

      Product/Service: ${productInfo}
      Target Audience: ${audience}
      Tone: ${tone}

      Generate compelling marketing content that will convert.`;

```

```

const response = await fetch('https://api.anthropic.com/v1/messages', {
  method: 'POST',
  headers: {
    'Content-Type': 'application/json',
  },
  body: JSON.stringify({
    model: 'claude-sonnet-4-6',
    max_tokens: 1000,
    system: systemPrompt,
    messages: [
      { role: 'user', content: userPrompt }
    ],
  })
});

const data = await response.json();

if (data.content && data.content[0] && data.content[0].text) {
  setGeneratedContent(data.content[0].text);
} else {
  setGeneratedContent('Error generating content. Please try again.');
```

```

}
} catch (error) {
  setGeneratedContent(`Error: ${error.message}`);
} finally {
  setLoading(false);
}
};

const copyToClipboard = () => {
  navigator.clipboard.writeText(generatedContent);
  setCopied(true);
  setTimeout(() => setCopied(false), 2000);
};

const CurrentIcon = contentTypes[contentType].icon;

return (
  <div className="min-h-screen bg-gradient-to-br from-slate-900 via-slate-800 to-slate-700" >
    <div className="border-b border-slate-700 bg-slate-900/50 backdrop-blur" >
      <div className="max-w-6xl mx-auto px-6 py-8" >
        <div className="flex items-center gap-3 mb-2" >
          <Zap className="w-8 h-8 text-blue-400" />
          <h1 className="text-4xl font-bold text-white" >ContentAI</h1>
        </div>
        <p className="text-slate-400 text-lg" >Generate high-converting marketin
```

```

    </div>
  </div>

  <div className="max-w-6xl mx-auto px-6 py-12">
    <div className="grid lg:grid-cols-3 gap-8">
      {/* Left Panel - Input */}
      <div className="lg:col-span-1">
        <div className="bg-slate-800 rounded-xl border border-slate-700 p-8 s
          <h2 className="text-xl font-bold text-white mb-6">Create Content</h2

          {/* Content Type Selection */}
          <div className="mb-8">
            <label className="block text-sm font-semibold text-slate-300 mb-3
              <div className="space-y-2">
                {Object.entries(contentTypes).map(([key, value]) => (
                  <button
                    key={key}
                    onClick={() => setContentType(key)}
                    className={`w-full flex items-center gap-3 px-4 py-3 rounded
                      contentType === key
                        ? 'bg-blue-600 text-white'
                        : 'bg-slate-700 text-slate-300 hover:bg-slate-600'
                    }`}
                  >
                    <value.icon className="w-5 h-5" />
                    <span>{value.name}</span>
                  </button>
                ))}
            </div>
          </div>

          {/* Product Info */}
          <div className="mb-6">
            <label className="block text-sm font-semibold text-slate-300 mb-2
              <textarea
                value={productInfo}
                onChange={(e) => setProductInfo(e.target.value)}
                placeholder="e.g., 'Healthy protein shakes', 'SEO services for
                  className="w-full bg-slate-700 border border-slate-600 text-whi
                  rows="3"
              />
            </div>

            {/* Target Audience */}
            <div className="mb-6">
              <label className="block text-sm font-semibold text-slate-300 mb-2
                <textarea

```

```

        value={audience}
        onChange={ (e) => setAudience(e.target.value) }
        placeholder="e.g., 'Busy entrepreneurs', 'Health-conscious wome
        className="w-full bg-slate-700 border border-slate-600 text-whi
        rows="3"
      />
    </div>

    { /* Tone */ }
    <div className="mb-8">
      <label className="block text-sm font-semibold text-slate-300 mb-3
      <select
        value={tone}
        onChange={ (e) => setTone(e.target.value) }
        className="w-full bg-slate-700 border border-slate-600 text-whi
      >
        <option value="professional">Professional</option>
        <option value="friendly">Friendly & Casual</option>
        <option value="urgent">Urgent & Compelling</option>
        <option value="creative">Creative & Fun</option>
        <option value="educational">Educational</option>
      </select>
    </div>

    { /* Generate Button */ }
    <button
      onClick={generateContent}
      disabled={loading}
      className="w-full bg-blue-600 hover:bg-blue-700 disabled:bg-slate
    >
      {loading ? (
        <>
          <div className="animate-spin rounded-full h-5 w-5 border-2 bo
          Generating...
        </>
      ) : (
        <>
          <Sparkles className="w-5 h-5" />
          Generate Content
        </>
      )}
    </button>
  </div>
</div>

{ /* Right Panel - Output */ }
<div className="lg:col-span-2">

```

```

<div className="bg-slate-800 rounded-xl border border-slate-700 p-8">
  <div className="flex items-center justify-between mb-6">
    <h2 className="text-xl font-bold text-white">Your Content</h2>
    {generatedContent && (
      <button
        onClick={copyToClipboard}
        className="flex items-center gap-2 px-4 py-2 bg-slate-700 hov
      >
      {copied ? (
        <>
          <CheckCircle className="w-4 h-4 text-green-400" />
          Copied!
        </>
      ) : (
        <>
          <Copy className="w-4 h-4" />
          Copy
        </>
      )}
    </button>
  )}
</div>

```

```

{generatedContent ? (
  <div className="bg-slate-700/50 rounded-lg p-6 border border-slat
    <div className="prose prose-invert max-w-none">
      <div className="text-slate-100 whitespace-pre-wrap text-sm le
        {generatedContent}
      </div>
    </div>
  </div>
) : (
  <div className="bg-slate-700/50 rounded-lg p-12 border border-sla
    <Sparkles className="w-12 h-12 text-slate-500 mb-4" />
    <p className="text-slate-400 mb-2">No content yet</p>
    <p className="text-slate-500 text-sm">Fill in your details and
  </div>
)}
</div>

```

```

{/* Features Grid */}
<div className="grid grid-cols-3 gap-4 mt-8">
  {[
    { icon: Zap, label: 'Lightning Fast', value: '<5 seconds' },
    { icon: CheckCircle, label: 'High Converting', value: 'Data-drive
    { icon: Sparkles, label: 'AI Powered', value: 'Claude 4' },
  ].map((feature, idx) => (

```

```

        <div key={idx} className="bg-slate-800 rounded-lg border border-s
          <feature.icon className="w-6 h-6 text-blue-400 mx-auto mb-2" />
          <p className="text-white font-semibold text-sm">{feature.label}</p>
          <p className="text-slate-400 text-xs">{feature.value}</p>
        </div>
      )}}
    </div>
  </div>
</div>

{/* Footer */}
<div className="mt-16 border-t border-slate-700 pt-8 text-center">
  <p className="text-slate-400 text-sm">
    ContentAI • Unlimited content generation • No credit card required
  </p>
</div>
</div>
</div>
);
}

```