CLAUDE CODE + THIRD-PARTY SERVICES

Atlas Data Dashboard

One local search across GitHub, Notion, Linear, Asana and Todoist.

Yoni Pomerantz · Rafi Cornick · Zachary Sicklick

GitHub Notion Linear Asana Todoist

THE PROJECT

One dashboard for five cloud services

We used Claude Code and each vendor's official MCP server to download test data, saved it on our own computers in a documented format, and built a local website that searches all of it at once.

01

Connect

Claude Code reaches each service through the vendor's official MCP server.

02

Download and store

Data lands in dataExports/, one folder per service, with metadata and a written format spec.

03

Search

A local website reads those files and searches one service or all of them together.

THE TEAM

Three students, five services

Student	Service	Contribution
Yoni Pomerantz	GitHub, Notion, Linear	Test data, MCP setup and downloads for GitHub, Notion and Linear; localStorageFormats.md; the download skill; the dashboard; the GitHub repo
Rafi Cornick	Asana	Asana test account and data, Asana MCP app setup, extended the skill and format doc for Asana, Asana export
Zachary Sicklick	Todoist	Todoist test account and data, extended the skill and format doc for Todoist, Todoist export, this presentation

GitHub and Notion are required for every group; each student owns one extra service (Linear, Asana, Todoist).

TEST DATA

Project Atlas: a fictional logistics launch

Northwind Logistics is opening a delivery hub in Lisbon. Every service holds tasks, repos, pages and issues for the same made-up project, so one search returns connected results.

10	10	10	12	12
GitHub repos	**Notion pages**	**Linear issues**	**Asana tasks**	**Todoist tasks**

Linear's export also includes its 4 default onboarding issues (14 files in total).

The cast: Joe Smith (project lead), Maria Lopez (finance), Priya Natarajan (engineering), Daniel Okafor (sales). All fictional.

HOW IT WORKS

How the data moves

Step 1
Cloud services
GitHub, Notion, Linear, Asana, Todoist

Step 2
Official MCP servers
Vendor-hosted, set up in .mcp.json

Step 3
Claude Code + skill
The skill in .claude/ repeats the download

Step 4
dataExports/
One folder per service, on our computers

Step 5
Local dashboard
Searches one service or all at once

Nothing is fetched live by the website. It only reads the files Claude Code already saved.

LOCAL STORAGE

One folder per service, metadata included

```
dataExports/
  asana/
  github/
  linear/
  notion/
  todoist/
```

Service	Fields kept for each item (one JSON file per item, named by its ID)
GitHub	Repo name, description, README text, visibility, URL, created, updated, pushed
Notion	Page ID, title, icon, full page text, workspace, last edited, URL
Linear	Issue key, title, description, status, priority, estimate, due date, timestamps
Asana	Task ID, name, notes, priority, completed, due date, created, modified
Todoist	Task ID, content, description, priority, labels, due date, added, completed

Every format is written down in localStorageFormats.md, and validate.py checks the files against it.

REPEATABILITY

One skill, the same format every time

Step 1

Document the format

Claude Code explains how it stores each service. We reviewed it and kept the result in localStorageFormats.md.

Step 2

Save it as a skill

The project skill .claude/skills/download-test-data tells Claude Code which folder, file names and fields to use.

Step 3

Start fresh, repeat

After /clear, a new conversation runs the skill and produces the same layout, skipping unchanged items.


Tested in a fresh conversation: after /clear, the skill found 1 new GitHub repo, downloaded it, skipped the 33 unchanged items, and every file passed validation.

GitHub


10 repos

Ten private atlas-* repositories in the test account. The dashboard shows each repo's name, description, visibility and its updated, pushed and created times.

Original test content in GitHub



Same content in the dashboard




Notion


10 pages

Project Atlas pages such as the overview, budget, risk register and kickoff notes. The dashboard shows title, icon, a text excerpt, workspace and last-edited time.

Original test content in Notion



Same content in the dashboard




Linear


10 issues

Atlas issues ATL-5 to ATL-14 (plus Linear's 4 default issues). The dashboard shows status, priority, estimate, due date and timestamps.

Original test content in Linear



Same content in the dashboard




Asana


12 tasks

The Project Atlas task list across To Do, In Progress and Done. The dashboard shows name, owner, priority, completed flag, due date and timestamps.

Original test content in Asana



Same content in the dashboard




Todoist


12 tasks

The Project Atlas project with owners as labels. The dashboard shows priority, labels, due date, and added and completed times.

Original test content in Todoist



Same content in the dashboard




CROSS-SERVICE SEARCH

Searching “Joe Smith” everywhere

One query returns 26 matches, and every result is tagged with the service it came from.

Service	Matches
Notion	8
Linear	7
GitHub	5
Asana	3
Todoist	3



THE DASHBOARD

What the website does

Search everything

One query runs across all services and returns the matches together.

Filter by service

Service chips show how many matches each source has.

Clear source labels

Each result has a colored service badge.

Highlighted matches

Search terms are highlighted, and metadata-only matches are labeled.

Handles bad data

Empty folders and malformed JSON files are skipped with a warning.

Open the original

Links jump back to the item in its service.

GROUND RULES

Safe by design

Test accounts only

No personal, school or work accounts. All content is fictional Project Atlas data.

Official MCP servers

Only vendor-hosted servers, never community connectors.

No secrets in the repo

Tokens and OAuth secrets stay in the macOS Keychain or local settings, never in a file.

One public repository

Code, data and docs live in one public GitHub repo, so only test data goes in.

DELIVERABLES

Everything lives in one GitHub repo

Item	What it holds
dataExports/	Downloaded data, one sub-folder per service
.claude/skills/	The download skill that repeats the export in the same format
.mcp.json	MCP server configuration (no secrets)
localStorageFormats.md	The storage format for each service
webapp/ + README.md	The dashboard code and how to run it
docs/	Screenshots, this presentation and the demo video

github.com/rosenthalgroupyrz-ux/third-party-services-dashboard