

Dry Run Exercises

Unit 1 Procedure Call

Complete the dry run table for each fragment of code given in the questions below. **Give** the value(s) printed to the screen when each is executed.

Follow the module dry run style guide in your answers.

1.

```
System.out.print("The train is");           // L1
System.out.println("Late");                 // L2
```

Complete the dry run table (you may not need all rows):

LINE	printed
L1	The train is
L2	Late

Write EXACTLY what is printed here

```
The train isLate
```

2.

```
System.out.println("The train is ");        // L1
System.out.println("late");                 // L2
```

Complete the dry run table (you may not need all rows):

LINE	printed
L1	The train is
L2	late

Write EXACTLY what is printed here

```
The train is
late
```

3.

```
public static void printFilmName1 ()
{
    String film = "Live and Let Die";           // L1
    System.out.println(film + ".");             // L2
    return;                                       // L3
}

public static void printBond1 ()
{
    String actor = "Roger Moore";               // L4
    System.out.print(actor + " was Bond in ");   // L5
    printFilmName1();                           // L6
    return;                                       // L7
}
```

with a test call

```
printBond1 ();
```

Complete the dry run tables (you may not need all rows):

printBond1()				
LINE	actor	printFilmName1 ()	return	printed
L4	"Roger Moore"			
L5				Roger Moore was Bond in
L6		printFilmName1 () =? void		Live and Let Die.
L7			void	

printFileName1()			
LINE	film	return	printed
L1	"Live and Let Die"		
L2			Live and Let Die.
L3		void	

Write EXACTLY what is printed here

Roger Moore was Bond in Live and Let Die.

4.

```
public static void printFilmName2 ()
{
    String film = "Casino Royale";           // L1
    System.out.println(film);                 // L2
    return;                                   // L3
}

public static void printBond2 ()
{
    String actor = "Daniel Craig";            // L4

    System.out.print(actor + " was Bond in "); // L5
    printFilmName2();                          // L6
    System.out.print("with Judi Dench.");      // L7

    return;                                   // L8
}

with a test call
    printBond2 ();
```

Complete the dry run tables (you may not need all rows):

printBond2()				
LINE	actor	printFilmName2 ()	return	printed
L4	"Daniel Craig"			
L5				Daniel Craig was Bond in
L6		printFilmName2 () =? void		Casino Royale
L7				with Judi Dench.
L8			void	

printFileName2()			
LINE	film	return	printed
L1	"Casino Royale"		
L2			Casino Royale
L3		void	

Write EXACTLY what is printed here

Daniel Craig was Bond in Casino Royale
with Judi Dench.

5.

```
public static void printFilmName3 ()
{
    String film = "A View to a Kill";           // L1
    System.out.print(film);                     // L2
    return;                                     // L3
}

public static void printBond3 ()
{
    String actor = "Grace Jones";               // L4

    printFilmName3();                           // L5
    System.out.print(" starred " + actor );     // L6
    System.out.print(" as the best henchwoman ever."); // L7

    return;                                     // L8
}

with a test call
    printBond3 ();
```

Complete the dry run tables (you may not need all rows):

printBond3()				
LINE	actor	printFilmName3 ()	return	printed
L4	"Grace Jones"			
L5		printFilmName3 () =? void		A View to a Kill
L6				starred Grace Jones
L7				as the best henchwoman ever.
L8			void	

printFileNane3()			
LINE	film	return	printed
L1	"A View to a Kill"		
L2			A View to a Kill
L3		void	

Write EXACTLY what is printed here

A View to a Kill starred Grace Jones as the best henchwoman ever.

6.

```
public static void bond1 ()
{
    String character = "Bond";           // L1
    System.out.println(character);       // L2
    return;                             // L3
}

public static void bond ()
{
    System.out.print("The name is ");    // L4
    bond1();                             // L5
    System.out.print("James ");         // L6
    bond1();                             // L7

    return;                             // L8
}

with a test call
    bond ();
```

Complete the dry run tables (you may not need all rows):

bond()			
LINE	bond1()	return	printed
L4			The name is
L5	bond1 () =? void		Bond
L6			James
L7	bond1 () =? void		Bond
L8		void	

bond1()			
LINE	character	return	printed
L1	"Bond"		
L2			Bond
L3		void	

Write EXACTLY what is printed here

The name is Bond
James Bond