

**DARLEAN SCOTT**

Female DOB: 06/12/1964

144349

Ins: Medicare Southern Region

**08/08/2024 - Office Visit**

**Provider: Mukesh Misra MD**

**Location of Care: Antelope Valley Neuroscience Medical Group**

**History of Present Illness:**

I saw DARLEAN SCOTT in the office today for a followup consultation. She is a 60 year old woman with the complaint of neck pain. bilateral arm pain. low back pain. bilateral buttock pain. bilateral leg pain. I saw Darlene in the office today saw along with her family she is for follow-up ongoing neck and back issues. More recently back has been bothering her more. She was incidentally found to have cerebral aneurysm for which she is waiting a referral to see vascular I team at USC. She denies any headaches. Her examination remains unchanged. She lost weight since her surgery. Plan to get a medication treatment as before schedule for lumbar block and then follow-up. Plan and risks and benefit discussed with patient and family than sent follow accordingly.

Patient complies with the 4 A's of opioid treatment.

ADL's: Patient is able to perform activities of daily living with the aid of the medications.

Adverse side effects: No side effects noted including cognitive/somnolence/respiratory depression and constipation.

Abuse: No signs of abuse, misuse or diversion

Associations: No worsening depression or anxiety.

A CURES report from the Department of Justice - Bureau of Narcotic Enforcement was reviewed and is consistent with the medications we are prescribing. Patient would recommend to continue decreasing medication for his pain. Adverse of medication discussed with patient as well.

Certain portion of the progress note may have findings and information retrieved from the previous office visit note. This is a part of this progress note

**Active Medications:**

IBU 800 mg tablet (ibuprofen) Take 1 tablet by mouth twice a day as needed for pain

carisoprodol 350 mg tablet (carisoprodol) Take 1 tablet by mouth three times a day as needed as directed for spasms

gabapentin 100 mg capsule (gabapentin) Take 1 capsule by mouth three times a day as directed

Percocet 10-325 mg tablet (oxycodone-acetaminophen) Take 1 tablet by mouth every six hours as needed for pain

Percocet 10-325 mg tablet (oxycodone-acetaminophen) Take 1 tablet by mouth every six hours as needed for pain

carisoprodol 350 mg tablet (carisoprodol) Take 1 tablet by mouth three times a day as needed for spasms

Medrol (Pak) 4 mg tablets,dose pack (methylprednisolone) Take 1 tablet by mouth as directed TAKE A DIRECTED ON PACKAGE

**Current Allergies (reviewed this update):**

No known allergies

Radiology Impression

**Review of Records**

**Past Medical History:**

**DARLEAN SCOTT**

Female DOB: 06/12/1964

144349

Ins: Medicare Southern Region

Reviewed history from 05/30/2024 and no changes required:  
No hypertension, diabetes, MI, or cancer.

**PHARMACY:**

Next Rx  
38900 Trade center Dr  
Palmdale, CA  
93551

**Past Surgical History:**

Reviewed history from 05/30/2024 and no changes required:  
Statys post L3-L5 Lumbar Laminectomy/Laminotomy.  
Status post Left CTR.  
Status post Right CTR.  
Status post C4-C7 ACDF by Dr Misra on 12/12/16.  
Status post L3-S1 ALIF by Dr. Misra on 05/08/17.

**Social History:**

Reviewed history from 06/01/2017 and no changes required:  
Patient currently smokes every day. She smokes 6 cigarettes a day  
Alcohol Use - yes Moderate.  
Drug Use - no  
HIV/High Risk - no  
Regular Exercise - no

**Vital Signs:**

Patient Profile: 60 Years Old Female  
Height: 64 inches  
Weight: 145 pounds  
BMI: 24.89  
O2 Sat: 97 %  
Temp: 97.3 degrees F temporal  
Pulse rate: 63 / minute  
BP Sitting: 136 / 72 (left arm)

Cuff size: large  
Patient in pain? Yes  
Location: BACK, RIGHT LEG, LEFT KNEE, HEAD  
Intensity: 8

Allergies: Allergies were reviewed with the patient during this visit.

**DARLEAN SCOTT**

Female DOB: 06/12/1964

144349

Ins: Medicare Southern Region

**Physical Exam**

**Msk:**

cervical and lumbar tenderness

**Neurologic:**

Awake and alert

II-XII normal

grip better 5/5

rt PF 4/5

decreased rt L5 sensations

absent rt AJ and rt BJ rest DTRs normal

No cerebellar

gait cannot do tandem

positive SLR

**Impression & Recommendations:**

**Problem # 1:** Low back pain, chronic (ICD-724.2) (ICD10-M54.59)

**Assessment:** Deteriorated

Her updated medication list for this problem includes:

Ibu 800 Mg Tablet (Ibuprofen) ..... Take 1 tablet by mouth twice a day as needed for pain

Carisoprodol 350 Mg Tablet (Carisoprodol) ..... Take 1 tablet by mouth three times a day as needed as directed for spasms

Percocet 10-325 Mg Tablet (Oxycodone-acetaminophen) ..... Take 1 tablet by mouth every six hours as needed for pain

Percocet 10-325 Mg Tablet (Oxycodone-acetaminophen) ..... Take 1 tablet by mouth every six hours as needed for pain

Carisoprodol 350 Mg Tablet (Carisoprodol) ..... Take 1 tablet by mouth three times a day as needed for spasms

**Orders:**

99215-FU, COMPREHENSIVE (CPT-99215)

FACET BLOCK LUMBAR (FB LU)

**Problem # 2:** Lumbar radiculopathy (ICD-724.4) (ICD10-M54.16)

**Assessment:** Deteriorated

Her updated medication list for this problem includes:

Ibu 800 Mg Tablet (Ibuprofen) ..... Take 1 tablet by mouth twice a day as needed for pain

Carisoprodol 350 Mg Tablet (Carisoprodol) ..... Take 1 tablet by mouth three times a day as needed as directed for spasms

Percocet 10-325 Mg Tablet (Oxycodone-acetaminophen) ..... Take 1 tablet by mouth every six hours as needed for pain

Percocet 10-325 Mg Tablet (Oxycodone-acetaminophen) ..... Take 1 tablet by mouth every six hours as

**DARLEAN SCOTT**

Female DOB: 06/12/1964

144349

Ins: Medicare Southern Region

needed for pain

Carisoprodol 350 Mg Tablet (Carisoprodol) ..... Take 1 tablet by mouth three times a day as needed for spasms

**Orders:**

99215-FU, COMPREHENSIVE (CPT-99215)

FACET BLOCK LUMBAR (FB LU)

**Patient Instructions:**

- 1) Please schedule a follow-up appointment in 6 weeks.
- 2) Discussed importance of regular exercise and recommended starting or continuing a regular exercise program for good health.
- 3) Most patients (90%) of patients with low back pain will improve with time (2-6 weeks). Limit activity to comfort and avoid activities that increase discomfort. Apply moist heat and/or ice to lower back and take medication as instructed for pain relief. Please read the Back Pain Handout and start Physical Therapy as directed.
- 4) Limit activity to comfort and avoid activities that increase discomfort. Apply moist heat and/or ice to neck and take medication as instructed for pain relief. Please read the Neck Pain Handout and start Physical Therapy as directed. Plan to schedule patient for lumbar block or 2 medication prescribed and follow-up and risks and benefit discussed with patient she understands follow accordingly.

**Electronically signed by Mukesh Misra MD on 08/08/2024 at 11:03 AM**

---