# EDS 223 Homework 1: Mapmaking Practice

Roshan Andres Nair

## People of Color and National Priorities List Superfund Sites in King County, Washington, USA

King County is an administrative subdivision in the central-Western portion of Washington, USA. The county is the largest county in the state by population (approx. 2.3 million), and holds the most populous city in the state, Seattle. The county is the most diverse in the state and also contains 7 active National Priorities List (NPL) Superfund sites (Harbor Island, Lockheed West Seattle, Lower Duwamish Waterway, Midway Landfill, Pacific Sound Resources, Queen City Farms, and Quendall Terminals). Here, are two figures looking at people of color and Superfund sites. The first depicts the census block-level percentile of proportion of people of color (ie. how non-white this census block is compared to the rest of the state). The second figure depicts the census block-level percentile of the NPL Superfund Proximity Score (ie. how high is the proximity score compared to the rest of the state, calculated by summing (1/distance to site in km) for each site within 5 km of the census block). Many of these areas of proximity to Superfund sites are also areas with disproportionally high non-white populations, mostly to the South and West of the City of Seattle. A notable exception is to the Eastern suburbs of Seattle, where high non-white populations are driven by tech industry immigration in an area further from King County's Superfund sites.

```
# Package Library
library(tidyverse)
```

```
Warning: package 'tidyverse' was built under R version 4.5.3
```

```
-- Attaching core tidyverse packages ------------------------ tidyverse 2.0.0 --
v dplyr     1.1.4     v readr     2.1.6
v forcats   1.0.1     v stringr   1.6.0
v ggplot2   4.0.1     v tibble    3.3.0
v lubridate 1.9.4     v tidyr     1.3.1
v purrr     1.2.0
```

```
-- Conflicts --------------------------------------- tidyverse_conflicts() --
x dplyr::filter() masks stats::filter()
x dplyr::lag()    masks stats::lag()
i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to becor
```

```
library(sf)
```

```
Warning: package 'sf' was built under R version 4.5.3
```

```
Linking to GEOS 3.14.1, GDAL 3.12.1, PROJ 9.7.1; sf_use_s2() is TRUE
```

```
library(here)
```

```
Warning: package 'here' was built under R version 4.5.3
```

```
here() starts at C:/meds/eds223/eds223-hw1
```

```
library(stars)
```

```
Warning: package 'stars' was built under R version 4.5.3
```

```
Loading required package: abind
Registered S3 method overwritten by 'stars':
  method                  from
  st_interpolate_aw.stars sf
```

```
library(tmap)
```

```
Warning: package 'tmap' was built under R version 4.5.3
```

```
library(quarto)
```

```
Warning: package 'quarto' was built under R version 4.5.3
```

```r
# Read in geodatabase of EJScreen data at the Census Block Group level
ejscreen <- sf::st_read(here::here(
  "data",
  "ejscreen",
  "EJSCREEN_2023_BG_StatePct_with_AS_CNMI_GU_VI.gdb"
))
```

```
Reading layer `EJSCREEN_StatePctiles_with_AS_CNMI_GU_VI' from data source
  `C:\meds\eds223\eds223-hw1\data\ejscreen\EJSCREEN_2023_BG_StatePct_with_AS_CNMI_GU_VI.gdb'
  using driver `OpenFileGDB'
Simple feature collection with 243021 features and 223 fields
Geometry type: MULTIPOLYGON
Dimension:     XY
Bounding box:  xmin: -19951910 ymin: -1617130 xmax: 16259830 ymax: 11554350
Projected CRS: WGS 84 / Pseudo-Mercator
```


```r
# Filter to King Counry, WA
king_co <- ejscreen %>%
  dplyr::filter(
    CNTY_NAME %in%
      c(
        "King County"
      )
  ) |>
  filter(STATE_NAME == "Washington") |> # Removing King County, Texas
  filter(!is.na(B_PNPL)) # Removing ocean blocks
```

## Figure 1

```r
# Mapping census block state percentiles for proprotion of people of color
tm_shape(king_co) +
  tm_polygons(
    fill = 'B_PEOPCOLORPCT',
    fill.scale = tm_scale_continuous(values = '-brewer.rd_yl_gn'),
    fill.legend = tm_legend(
      title = 'POC Proportion Percentile',
      orientation = 'landscape',
      width = 30
    )
```

```
  ) +
  tm_scalebar(position = c('left', 'bottom')) +
  tm_compass() +
  tm_title(
    'Percentile of Proportion of People of Color by Census Block in King County, Wasington'
  )
```

```
[plot mode] fit legend/component: Some legend items or map compoments do not
fit well, and are therefore rescaled.
i Set the tmap option `component.autoscale = FALSE` to disable rescaling.
```



## Figure 2

```
# Mapping census block state percentiles for superfunnd proximity score
tm_shape(king_co) +
  tm_polygons(
    fill = 'B_PNPL',
    fill.scale = tm_scale_continuous(values = '-brewer.rd_yl_gn'),
    fill.legend = tm_legend(
      title = 'Superfund Proximity Score',
      orientation = 'landscape',
      width = 70
    )
  ) +
  tm_scalebar(position = c('left', 'bottom')) +
  tm_compass() +
  tm_title(
    'Percentile of NPL Superfund Proximity Score by Census Block in King County, Wasington'
  )
```

```
[plot mode] fit legend/component: Some legend items or map compoments do not
fit well, and are therefore rescaled.
i Set the tmap option `component.autoscale = FALSE` to disable rescaling.
```

Percentile of NPL Superfund Proximity Score by Census Block in King County, Wasington

