

Hardware Inventory - ER Diagrams

ER Diagrams

Product: Hardware Inventory System

Source of truth: [prisma/schema.prisma](#)

Version: 1.0

Date: 2026-07-24

Related docs: [DATA_DICTIONARY.md](#) (fields & enums), [FSD.md](#) §8

Visual entity-relationship views of the PostgreSQL schema. Field-level definitions live in the data dictionary — diagrams here show structure and key attributes only.

Mermaid note: Unique keys are labeled UK (Mermaid's unique-key marker). Types in diagrams are simplified (string, float, bool, date) for renderer compatibility; see the data dictionary for exact Prisma/Decimal types.

1. High-level relationships




Diagram 1

2. Catalog domain




Diagram 2

3. Purchasing domain




Diagram 3

4. Sales domain


Customer		
string	id	PK
string	name	
string	phone	UK
string	partyGstNo	
string	partyState	

User		
------	--	--

Sale		
string	id	PK
string	saleNumber	UK
string	status	
string	customerId	FK
float	transportAmount	
float	totalAmount	
float	paidAmount	
float	balanceAmount	
string	createdById	FK

SaleLine		
string	id	PK
string	saleId	FK
string	productId	FK
string	productUnitId	FK
float	quantity	
float	quantityInBase	
float	unitPrice	

SalePayment		
string	id	PK
string	saleId	FK
float	amount	
string	method	
string	createdById	FK



float	lineTotal	
-------	-----------	--

Diagram 4

5. Stock domain




Diagram 5

6. Scheduled reports domain

ReportScheduleConfig		
string	id	PK
string	notifyEmail	
bool	salesEnabled	
string	salesPeriod	
bool	inventoryEnabled	
string	inventoryPeriod	
bool	supplierOutstandingEnabled	
string	supplierOutstandingPeriod	
bool	customerOutstandingEnabled	
string	customerOutstandingPeriod	

ReportRun		
string	id	PK
string	reportType	
string	period	
date	periodStart	
date	periodEnd	
date	asOf	
string	status	
string	payload	
string	errorMessage	
date	emailSentAt	

Diagram 6

ReportScheduleConfig is a singleton row with id = "default". ReportRun rows are independent history (no FK between them); uniqueness is (reportType, period, periodStart).

Maintenance

- Update diagrams when relationships or key identifying fields change in prisma/schema.prisma.
- Keep field lists in sync via DATA_DICTIONARY.md.
- Regenerate Word/PDF:

```
powershell -NoProfile -ExecutionPolicy Bypass -File scripts/export-doc.ps1 -  
DocName ER_DIAGRAMS -Title "Hardware Inventory - ER Diagrams"
```

End of ER Diagrams.