

■ DEVELOPER REFERENCE

Veterinary Management System — Confidential

■ This document contains sensitive credentials. Do NOT share, print, or include with the software installation. Store securely (encrypted drive or password manager).

1. Master Activation Credentials

These are entered in the activation dialog when installing on a new device. All three fields must be correct to activate.

Field	Value
Username	satpudacoreusername
Password	satpuda core
Device Key	(read from device.key file — unique per device)

2. Database Delete Password

Required in Settings → Database → DELETE ALL TABLES. Permanently deletes all data. Use only when resetting a device.

Field	Value
Delete Password	RoshanDeleteDatabase

3. How to Find device.key on Any Device

The device.key file is generated automatically on first run. It contains a unique hardware fingerprint for that device. You must copy its content and paste it into the Device Key field during activation.

Method 1 — File Explorer (Easiest)

1. Press Win + R on the keyboard.
2. Type exactly: %LOCALAPPDATA%\VeterinaryApp
3. Press Enter — File Explorer opens the folder.
4. Find the file named: device.key
5. Right-click → Open with → Notepad
6. Select All (Ctrl+A) → Copy (Ctrl+C)
7. Paste into the Device Key field in the activation dialog.

Method 2 — Address Bar

Open any File Explorer window. Click the address bar at the top. Paste the full path below and press Enter:

```
C:\Users\[username]\AppData\Local\VeterinaryApp\device.key
```

Replace [username] with the Windows login name of the device.

Method 3 — Command Prompt

Open Command Prompt and run:

```
type "%LOCALAPPDATA%\VeterinaryApp\device.key"
```

The 64-character key will be printed directly in the terminal. Copy it.

4. Step-by-Step Activation (Each New Device)

1. Copy the .exe to the client device and run it.
2. The activation dialog appears (dark screen with 3 fields).
3. Open device.key using any method from Section 3 above.
4. Copy the 64-character content of device.key.
5. In the activation dialog, enter:
6. Username → satpudacoreusername
7. Password → satpuda core
8. Device Key → (paste the copied content)
9. Click 'Activate Software'.
10. The app opens. device.key is automatically deleted.
11. The device is now permanently activated — no prompt on future runs.

5. Security Notes

- device.key is deleted after successful activation — nothing sensitive remains.
- activation.dat is stored in AppData and contains an encrypted hardware hash.
- Copying the exe to another device generates a NEW device.key with different content.
- Copying exe + AppData to another device fails — hardware hash won't match.
- If a device is replaced/reinstalled, just run the exe again and re-activate.
- The master credentials are compiled into the exe — not visible as plain text.

6. AppData Folder Contents

File	Purpose
device.key	Temporary — plain text hardware hash. Deleted after activation.
activation.dat	Permanent — encrypted hardware hash. Proves device is licensed.

expiry.dat	Optional — encrypted expiry restriction. Controls access duration.
theme_config.txt	Stores selected UI theme.
font_size.txt	Stores selected font size.
layout_config.txt	Stores row counts and layout preferences.
veterinary.db	SQLite database (if exe is run from AppData).

7. expiry.dat — Timed Access Control

expiry.dat is automatically created every time device.key is generated — that means on first run AND whenever the app detects a hardware mismatch (e.g. the exe was copied to a different machine). It sets a deadline after which the activation is automatically revoked and the device must be re-activated.

What it contains (encrypted JSON)

Field	Type	Description
enabled	true / false	If true, expiry is active. If false, the file is ignored and the app runs freely.
expiry_date	YYYY-MM-DD	The date on which access is revoked. On or after this date the activation is deleted.

Default behaviour

When device.key is first written, expiry.dat is created with enabled = true and expiry_date = today + 5 days. This gives the client 5 days to activate. You can replace this file at any time with any date you choose.

How to READ the current expiry.dat content

Since expiry.dat is encrypted you cannot open it in Notepad. Use this command on the client machine or your own machine:

```
python -c "from core.license_manager import _read_expiry;
print(_read_expiry())"
```

Output example: {'enabled': True, 'expiry_date': '2026-12-31'}

How to edit or replace expiry.dat

The file is encrypted with the same key as activation.dat, so you cannot edit it in Notepad. Use the helper script below on any machine that has the app source code or the Python environment:

```
python -c "from core.license_manager import write_expiry;
write_expiry('2026-12-31', enabled=True)"
```

Replace 2026-12-31 with any date you want. Run this on the client machine (or copy the generated expiry.dat to the client's AppData folder).

How to deploy expiry.dat to a client machine remotely

If you cannot run Python on the client machine, generate expiry.dat on YOUR machine and copy the file to the client:

1. On YOUR machine, run the write_expiry command above with the desired date.
2. The file is created at: config\expiry.dat (in the project folder, dev mode)
3. Copy that file to the client machine at:
4. %LOCALAPPDATA%\VeterinaryApp\expiry.dat
5. (e.g. C:\Users\NARENDRA\AppData\Local\VeterinaryApp\expiry.dat)
6. The new expiry takes effect immediately on next app start.

How to disable expiry (give permanent access)

Option 1 — Delete the file: simply delete expiry.dat from the AppData folder. The app will run without any time restriction.

Option 2 — Set enabled=false:

```
python -c "from core.license_manager import write_expiry;
write_expiry('2099-01-01', enabled=False)"
```

Where to find expiry.dat on the client machine

Same folder as device.key and activation.dat:

```
%LOCALAPPDATA%\VeterinaryApp\expiry.dat
```

What happens when expiry triggers

1. App starts and calls check_expiry().
2. current date >= expiry_date AND enabled=true → expiry triggers.
3. activation.dat is deleted (device is de-licensed).
4. expiry.dat is deleted.
5. A fresh device.key is generated (with a new 5-day expiry.dat).
6. The activation dialog appears — client must contact you for a new activation.