

MIN-wise Inventory Report - Airfibre

13-Feb-2026

Location: Alwar (Total Records: 22)

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|--|------------------|----------------|-----------------|---------------|------------|--------------|
| 1 | P0047 | Screw - 3x9.50 B Type (Zinc White . Pan Philips) | MIN08/25-26/0056 | 7000 | 4000 | 3000 | 2026-01-22 | 22 |
| 2 | P1252 | Heat Shrink Sleeve 5MM | MIN08/25-26/0144 | 400 | 0 | 400 | 2026-02-03 | 10 |
| 3 | P3643 | 3M double sided tape polyester(12 mm x 50 m) | MIN08/25-26/0146 | 50 | 3 | 47 | 2026-02-03 | 10 |
| 4 | PA11001A | White Power Adaptor 15 V3 Amp 3 Pin with 1.2 Meter DC Cable | MIN08/25-26/0181 | 1050 | 0 | 1050 | 2026-02-07 | 6 |
| 5 | PB12001B | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length | MIN08/25-26/0152 | 660 | 478 | 182 | 2026-02-04 | 9 |
| 6 | PB12001B | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length | MIN08/25-26/0168 | 1980 | 0 | 1980 | 2026-02-07 | 6 |
| 7 | PG33002B | Master Carton for AirFiber Version 3.0 | MIN08/25-26/0115 | 155 | 42 | 113 | 2026-01-29 | 15 |
| 8 | PG51001B | Packaging Box for AirFiber Version 3.0 | MIN08/25-26/0115 | 1496 | 856 | 640 | 2026-01-29 | 15 |
| 9 | PL31009B | Input Output Sticker for AirFiver Version 3.0 | MIN08/25-26/0115 | 1398 | 810 | 588 | 2026-01-29 | 15 |
| 10 | PL31009B | Input Output Sticker for AirFiver Version 3.0 | MIN08/25-26/0217 | 500 | 0 | 500 | 2026-02-12 | 1 |
| 11 | PP11002B | AirFiber V3.0 Socket Holder Plastic | MIN08/25-26/0146 | 1494 | 0 | 1494 | 2026-02-03 | 10 |
| 12 | PP11002B | AirFiber V3.0 Socket Holder Plastic | MIN08/25-26/0151 | 506 | 0 | 506 | 2026-02-04 | 9 |
| 13 | PP12007B | Sliding Plastic Button L-Shape Mini UPS | MIN08/25-26/0151 | 2000 | 0 | 2000 | 2026-02-04 | 9 |
| 14 | PP12008B | AirFiber V3.0 Bottom Casing ABSPC | MIN08/25-26/0119 | 300 | 200 | 100 | 2026-01-30 | 14 |
| 15 | PP12008B | AirFiber V3.0 Bottom Casing ABSPC | MIN08/25-26/0146 | 1728 | 0 | 1728 | 2026-02-03 | 10 |
| 16 | PP12008B | AirFiber V3.0 Bottom Casing ABSPC | MIN08/25-26/0151 | 272 | 0 | 272 | 2026-02-04 | 9 |
| 17 | PP12009B | AirFiber V3.0 Top Casing ABSPC | MIN08/25-26/0119 | 460 | 200 | 260 | 2026-01-30 | 14 |
| 18 | PP12009B | AirFiber V3.0 Top Casing ABSPC | MIN08/25-26/0158 | 1512 | 197 | 1315 | 2026-02-06 | 7 |
| 19 | PS31003A | Screw 3 x 6.5 MS B Type Zinc coated | MIN08/25-26/0056 | 12000 | 4950 | 7050 | 2026-01-22 | 22 |
| 20 | PU21001B | User Manual for AirFiber Version 3.0 | MIN08/25-26/0067 | 1500 | 730 | 770 | 2026-01-23 | 21 |
| 21 | PU21001B | User Manual for AirFiber Version 3.0 | MIN08/25-26/0216 | 500 | 0 | 500 | 2026-02-12 | 1 |
| 22 | PY12001A | 2"x3" Accessories Polybag for Studio AC | MIN08/25-26/0210 | 700 | 0 | 700 | 2026-02-11 | 2 |

Location: Noida (Total Records: 10)

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|--|-----------------|----------------|-----------------|---------------|------------|--------------|
| 1 | P3329 | Seal Sticker 1 inch Dia Mini UPS | MIN/25-26/10851 | 21847 | 20000 | 1847 | 2026-01-19 | 25 |
| 2 | P3643 | 3M double sided tape polyester(12 mm x 50 m) | MIN/25-26/19084 | 17 | 10 | 7 | 2026-01-22 | 22 |
| 3 | PB12001B | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length | MIN/25-26/18290 | 480 | 478 | 2 | 2026-01-07 | 37 |
| 4 | PB12001B | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length | MIN/25-26/18323 | 570 | 569 | 1 | 2026-01-08 | 36 |
| 5 | PG51001B | Packaging Box for AirFiber Version 3.0 | MIN/25-26/19298 | 1500 | 1497 | 3 | 2026-01-28 | 16 |
| 6 | PL31009B | Input Output Sticker for AirFiver Version 3.0 | MIN/25-26/19284 | 1500 | 1398 | 102 | 2026-01-28 | 16 |
| 7 | PL33001A | Seal Sticker 1 inch Dia Mini UPS | MIN/25-26/19763 | 30000 | 0 | 30000 | 2026-02-06 | 7 |
| 8 | PP11002B | AirFiber V3.0 Socket Holder Plastic | MIN/25-26/19482 | 1500 | 1494 | 6 | 2026-01-31 | 13 |
| 9 | PP12007B | Sliding Plastic Button L-Shape Mini UPS | MIN/25-26/19522 | 2000 | 1800 | 200 | 2026-02-02 | 11 |
| 10 | PS31003A | Screw 3 x 6.5 MS B Type Zinc coated | MIN/25-26/19725 | 1000000 | 336850 | 663150 | 2026-02-05 | 8 |

Location: UNKNOWN (Total Records: 42)

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|--|------------------|----------------|-----------------|---------------|--------|--------------|
| 1 | P3329 | Seal Sticker 1 inch Dia Mini UPS | MIN08/25-26/0013 | 0 | 4990 | -4990 | None | None |
| 2 | P3643 | 3M double sided tape polyester(12 mm x 50 m) | MIN/25-26/16913 | 0 | 50 | -50 | None | None |
| 3 | P3643 | 3M double sided tape polyester(12 mm x 50 m) | MIN08/25-26/0020 | 0 | 5 | -5 | None | None |
| 4 | P5402 | Sliding Plastic Button L-Shape Mini UPS | MIN08/25-26/0012 | 0 | 853 | -853 | None | None |
| 5 | P5402 | Sliding Plastic Button L-Shape Mini UPS | MIN08/25-26/0028 | 0 | 80 | -80 | None | None |
| 6 | P5402 | Sliding Plastic Button L-Shape Mini UPS | MIN08/25-26/0083 | 0 | 17 | -17 | None | None |
| 7 | P5425 | Socket wire Red wire with thimble-14/36-(23cm) for AirFiber V2.0 | MIN08/25-26/0012 | 0 | 46 | -46 | None | None |
| 8 | P5425 | Socket wire Red wire with thimble-14/36-(23cm) for AirFiber V2.0 | MIN08/25-26/0028 | 0 | 18 | -18 | None | None |
| 9 | P5426 | Socket wire Black wire with thimble-14/36-(23cm) for AirFiber V2.0 | MIN08/25-26/0012 | 0 | 36 | -36 | None | None |
| 10 | P5426 | Socket wire Black wire with thimble-14/36-(23cm) for AirFiber V2.0 | MIN08/25-26/0028 | 0 | 18 | -18 | None | None |
| 11 | P5598 | Horizontal 2 Pin terminal Block- Screw type 5.08 Through hole | MIN08/25-26/0012 | 0 | 750 | -750 | None | None |
| 12 | P5598 | Horizontal 2 Pin terminal Block- Screw type 5.08 Through hole | MIN08/25-26/0084 | 0 | 200 | -200 | None | None |
| 13 | P6250 | White Power Adaptor 15 V3 Amp 3 Pin with 1.2 Meter DC Cable | MIN/25-26/17208 | 0 | 28 | -28 | None | None |
| 14 | P6250 | White Power Adaptor 15 V3 Amp 3 Pin with 1.2 Meter DC Cable | MIN08/25-26/0012 | 0 | 700 | -700 | None | None |
| 15 | P6250 | White Power Adaptor 15 V3 Amp 3 Pin with 1.2 Meter DC Cable | MIN08/25-26/0028 | 0 | 100 | -100 | None | None |
| 16 | P6512 | 2"x3" Accessories Polybag for Studio AC | MIN/25-26/14867 | 0 | 3 | -3 | None | None |
| 17 | P6533 | Brass Tag (Right tag + Left Tag) for AirFiber | MIN08/25-26/0012 | 0 | 758 | -758 | None | None |
| 18 | P6533 | Brass Tag (Right tag + Left Tag) for AirFiber | MIN08/25-26/0028 | 0 | 18 | -18 | None | None |
| 19 | P6595 | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length | MIN08/25-26/0028 | 0 | 33 | -33 | None | None |
| 20 | P6661 | AirFiber V3.0 Top Casing ABSPC | MIN08/25-26/0012 | 0 | 495 | -495 | None | None |
| 21 | P6662 | AirFiber V3.0 Bottom Casing ABSPC | MIN08/25-26/0012 | 0 | 692 | -692 | None | None |
| 22 | P6663 | AirFiber V3.0 Socket Holder Plastic | MIN08/25-26/0012 | 0 | 950 | -950 | None | None |
| 23 | P6663 | AirFiber V3.0 Socket Holder Plastic | MIN08/25-26/0028 | 0 | 18 | -18 | None | None |
| 24 | P6667 | Bare PCB OAK_AIRFIBER_PLUG_2_03 | MIN08/25-26/0012 | 0 | 181 | -181 | None | None |
| 25 | P6667 | Bare PCB OAK_AIRFIBER_PLUG_2_03 | MIN08/25-26/0028 | 0 | 18 | -18 | None | None |
| 26 | P6671 | Air Bubble Bag 30x15cm | MIN/25-26/14673 | 0 | 310 | -310 | None | None |
| 27 | P6672 | Gypsum Screw 1.25 inches(black) | MIN/25-26/15174 | 0 | 960 | -960 | None | None |
| 28 | P6672 | Gypsum Screw 1.25 inches(black) | MIN08/25-26/0084 | 0 | 530 | -530 | None | None |
| 29 | P6698 | Packaging Box for AirFiber Version 3.0 | MIN/25-26/15538 | 0 | 241 | -241 | None | None |
| 30 | P6698 | Packaging Box for AirFiber Version 3.0 | MIN08/25-26/0084 | 0 | 94 | -94 | None | None |
| 31 | P6699 | Master Carton for AirFiber Version 3.0 | MIN08/25-26/0084 | 0 | 45 | -45 | None | None |
| 32 | P6701 | User Manual for AirFiber Version 3.0 | MIN08/25-26/0084 | 0 | 220 | -220 | None | None |
| 33 | P6702 | Input Output Sticker for AirFiver Version 3.0 | MIN08/25-26/0012 | 0 | 192 | -192 | None | None |
| 34 | PB12001B | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length | MIN08/25-26/0012 | 0 | 1047 | -1047 | None | None |
| 35 | PS51001B | Gypsum Screw 1.25 inches(black) | MIN08/25-26/0084 | 0 | 1370 | -1370 | None | None |
| 36 | PW11001B | Socket wire Red wire with thimble-14/36-(23cm) for AirFiber V2.0 | MIN08/25-26/0084 | 0 | 886 | -886 | None | None |

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|--|------------------|----------------|-----------------|---------------|--------|--------------|
| 37 | PW11002B | Socket wire Black wire with thimble-14/36-(23cm) for AirFiber V2.0 | MIN08/25-26/0084 | 0 | 896 | -896 | None | None |
| 38 | PY12001A | 2"x3" Accessories Polybag for Studio AC | MIN08/25-26/0084 | 0 | 10 | -10 | None | None |
| 39 | PY52001A | Air Bubble Bag 30x15cm | MIN08/25-26/0084 | 0 | 950 | -950 | None | None |
| 40 | SFG381 | AirFiber V3.0 Top Casing With Laser Marking | MIN08/25-26/0028 | 0 | 488 | -488 | None | None |
| 41 | SFG382 | AirFiber V3.0 Bottom Casing With Laser Marking | MIN08/25-26/0028 | 0 | 394 | -394 | None | None |
| 42 | SFG382 | AirFiber V3.0 Bottom Casing With Laser Marking | MIN08/25-26/0138 | 0 | 432 | -432 | None | None |