

MIN-wise Inventory Report - Smart_Meter

10-Feb-2026

Location: Noida (Total Records: 107)

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|----------------------------------------------------------------------------|-----------------|----------------|-----------------|---------------|------------|--------------|
| 1 | P2496 | Screw 4 x 8 Pan Combi With Washer Head Black | MIN/25-26/17431 | 26629 | 0 | 26629 | None | None |
| 2 | P3765 | CT 60Amp/2500T P. Cas with10mm fixed pins | MIN/25-26/11203 | 3600 | 0 | 3600 | None | None |
| 3 | P3765 | CT 60Amp/2500T P. Cas with10mm fixed pins | MIN/25-26/11796 | 3600 | 0 | 3600 | None | None |
| 4 | P3765 | CT 60Amp/2500T P. Cas with10mm fixed pins | MIN/25-26/12576 | 4366 | 0 | 4366 | None | None |
| 5 | P3765 | CT 60Amp/2500T P. Cas with10mm fixed pins | MIN/25-26/17052 | 5000 | 0 | 5000 | None | None |
| 6 | P4176 | Packaging box Smart meter 185mm x 124mm x 243mm - 3ply | MIN/25-26/15539 | 565 | 0 | 565 | 2026-01-01 | 40 |
| 7 | P4177 | EPE Foam Smart Meter | MIN/25-26/16270 | 416 | 0 | 416 | 2026-01-01 | 40 |
| 8 | P4742 | Relay HFE63-12-2D7T2-2-R-I243 | MIN/25-26/11608 | 1669 | 11 | 1658 | None | None |
| 9 | P4742 | Relay HFE63-12-2D7T2-2-R-I243 | MIN/25-26/14349 | 9960 | 0 | 9960 | None | None |
| 10 | P5033 | Polybag for Mini Inverter | MIN/25-26/18646 | 3978 | 1464 | 2514 | None | None |
| 11 | P5657 | Smart Meter Enclosure Box | MIN/25-26/17888 | 654 | 300 | 354 | None | None |
| 12 | P5657 | Smart Meter Enclosure Box | MIN/25-26/18746 | 694 | 0 | 694 | None | None |
| 13 | P5657 | Smart Meter Enclosure Box | MIN/25-26/18888 | 958 | 0 | 958 | None | None |
| 14 | P5657 | Smart Meter Enclosure Box | MIN/25-26/19079 | 1461 | 0 | 1461 | None | None |
| 15 | P5886 | Smart Meter Brass Terminal With M5 Hole (35mmx8.5mm) | MIN/25-26/17671 | 17298 | 0 | 17298 | None | None |
| 16 | P5887 | Smart Meter Relay Base Plate | MIN/25-26/18912 | 1346 | 0 | 1346 | None | None |
| 17 | P5887 | Smart Meter Relay Base Plate | MIN/25-26/19319 | 1675 | 0 | 1675 | 2026-01-28 | 13 |
| 18 | P5888 | Smart Meter Relay Terminal Brass Screw (M5x18mm) / After reducing height | MIN/25-26/17669 | 16205 | 0 | 16205 | None | None |
| 19 | P5889 | Smart Meter Terminal Cover Sealing Screw (M4X29.5mm) Through Hole | MIN/25-26/17670 | 1000 | 0 | 1000 | None | None |
| 20 | P5889 | Smart Meter Terminal Cover Sealing Screw (M4X29.5mm) Through Hole | MIN/25-26/8958 | 1167 | 300 | 867 | None | None |
| 21 | P5890 | Smart Meter Terminal Cover Screw Retaining Washer | MIN/25-26/17332 | 1825 | 300 | 1525 | None | None |
| 22 | P5891 | Smart Meter Housing Sealing Screw Brass M4x22MM Through Hole | MIN/25-26/16393 | 424 | 0 | 424 | None | None |
| 23 | P5891 | Smart Meter Housing Sealing Screw Brass M4x22MM Through Hole | MIN/25-26/17672 | 20000 | 0 | 20000 | None | None |
| 24 | P5893 | Smart Meter Bottom Housing | MIN/25-26/17931 | 1604 | 0 | 1604 | None | None |
| 25 | P5893 | Smart Meter Bottom Housing | MIN/25-26/18795 | 1128 | 0 | 1128 | None | None |
| 26 | P5894 | Smart Meter Terminal Cover | MIN/25-26/18294 | 1560 | 0 | 1560 | None | None |
| 27 | P5894 | Smart Meter Terminal Cover | MIN/25-26/18295 | 442 | 300 | 142 | None | None |
| 28 | P5894 | Smart Meter Terminal Cover | MIN/25-26/18512 | 2282 | 0 | 2282 | None | None |
| 29 | P5895 | Smart Meter Push Button | MIN/25-26/18137 | 3443 | 0 | 3443 | None | None |
| 30 | P5897 | Smart Meter Terminal Block | MIN/25-26/17364 | 2462 | 0 | 2462 | None | None |
| 31 | P5899 | Smart Meter Optical Port Ring | MIN/25-26/18386 | 1896 | 0 | 1896 | None | None |
| 32 | P5899 | Smart Meter Optical Port Ring | MIN/25-26/18966 | 1000 | 0 | 1000 | None | None |

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|----------------------------------------------------------------------------------------------------|-----------------|----------------|-----------------|---------------|------------|--------------|
| 33 | P5900 | Smart Meter Push Button Rubber Holder | MIN/25-26/18136 | 2614 | 0 | 2614 | None | None |
| 34 | P5901 | Smart Meter Top Housing | MIN/25-26/18513 | 2184 | 0 | 2184 | None | None |
| 35 | P5901 | Smart Meter Top Housing | MIN/25-26/18965 | 1185 | 0 | 1185 | None | None |
| 36 | P5903 | Smart Meter Optical Port LED Silicon Sleeve | MIN/25-26/17313 | 2421 | 0 | 2421 | None | None |
| 37 | P5904 | Gasket for Smart Meter Top Housing 1.5MM Diameter 27CM Length | MIN/25-26/11073 | 1000 | 0 | 1000 | None | None |
| 38 | P5905 | Cable Seal for Smart Meter - New | MIN/25-26/16871 | 3000 | 0 | 3000 | None | None |
| 39 | P5905 | Cable Seal for Smart Meter - New | MIN/25-26/18154 | 29795 | 0 | 29795 | None | None |
| 40 | P5906 | Smart Meter NIC Shield | MIN/25-26/16642 | 812 | 0 | 812 | None | None |
| 41 | P5906 | Smart Meter NIC Shield | MIN/25-26/19320 | 3000 | 0 | 3000 | 2026-01-28 | 13 |
| 42 | P5907 | Spring 13MM Length for Name Plate Grounding | MIN/25-26/16842 | 1284 | 0 | 1284 | None | None |
| 43 | P5907 | Spring 13MM Length for Name Plate Grounding | MIN/25-26/17321 | 2000 | 0 | 2000 | None | None |
| 44 | P5908 | NIC Connector shield for 35kV at Module Connector | MIN/25-26/16334 | 2044 | 0 | 2044 | None | None |
| 45 | P5909 | Spring 9mm length for NIC Module Grounding | MIN/25-26/16841 | 1909 | 0 | 1909 | None | None |
| 46 | P5909 | Spring 9mm length for NIC Module Grounding | MIN/25-26/17320 | 2000 | 0 | 2000 | None | None |
| 47 | P5911 | Smart Meter Top Housing Cover Open Switch Cap | MIN/25-26/17522 | 239 | 0 | 239 | None | None |
| 48 | P5912 | Smart Meter Terminal Brass Screw M6X13 | MIN/25-26/17673 | 24831 | 0 | 24831 | None | None |
| 49 | P5916 | Smart Meter Relay Shield Metal | MIN/25-26/18551 | 400 | 0 | 400 | None | None |
| 50 | P5916 | Smart Meter Relay Shield Metal | MIN/25-26/18779 | 58 | 0 | 58 | None | None |
| 51 | P5916 | Smart Meter Relay Shield Metal | MIN/25-26/19099 | 994 | 0 | 994 | None | None |
| 52 | P5916 | Smart Meter Relay Shield Metal | MIN/25-26/19333 | 600 | 0 | 600 | 2026-01-28 | 13 |
| 53 | P5916 | Smart Meter Relay Shield Metal | MIN/25-26/19334 | 387 | 0 | 387 | 2026-01-28 | 13 |
| 54 | P5917 | Smart Meter Light pipe for NIC cover Plastic | MIN/25-26/17883 | 3847 | 0 | 3847 | None | None |
| 55 | P5918 | Smart Meter NIC PCB Holder | MIN/25-26/17503 | 3967 | 0 | 3967 | None | None |
| 56 | P5940 | Berg Strip Male Connector Header Through Hole 40 Pins (2.54mm) | MIN/25-26/18389 | 306 | 0 | 306 | 2026-01-09 | 32 |
| 57 | P5946 | Quectel-YF0022-ANT-S1 | MIN/25-26/17033 | 22151 | 0 | 22151 | None | None |
| 58 | P5964 | Gasket for Meter Base 1.5mm diameter 56cm length (black) | MIN/25-26/17285 | 1044 | 0 | 1044 | None | None |
| 59 | P5966 | Teflon Wire 7/0.32-L-4 CM(+ - 0.5MM) Black with one side thimble(outerD-7.82mm, interD-4.95 T-0.70 | MIN/25-26/13228 | 11584 | 0 | 11584 | None | None |
| 60 | P5976 | Bare PCB SC-46422_ OAKMETER_RELAY_PCB_V1 | MIN/25-26/16981 | 21600 | 0 | 21600 | None | None |
| 61 | P5976 | Bare PCB SC-46422_ OAKMETER_RELAY_PCB_V1 | MIN/25-26/9435 | 14078 | 0 | 14078 | 2026-01-01 | 40 |
| 62 | P5981 | NIC assembly Self tapping Pan Head Philips 2x5.5 | MIN/25-26/17433 | 15000 | 0 | 15000 | None | None |
| 63 | P5981 | NIC assembly Self tapping Pan Head Philips 2x5.5 | MIN/25-26/7369 | 6632 | 0 | 6632 | 2026-01-01 | 40 |
| 64 | P5982 | NIC assembly Self tapping Pan Head Philips 2x4 | MIN/25-26/17432 | 14666 | 0 | 14666 | None | None |
| 65 | P5999 | Integrated NIC Cover - New | MIN/25-26/17375 | 4522 | 0 | 4522 | None | None |
| 66 | P6001 | Brass Screw - M4X17mm 1 hole | MIN/25-26/7359 | 3079 | 0 | 3079 | 2026-01-01 | 40 |
| 67 | P6001 | Brass Screw - M4X17mm 1 hole | MIN/25-26/7677 | 15000 | 0 | 15000 | 2026-01-01 | 40 |
| 68 | P6001 | Brass Screw - M4X17mm 1 hole | MIN/25-26/8143 | 10000 | 0 | 10000 | 2026-01-01 | 40 |
| 69 | P6001 | Brass Screw - M4X17mm 1 hole | MIN/25-26/8146 | 10000 | 0 | 10000 | 2026-01-01 | 40 |

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|------------------------------------------------------------|-----------------|----------------|-----------------|---------------|------------|--------------|
| 70 | P6034 | Main PCBA Spacer below NIC Connector EPDM | MIN/25-26/17520 | 2547 | 0 | 2547 | None | None |
| 71 | P6236 | 5*40 MS Screw for Smart Meter Box | MIN/25-26/17674 | 16468 | 1250 | 15218 | None | None |
| 72 | P6256 | Screw 4X11 For Relay Base Plate With Washer Head | MIN/25-26/7351 | 70000 | 0 | 70000 | 2026-01-01 | 40 |
| 73 | P6256 | Screw 4X11 For Relay Base Plate With Washer Head | MIN/25-26/7382 | 10936 | 0 | 10936 | 2026-01-01 | 40 |
| 74 | P6257 | Screw CSK 6X16 CSK for Meter Box | MIN/25-26/7383 | 33277 | 0 | 33277 | 2026-01-01 | 40 |
| 75 | P6259 | Meter box Packaging Box for Smart Meter | MIN/25-26/17445 | 2743 | 300 | 2443 | None | None |
| 76 | P6259 | Meter box Packaging Box for Smart Meter | MIN/25-26/17688 | 453 | 0 | 453 | None | None |
| 77 | P6260 | Smart Meter Outer Master Carton | MIN/25-26/17430 | 690 | 245 | 445 | None | None |
| 78 | P6286 | Seal Sticker (20*40 mm) for Smart Meter | MIN/25-26/14379 | 10000 | 0 | 10000 | None | None |
| 79 | P6301 | 50MM Plastic Gitti for Smart Meter Box | MIN/25-26/17347 | 13388 | 1200 | 12188 | None | None |
| 80 | P6302 | GI Washer (6mm dia) Tin Plated for Smart Meter Box | MIN/25-26/16275 | 4000 | 1200 | 2800 | None | None |
| 81 | P6302 | GI Washer (6mm dia) Tin Plated for Smart Meter Box | MIN/25-26/17348 | 9388 | 0 | 9388 | None | None |
| 82 | P6357 | Smart Meter Bush Thread - M4 x 0.70 Pitch | MIN/25-26/8959 | 32440 | 0 | 32440 | 2026-01-01 | 40 |
| 83 | P6401 | Pc Sheet 16mm x 27mm For Nic Cover | MIN/25-26/17393 | 2015 | 0 | 2015 | None | None |
| 84 | P6402 | Gumming Sticker 16.30mm x 27.30mm For Nic Cover Pc Sheet | MIN/25-26/17392 | 2753 | 0 | 2753 | None | None |
| 85 | P6495 | PC SHEET LCD COVER 70MMX35MM FOR SMART METER | MIN/25-26/17391 | 2208 | 0 | 2208 | None | None |
| 86 | P6506 | GUMMING STICKER LCD COVER 70MM X 35MM FOR SMART METER | MIN/25-26/17657 | 2262 | 0 | 2262 | None | None |
| 87 | P6696 | Polybag 9.5x12.5- 75 micro with printing for Smart Meter | MIN/25-26/15329 | 675 | 0 | 675 | 2026-01-01 | 40 |
| 88 | P6697 | Master Carton for Smart Meter 650mm x 385mm x 275mm - 5ply | MIN/25-26/15599 | 56 | 0 | 56 | 2026-01-01 | 40 |
| 89 | P6752 | Meter Enclosure Box Without Engraving | MIN/25-26/19175 | 930 | 922 | 8 | 2026-01-01 | 40 |
| 90 | SFG358 | PCBA OAKNIC V2.4 | MIN/25-26/17977 | 1200 | 0 | 1200 | 2025-12-31 | 41 |
| 91 | SFG358 | PCBA OAKNIC V2.4 | MIN/25-26/18018 | 600 | 0 | 600 | 2025-12-31 | 41 |
| 92 | SFG358 | PCBA OAKNIC V2.4 | MIN/25-26/18285 | 1200 | 0 | 1200 | 2026-01-07 | 34 |
| 93 | SFG358 | PCBA OAKNIC V2.4 | MIN/25-26/18347 | 600 | 0 | 600 | 2026-01-08 | 33 |
| 94 | SFG358 | PCBA OAKNIC V2.4 | MIN/25-26/18742 | 300 | 0 | 300 | 2026-01-16 | 25 |
| 95 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/17976 | 680 | 0 | 680 | 2025-12-31 | 41 |
| 96 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/18017 | 238 | 0 | 238 | 2025-12-31 | 41 |
| 97 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/18050 | 340 | 0 | 340 | 2026-01-02 | 39 |
| 98 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/18103 | 272 | 0 | 272 | 2026-01-03 | 38 |
| 99 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/18148 | 714 | 0 | 714 | 2026-01-05 | 36 |
| 100 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/18218 | 850 | 0 | 850 | 2026-01-06 | 35 |
| 101 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/18283 | 714 | 0 | 714 | 2026-01-07 | 34 |
| 102 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/18345 | 84 | 0 | 84 | 2026-01-08 | 33 |
| 103 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/18736 | 300 | 0 | 300 | 2026-01-16 | 25 |
| 104 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/18962 | 193 | 0 | 193 | 2026-01-20 | 21 |
| 105 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/19083 | 110 | 0 | 110 | 2026-01-22 | 19 |

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|--------------------------------------|-----------------|----------------|-----------------|---------------|------------|--------------|
| 106 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/19122 | 40 | 0 | 40 | 2026-01-23 | 18 |
| 107 | SFG359 | PCBA OAKMETER 1P REV 8.21 (ME431AXG) | MIN/25-26/19467 | 38 | 0 | 38 | 2026-01-30 | 11 |