

## MIN-wise Inventory Report - Airfibre

09-Feb-2026

Location: Alwar (Total Records: 20)

| S.No | Part Code | PartCode Name  | MinNo            | Stock Inwarded | Stock Outwarded | Balance Stock | InDate     | Aging (Days) |
|------|-----------|--|------------------|----------------|-----------------|---------------|------------|--------------|
| 1    | P0047     | Screw - 3x9.50 B Type (Zinc White . Pan Philips)               | MIN08/25-26/0056 | 7000           | 3680            | 3320          | 2026-01-22 | 18           |
| 2    | P1252     | Heat Shrink Sleeve 5MM   | MIN08/25-26/0144 | 400            | 0               | 400           | 2026-02-03 | 6            |
| 3    | P3643     | 3M double sided tape polyester(12 mm x 50 m)                   | MIN08/25-26/0146 | 50             | 3               | 47            | 2026-02-03 | 6            |
| 4    | P6250     | White Power Adaptor 15 V3 Amp 3 Pin with 1.2 Meter DC Cable    | MIN08/25-26/0181 | 150            | 70              | 80            | 2026-02-07 | 2            |
| 5    | PA11001A  | White Power Adaptor 15 V3 Amp 3 Pin with 1.2 Meter DC Cable    | MIN08/25-26/0181 | 1050           | 0               | 1050          | 2026-02-07 | 2            |
| 6    | PB12001B  | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length | MIN08/25-26/0152 | 660            | 318             | 342           | 2026-02-04 | 5            |
| 7    | PB12001B  | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length | MIN08/25-26/0168 | 1980           | 0               | 1980          | 2026-02-07 | 2            |
| 8    | PG33002B  | Master Carton for AirFiber Version 3.0                         | MIN08/25-26/0115 | 155            | 42              | 113           | 2026-01-29 | 11           |
| 9    | PG51001B  | Packaging Box for AirFiber Version 3.0                         | MIN08/25-26/0115 | 1496           | 776             | 720           | 2026-01-29 | 11           |
| 10   | PL31009B  | Input Output Sticker for AirFiver Version 3.0                  | MIN08/25-26/0115 | 1398           | 730             | 668           | 2026-01-29 | 11           |
| 11   | PP11002B  | AirFiber V3.0 Socket Holder Plastic                            | MIN08/25-26/0146 | 1494           | 0               | 1494          | 2026-02-03 | 6            |
| 12   | PP11002B  | AirFiber V3.0 Socket Holder Plastic                            | MIN08/25-26/0151 | 506            | 0               | 506           | 2026-02-04 | 5            |
| 13   | PP12007B  | Sliding Plastic Button L-Shape Mini UPS                        | MIN08/25-26/0151 | 2000           | 0               | 2000          | 2026-02-04 | 5            |
| 14   | PP12008B  | AirFiber V3.0 Bottom Casing ABSPC                              | MIN08/25-26/0119 | 300            | 0               | 300           | 2026-01-30 | 10           |
| 15   | PP12008B  | AirFiber V3.0 Bottom Casing ABSPC                              | MIN08/25-26/0146 | 1728           | 0               | 1728          | 2026-02-03 | 6            |
| 16   | PP12008B  | AirFiber V3.0 Bottom Casing ABSPC                              | MIN08/25-26/0151 | 272            | 0               | 272           | 2026-02-04 | 5            |
| 17   | PP12009B  | AirFiber V3.0 Top Casing ABSPC                                 | MIN08/25-26/0119 | 460            | 0               | 460           | 2026-01-30 | 10           |
| 18   | PP12009B  | AirFiber V3.0 Top Casing ABSPC                                 | MIN08/25-26/0158 | 1512           | 197             | 1315          | 2026-02-06 | 3            |
| 19   | PS31003A  | Screw 3 x 6.5 MS B Type Zinc coated                            | MIN08/25-26/0056 | 12000          | 4390            | 7610          | 2026-01-22 | 18           |
| 20   | PU21001B  | User Manual for AirFiber Version 3.0                           | MIN08/25-26/0067 | 1500           | 650             | 850           | 2026-01-23 | 17           |

Location: Noida (Total Records: 11)

| S.No | Part Code | PartCode Name  | MinNo           | Stock Inwarded | Stock Outwarded | Balance Stock | InDate     | Aging (Days) |
|------|-----------|--|-----------------|----------------|-----------------|---------------|------------|--------------|
| 1    | P3329     | Seal Sticker 1 inch Dia Mini UPS                               | MIN/25-26/10851 | 21847          | 20000           | 1847          | 2026-01-19 | 21           |
| 2    | P3643     | 3M double sided tape polyester(12 mm x 50 m)                   | MIN/25-26/19084 | 17             | 10              | 7             | 2026-01-22 | 18           |
| 3    | PB12001B  | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length | MIN/25-26/18290 | 480            | 478             | 2             | 2026-01-07 | 33           |
| 4    | PB12001B  | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length | MIN/25-26/18323 | 570            | 569             | 1             | 2026-01-08 | 32           |
| 5    | PG51001B  | Packaging Box for AirFiber Version 3.0                         | MIN/25-26/19298 | 1500           | 1497            | 3             | 2026-01-28 | 12           |
| 6    | PL31009B  | Input Output Sticker for AirFiver Version 3.0                  | MIN/25-26/19284 | 1500           | 1398            | 102           | 2026-01-28 | 12           |
| 7    | PL33001A  | Seal Sticker 1 inch Dia Mini UPS                               | MIN/25-26/19763 | 30000          | 0               | 30000         | 2026-02-06 | 3            |
| 8    | PP11002B  | AirFiber V3.0 Socket Holder Plastic                            | MIN/25-26/19482 | 1500           | 1494            | 6             | 2026-01-31 | 9            |
| 9    | PP12007B  | Sliding Plastic Button L-Shape Mini UPS                        | MIN/25-26/19522 | 2000           | 1800            | 200           | 2026-02-02 | 7            |
| 10   | PS31003A  | Screw 3 x 6.5 MS B Type Zinc coated                            | MIN/25-26/19439 | 900000         | 832850          | 67150         | 2026-01-30 | 10           |
| 11   | PS31003A  | Screw 3 x 6.5 MS B Type Zinc coated                            | MIN/25-26/19725 | 1000000        | 0               | 1000000       | 2026-02-05 | 4            |

Location: UNKNOWN (Total Records: 43)

| S.No | Part Code | PartCode Name  | MinNo            | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|--|------------------|----------------|-----------------|---------------|--------|--------------|
| 1    | P1027     | Screw 3x6.5 B Type Zinc Golden , Pan Philips                       | MIN/24-25/8159   | 0              | 4000            | -4000         | None   | None         |
| 2    | P3329     | Seal Sticker 1 inch Dia Mini UPS                                   | MIN08/25-26/0013 | 0              | 4590            | -4590         | None   | None         |
| 3    | P3643     | 3M double sided tape polyester(12 mm x 50 m)                       | MIN/25-26/16913  | 0              | 50              | -50           | None   | None         |
| 4    | P3643     | 3M double sided tape polyester(12 mm x 50 m)                       | MIN08/25-26/0020 | 0              | 5               | -5            | None   | None         |
| 5    | P5402     | Sliding Plastic Button L-Shape Mini UPS                            | MIN08/25-26/0012 | 0              | 790             | -790          | None   | None         |
| 6    | P5402     | Sliding Plastic Button L-Shape Mini UPS                            | MIN08/25-26/0028 | 0              | 80              | -80           | None   | None         |
| 7    | P5425     | Socket wire Red wire with thimble-14/36-(23cm) for AirFiber V2.0   | MIN08/25-26/0012 | 0              | 46              | -46           | None   | None         |
| 8    | P5425     | Socket wire Red wire with thimble-14/36-(23cm) for AirFiber V2.0   | MIN08/25-26/0028 | 0              | 18              | -18           | None   | None         |
| 9    | P5426     | Socket wire Black wire with thimble-14/36-(23cm) for AirFiber V2.0 | MIN08/25-26/0012 | 0              | 36              | -36           | None   | None         |
| 10   | P5426     | Socket wire Black wire with thimble-14/36-(23cm) for AirFiber V2.0 | MIN08/25-26/0028 | 0              | 18              | -18           | None   | None         |
| 11   | P5598     | Horizontal 2 Pin terminal Block- Screw type 5.08 Through hole      | MIN08/25-26/0012 | 0              | 670             | -670          | None   | None         |
| 12   | P5598     | Horizontal 2 Pin terminal Block- Screw type 5.08 Through hole      | MIN08/25-26/0084 | 0              | 200             | -200          | None   | None         |
| 13   | P6250     | White Power Adaptor 15 V3 Amp 3 Pin with 1.2 Meter DC Cable        | MIN/25-26/17208  | 0              | 28              | -28           | None   | None         |
| 14   | P6250     | White Power Adaptor 15 V3 Amp 3 Pin with 1.2 Meter DC Cable        | MIN08/25-26/0012 | 0              | 700             | -700          | None   | None         |
| 15   | P6250     | White Power Adaptor 15 V3 Amp 3 Pin with 1.2 Meter DC Cable        | MIN08/25-26/0028 | 0              | 100             | -100          | None   | None         |
| 16   | P6512     | 2"x3" Accessories Polybag for Studio AC                            | MIN/25-26/14867  | 0              | 3               | -3            | None   | None         |
| 17   | P6533     | Brass Tag (Right tag + Left Tag) for AirFiber                      | MIN08/25-26/0012 | 0              | 670             | -670          | None   | None         |
| 18   | P6533     | Brass Tag (Right tag + Left Tag) for AirFiber                      | MIN08/25-26/0028 | 0              | 18              | -18           | None   | None         |
| 19   | P6595     | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length     | MIN08/25-26/0028 | 0              | 33              | -33           | None   | None         |
| 20   | P6661     | AirFiber V3.0 Top Casing ABSPC                                     | MIN08/25-26/0012 | 0              | 495             | -495          | None   | None         |
| 21   | P6662     | AirFiber V3.0 Bottom Casing ABSPC                                  | MIN08/25-26/0012 | 0              | 692             | -692          | None   | None         |
| 22   | P6663     | AirFiber V3.0 Socket Holder Plastic                                | MIN08/25-26/0012 | 0              | 870             | -870          | None   | None         |
| 23   | P6663     | AirFiber V3.0 Socket Holder Plastic                                | MIN08/25-26/0028 | 0              | 18              | -18           | None   | None         |
| 24   | P6667     | Bare PCB OAK_AIRFIBER_PLUG_2_03                                    | MIN08/25-26/0012 | 0              | 181             | -181          | None   | None         |
| 25   | P6667     | Bare PCB OAK_AIRFIBER_PLUG_2_03                                    | MIN08/25-26/0028 | 0              | 18              | -18           | None   | None         |
| 26   | P6671     | Air Bubble Bag 30x15cm   | MIN/25-26/14673  | 0              | 310             | -310          | None   | None         |
| 27   | P6672     | Gypsum Screw 1.25 inches(black)                                    | MIN/25-26/15174  | 0              | 960             | -960          | None   | None         |
| 28   | P6672     | Gypsum Screw 1.25 inches(black)                                    | MIN08/25-26/0084 | 0              | 530             | -530          | None   | None         |
| 29   | P6698     | Packaging Box for AirFiber Version 3.0                             | MIN/25-26/15538  | 0              | 241             | -241          | None   | None         |
| 30   | P6698     | Packaging Box for AirFiber Version 3.0                             | MIN08/25-26/0084 | 0              | 94              | -94           | None   | None         |
| 31   | P6699     | Master Carton for AirFiber Version 3.0                             | MIN08/25-26/0084 | 0              | 45              | -45           | None   | None         |
| 32   | P6701     | User Manual for AirFiber Version 3.0                               | MIN08/25-26/0084 | 0              | 220             | -220          | None   | None         |
| 33   | P6702     | Input Output Sticker for AirFiver Version 3.0                      | MIN08/25-26/0012 | 0              | 192             | -192          | None   | None         |
| 34   | PB12001B  | Battery (3*2000mAh) Air Fiber with 200mm Connector Wire length     | MIN08/25-26/0012 | 0              | 1047            | -1047         | None   | None         |
| 35   | PS51001B  | Gypsum Screw 1.25 inches(black)                                    | MIN08/25-26/0084 | 0              | 1210            | -1210         | None   | None         |
| 36   | PW11001B  | Socket wire Red wire with thimble-14/36-(23cm) for AirFiber V2.0   | MIN08/25-26/0084 | 0              | 806             | -806          | None   | None         |

| S.No | Part Code | PartCode Name  | MinNo            | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|--|------------------|----------------|-----------------|---------------|--------|--------------|
| 37   | PW11002B  | Socket wire Black wire with thimble-14/36-(23cm) for AirFiber V2.0 | MIN08/25-26/0084 | 0              | 816             | -816          | None   | None         |
| 38   | PY12001A  | 2"x3" Accessories Polybag for Studio AC                            | MIN08/25-26/0084 | 0              | 9               | -9            | None   | None         |
| 39   | PY52001A  | Air Bubble Bag 30x15cm   | MIN08/25-26/0084 | 0              | 870             | -870          | None   | None         |
| 40   | SFG381    | AirFiber V3.0 Top Casing With Laser Marking                        | MIN08/25-26/0028 | 0              | 488             | -488          | None   | None         |
| 41   | SFG381    | AirFiber V3.0 Top Casing With Laser Marking                        | QCA08/25-26/0026 | 0              | 382             | -382          | None   | None         |
| 42   | SFG382    | AirFiber V3.0 Bottom Casing With Laser Marking                     | MIN08/25-26/0028 | 0              | 394             | -394          | None   | None         |
| 43   | SFG382    | AirFiber V3.0 Bottom Casing With Laser Marking                     | MIN08/25-26/0138 | 0              | 432             | -432          | None   | None         |