

MIN-wise Inventory Report - MiniUPS

28-Jan-2026

Location: Alwar (Total Records: 15)

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|---|------------------|----------------|-----------------|---------------|------------|--------------|
| 1 | P0038 | 350mm-2Pin DC to Open- 2Core-19/40-Black Wire | MIN08/25-26/0095 | 1000 | 600 | 400 | 2026-01-27 | 1 |
| 2 | P2556 | Main casing black ABSPC for Mini UPS | MIN08/25-26/0058 | 2016 | 1152 | 864 | 2026-01-22 | 6 |
| 3 | PB12004B | 2 Cell 2000 mAh Battery | MIN08/25-26/0095 | 1200 | 0 | 1200 | 2026-01-27 | 1 |
| 4 | PF11003B | Sliding Switch Eva Foam With Adhesive Thickness 1mm | MIN08/25-26/0104 | 10000 | 0 | 10000 | 2026-01-27 | 1 |
| 5 | PG31001B | Mini Ups Basic - Packaging Box | MIN08/25-26/0068 | 2200 | 648 | 1552 | 2026-01-23 | 5 |
| 6 | PG31001B | Mini Ups Basic - Packaging Box | MIN08/25-26/0095 | 1625 | 0 | 1625 | 2026-01-27 | 1 |
| 7 | PL31006B | MRP Sticker Version 2.0 for Oak Mini UPS Basic | MIN08/25-26/0050 | 3500 | 683 | 2817 | 2026-01-22 | 6 |
| 8 | PL31006B | MRP Sticker Version 2.0 for Oak Mini UPS Basic | MIN08/25-26/0065 | 2400 | 0 | 2400 | 2026-01-23 | 5 |
| 9 | PL31006B | MRP Sticker Version 2.0 for Oak Mini UPS Basic | MIN08/25-26/0092 | 4100 | 0 | 4100 | 2026-01-27 | 1 |
| 10 | PL31007B | Input Output Sticker Version 2.0 for Oak Mini UPS Basic | MIN08/25-26/0051 | 5000 | 1200 | 3800 | 2026-01-22 | 6 |
| 11 | PL31007B | Input Output Sticker Version 2.0 for Oak Mini UPS Basic | MIN08/25-26/0066 | 5000 | 0 | 5000 | 2026-01-23 | 5 |
| 12 | PS31004A | Screw Phillips Head 2x7.8MM | MIN08/25-26/0048 | 14000 | 0 | 14000 | 2026-01-22 | 6 |
| 13 | PU21005B | User Manual Version 2.0 for Oak Mini UPS Basic | MIN08/25-26/0049 | 3500 | 0 | 3500 | 2026-01-22 | 6 |
| 14 | PU21005B | User Manual Version 2.0 for Oak Mini UPS Basic | MIN08/25-26/0091 | 6500 | 0 | 6500 | 2026-01-27 | 1 |
| 15 | PY12002A | Polybag for Mini UPS Basic | MIN08/25-26/0052 | 10000 | 0 | 10000 | 2026-01-22 | 6 |

Location: Noida (Total Records: 41)

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|---|-----------------|----------------|-----------------|---------------|------------|--------------|
| 1 | P0038 | 350mm-2Pin DC to Open- 2Core-19/40-Black Wire | MIN/24-25/14781 | 124 | 0 | 124 | 2024-12-28 | 396 |
| 2 | P0038 | 350mm-2Pin DC to Open- 2Core-19/40-Black Wire | MIN/24-25/8165 | 1000 | 0 | 1000 | 2024-09-18 | 497 |
| 3 | P0038 | 350mm-2Pin DC to Open- 2Core-19/40-Black Wire | MIN/25-26/14836 | 1450 | 0 | 1450 | 2025-11-04 | 85 |
| 4 | P0038 | 350mm-2Pin DC to Open- 2Core-19/40-Black Wire | MIN/25-26/14837 | 2420 | 2200 | 220 | 2025-11-04 | 85 |
| 5 | P0038 | 350mm-2Pin DC to Open- 2Core-19/40-Black Wire | MIN/25-26/18110 | 2600 | 1460 | 1140 | 2026-01-03 | 25 |
| 6 | P0038 | 350mm-2Pin DC to Open- 2Core-19/40-Black Wire | MIN/25-26/18118 | 1000 | 528 | 472 | 2026-01-03 | 25 |
| 7 | P0066 | LED White 3mm | MIN/25-26/14097 | 5492 | 0 | 5492 | 2025-10-15 | 105 |
| 8 | P0066 | LED White 3mm | MIN/25-26/18389 | 250 | 0 | 250 | 2026-01-09 | 19 |
| 9 | P0066 | LED White 3mm | MIN/25-26/9346 | 2637 | 1661 | 976 | 2025-08-12 | 169 |
| 10 | P0759 | DC Pin Convertor With 10cm Wire - (Male 5.5x2.1 to Female 4x1.7 | -- | 2 | 0 | 2 | 2026-01-19 | 9 |
| 11 | P3329 | Seal Sticker 1 inch Dia Mini UPS | -- | 2 | 0 | 2 | 2026-01-19 | 9 |
| 12 | P3329 | Seal Sticker 1 inch Dia Mini UPS | MIN/25-26/10851 | 21847 | 10000 | 11847 | 2026-01-19 | 9 |
| 13 | P5833 | Foam for Mini UPS | -- | 2 | 0 | 2 | 2026-01-19 | 9 |
| 14 | P5833 | Foam for Mini UPS | MIN/25-26/13127 | 3875 | 1846 | 2029 | 2025-09-29 | 121 |
| 15 | P6166 | HOOK UP Tinned Copper Wire (SWG 14/36) Black /Brown | MIN/25-26/11315 | 2998 | 724 | 2274 | 2025-09-08 | 142 |
| 16 | P6166 | HOOK UP Tinned Copper Wire (SWG 14/36) Black /Brown | MIN/25-26/18489 | 29 | 0 | 29 | 2026-01-12 | 16 |
| 17 | P6631 | 2 Cell 2000 mAh Battery | MIN/25-26/18008 | 2250 | 2249 | 1 | 2025-12-31 | 28 |
| 18 | P6631 | 2 Cell 2000 mAh Battery | MIN/25-26/18447 | 122 | 121 | 1 | 2026-01-10 | 18 |
| 19 | PB12004B | 2 Cell 2000 mAh Battery | MIN/25-26/19091 | 2775 | 2773 | 2 | 2026-01-22 | 6 |
| 20 | PB12004B | 2 Cell 2000 mAh Battery | MIN/25-26/19207 | 900 | 630 | 270 | 2026-01-24 | 4 |
| 21 | PC13001A | Fevi Quick Pouch(Fixwell Bond) | MIN/25-26/18956 | 100 | 0 | 100 | 2026-01-20 | 8 |
| 22 | PF11003B | Sliding Switch Eva Foam With Adhesive Thickness 1mm | MIN/25-26/19164 | 3500 | 2200 | 1300 | 2026-01-23 | 5 |
| 23 | PF11003B | Sliding Switch Eva Foam With Adhesive Thickness 1mm | MIN/25-26/19172 | 1500 | 0 | 1500 | 2026-01-24 | 4 |
| 24 | PG11002B | Packaging box printed 4 color 4000mAh for Mini UPS Pro | MIN/25-26/18320 | 500 | 120 | 380 | 2026-01-08 | 20 |
| 25 | PG31001B | Mini Ups Basic - Packaging Box | MIN/25-26/19032 | 349 | 342 | 7 | 2026-01-22 | 6 |
| 26 | PG31001B | Mini Ups Basic - Packaging Box | MIN/25-26/19218 | 5437 | 3200 | 2237 | 2026-01-24 | 4 |
| 27 | PL31004B | Mini Ups Pro Sticker - "Logo" | MIN/25-26/19005 | 2050 | 328 | 1722 | 2026-01-21 | 7 |
| 28 | PL31006B | MRP Sticker Version 2.0 for Oak Mini UPS Basic | MIN/25-26/19166 | 3000 | 2200 | 800 | 2026-01-23 | 5 |
| 29 | PL31007B | Input Output Sticker Version 2.0 for Oak Mini UPS Basic | MIN/25-26/19173 | 3000 | 2200 | 800 | 2026-01-24 | 4 |
| 30 | PP12014B | MINI UPS Sliding Switch Plastic | MIN/25-26/19144 | 3500 | 2200 | 1300 | 2026-01-23 | 5 |
| 31 | PP12015B | Top Plate L-Shape Mini UPS | MIN/25-26/19226 | 3000 | 0 | 3000 | 2026-01-27 | 1 |
| 32 | PP32001B | Main casing black ABS/PC for Mini UPS | MIN/25-26/19158 | 2760 | 474 | 2286 | 2026-01-23 | 5 |
| 33 | PP32001B | Main casing black ABS/PC for Mini UPS | MIN/25-26/19215 | 1150 | 0 | 1150 | 2026-01-24 | 4 |
| 34 | PP32001B | Main casing black ABS/PC for Mini UPS | MIN/25-26/19264 | 1090 | 0 | 1090 | 2026-01-27 | 1 |
| 35 | PP32001B | Main casing black ABS/PC for Mini UPS | MIN/25-26/19265 | 1210 | 0 | 1210 | 2026-01-27 | 1 |
| 36 | PR21002B | Silicon Grommet (Outer Dia 8.5 MM) for Mini UPS | MIN/25-26/19223 | 5000 | 700 | 4300 | 2026-01-27 | 1 |

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|--|-----------------|----------------|-----------------|---------------|------------|--------------|
| 37 | PS31004A | Screw Phillips Head 2x7.8MM | MIN/25-26/19152 | 6000 | 4400 | 1600 | 2026-01-23 | 5 |
| 38 | PU21004B | Mini Ups Pro User Manual | -- | 2 | 0 | 2 | 2026-01-19 | 9 |
| 39 | PU21004B | Mini Ups Pro User Manual | MIN/25-26/19006 | 2050 | 683 | 1367 | 2026-01-21 | 7 |
| 40 | PU21005B | User Manual Version 2.0 for Oak Mini UPS Basic | MIN/25-26/19165 | 3000 | 2200 | 800 | 2026-01-23 | 5 |
| 41 | PY12002A | Polybag for Mini UPS Basic | MIN/25-26/19147 | 3000 | 2200 | 800 | 2026-01-23 | 5 |

Location: UNKNOWN (Total Records: 61)

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|---|------------------|----------------|-----------------|---------------|--------|--------------|
| 1 | P0005 | Switch- Rocker Switch | MIN/25-26/13930 | 0 | 1656 | -1656 | None | None |
| 2 | P0006 | DC Socket (2 pin) | MIN/25-26/13930 | 0 | 1563 | -1563 | None | None |
| 3 | P0006 | DC Socket (2 pin) | MIN/25-26/14717 | 0 | 300 | -300 | None | None |
| 4 | P0007 | Grommet 6mm | MIN/24-25/8149 | 0 | 1000 | -1000 | None | None |
| 5 | P0007 | Grommet 6mm | MIN/25-26/13442 | 0 | 1461 | -1461 | None | None |
| 6 | P0007 | Grommet 6mm | MIN/25-26/15144 | 0 | 201 | -201 | None | None |
| 7 | P0009 | Resistance 10K (Through hole CFR Resister 10k ohm 5% 1/4W) | MIN/25-26/14063 | 0 | 1666 | -1666 | None | None |
| 8 | P0011 | Cable Tie 100mm | MIN/25-26/14868 | 0 | 5300 | -5300 | None | None |
| 9 | P0011 | Cable Tie 100mm | MIN/25-26/15142 | 0 | 2000 | -2000 | None | None |
| 10 | P0011 | Cable Tie 100mm | MIN/25-26/15195 | 0 | 4750 | -4750 | None | None |
| 11 | P0011 | Cable Tie 100mm | MIN08/25-26/0027 | 0 | 2800 | -2800 | None | None |
| 12 | P0014 | DC Socket Nut | MIN/25-26/13930 | 0 | 1650 | -1650 | None | None |
| 13 | P0014 | DC Socket Nut | MIN/25-26/14702 | 0 | 50 | -50 | None | None |
| 14 | P0017 | Masking Tape | MIN/25-26/14880 | 0 | 84 | -84 | None | None |
| 15 | P0017 | Masking Tape | MIN/25-26/15145 | 0 | 577 | -577 | None | None |
| 16 | P0017 | Masking Tape | MIN08/25-26/0027 | 0 | 40 | -40 | None | None |
| 17 | P0204 | Fevi Quick Pouch(Fixwell Bond) | MIN/25-26/12265 | 0 | 19 | -19 | None | None |
| 18 | P0204 | Fevi Quick Pouch(Fixwell Bond) | MIN/25-26/2716 | 0 | 50 | -50 | None | None |
| 19 | P0204 | Fevi Quick Pouch(Fixwell Bond) | MIN08/25-26/0027 | 0 | 16 | -16 | None | None |
| 20 | P0759 | DC Pin Convertor With 10cm Wire - (Male 5.5x2.1 to Female 4x1.7 | MIN/25-26/13291 | 0 | 1863 | -1863 | None | None |
| 21 | P0759 | DC Pin Convertor With 10cm Wire - (Male 5.5x2.1 to Female 4x1.7 | MIN08/25-26/0027 | 0 | 1000 | -1000 | None | None |
| 22 | P2360 | Bare PCB - 35950F-SS16_(miniups-2c-v1.3) | MIN/25-26/10363 | 0 | 1045 | -1045 | None | None |
| 23 | P2360 | Bare PCB - 35950F-SS16_(miniups-2c-v1.3) | MIN/25-26/13114 | 0 | 621 | -621 | None | None |
| 24 | P2556 | Main casing black ABSPC for Mini UPS | MIN/25-26/11734 | 0 | 690 | -690 | None | None |
| 25 | P2556 | Main casing black ABSPC for Mini UPS | MIN/25-26/14930 | 0 | 1150 | -1150 | None | None |
| 26 | P2556 | Main casing black ABSPC for Mini UPS | MIN/25-26/15034 | 0 | 3441 | -3441 | None | None |
| 27 | P2556 | Main casing black ABSPC for Mini UPS | MIN/25-26/15275 | 0 | 1820 | -1820 | None | None |
| 28 | P2556 | Main casing black ABSPC for Mini UPS | MIN/25-26/17635 | 0 | 1380 | -1380 | None | None |
| 29 | P2556 | Main casing black ABSPC for Mini UPS | MIN/25-26/17838 | 0 | 2219 | -2219 | None | None |
| 30 | P2556 | Main casing black ABSPC for Mini UPS | MIN/25-26/17961 | 0 | 233 | -233 | None | None |
| 31 | P2557 | Casing Top Mini UPS _ABS | MIN/25-26/8930 | 0 | 1659 | -1659 | None | None |
| 32 | P3329 | Seal Sticker 1 inch Dia Mini UPS | MIN08/25-26/0013 | 0 | 1200 | -1200 | None | None |
| 33 | P4512 | Mini Ups Pro Sticker - "Logo" | MIN/25-26/17949 | 0 | 1005 | -1005 | None | None |
| 34 | P4978 | 4000mAH Battery Pack with BMS | MIN/25-26/10072 | 0 | 800 | -800 | None | None |
| 35 | P4978 | 4000mAH Battery Pack with BMS | MIN/25-26/10538 | 0 | 135 | -135 | None | None |
| 36 | P4978 | 4000mAH Battery Pack with BMS | MIN/25-26/14655 | 0 | 726 | -726 | None | None |
| 37 | P5403 | Top Plate L-Shape Mini UPS | MIN/25-26/17882 | 0 | 243 | -243 | None | None |
| 38 | P5403 | Top Plate L-Shape Mini UPS | MIN/25-26/17957 | 0 | 5 | -5 | None | None |

| S.No | Part Code | PartCode Name | MinNo | Stock Inwarded | Stock Outwarded | Balance Stock | InDate | Aging (Days) |
|------|-----------|---|------------------|----------------|-----------------|---------------|--------|--------------|
| 39 | P5403 | Top Plate L-Shape Mini UPS | MIN08/25-26/0027 | 0 | 1800 | -1800 | None | None |
| 40 | P5716 | Mini Ups Basic - Packaging Box | MIN/25-26/16622 | 0 | 2052 | -2052 | None | None |
| 41 | P5716 | Mini Ups Basic - Packaging Box | MIN08/25-26/0027 | 0 | 552 | -552 | None | None |
| 42 | P5841 | Polybag for Mini UPS Basic | MIN/25-26/13663 | 0 | 3059 | -3059 | None | None |
| 43 | P5841 | Polybag for Mini UPS Basic | MIN08/25-26/0027 | 0 | 1200 | -1200 | None | None |
| 44 | P6631 | 2 Cell 2000 mAh Battery | MIN/25-26/17856 | 0 | 778 | -778 | None | None |
| 45 | P6631 | 2 Cell 2000 mAh Battery | MIN08/25-26/0027 | 0 | 1800 | -1800 | None | None |
| 46 | P6874 | User Manual Version 2.0 for Oak Mini UPS Basic | MIN/25-26/16838 | 0 | 3886 | -3886 | None | None |
| 47 | P6874 | User Manual Version 2.0 for Oak Mini UPS Basic | MIN08/25-26/0027 | 0 | 1200 | -1200 | None | None |
| 48 | P6875 | MRP Sticker Version 2.0 for Oak Mini UPS Basic | MIN/25-26/16839 | 0 | 2017 | -2017 | None | None |
| 49 | P6875 | MRP Sticker Version 2.0 for Oak Mini UPS Basic | MIN08/25-26/0027 | 0 | 517 | -517 | None | None |
| 50 | P6876 | Input Output Sticker Version 2.0 for Oak Mini UPS Basic | MIN/25-26/16683 | 0 | 1160 | -1160 | None | None |
| 51 | P6876 | Input Output Sticker Version 2.0 for Oak Mini UPS Basic | MIN08/25-26/0027 | 0 | 454 | -454 | None | None |
| 52 | P7018 | MINI UPS Sliding Switch Plastic | MIN08/25-26/0027 | 0 | 1800 | -1800 | None | None |
| 53 | P7019 | Screw Phillips Head 2x7.8MM | MIN/25-26/17767 | 0 | 5864 | -5864 | None | None |
| 54 | P7019 | Screw Phillips Head 2x7.8MM | MIN08/25-26/0027 | 0 | 3600 | -3600 | None | None |
| 55 | P7020 | Silicon Grommet (Outer Dia 8.5 MM) for Mini UPS | MIN/25-26/17966 | 0 | 1815 | -1815 | None | None |
| 56 | P7020 | Silicon Grommet (Outer Dia 8.5 MM) for Mini UPS | MIN08/25-26/0027 | 0 | 1800 | -1800 | None | None |
| 57 | PF11003B | Sliding Switch Eva Foam With Adhesive Thickness 1mm | MIN/25-26/17827 | 0 | 5000 | -5000 | None | None |
| 58 | PF11003B | Sliding Switch Eva Foam With Adhesive Thickness 1mm | MIN08/25-26/0027 | 0 | 1800 | -1800 | None | None |
| 59 | PL31003B | Polyester Matt Finish Printed Input Output Sticker for Mini UPS Pro 4000Mah | MIN/25-26/17949 | 0 | 892 | -892 | None | None |
| 60 | PW22002A | 350mm-2Pin DC to Open- 2Core-19/40-Black Wire | MIN/25-26/17963 | 0 | 40 | -40 | None | None |
| 61 | PW22002A | 350mm-2Pin DC to Open- 2Core-19/40-Black Wire | MIN08/25-26/0027 | 0 | 1171 | -1171 | None | None |