

Oakter - MTD Report - 1st May 2026 to 15th May 2026

Phase	Total	Pass	Fail
SCRAP_PCB	0	0	0
TRC_REJECTION	17	17	0
PCB_REJECTION	0	0	0
VOLTAGE_PCB	1896	1869	27
PERIPHERIAL	1640	1581	59
PCB_MAPPING	1575	1575	0
AGEING	1137	1132	5
NIC_MAPPING	752	752	0
PACKGING	709	709	0
MASTER_CARTON	795	795	0

VOLTAGE_PCB

Total Pass	Total Fail
1869	27

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36507	TP7(3.4)

Identifier	Failure Reason
359/W/AE0199/V8-21/1P4G/0925/24185	TP10(3.1)

Identifier	Failure Reason
359/W/AE0193/V8-21/1P4G/0825/21479	TP10(2.7)

Identifier	Failure Reason
357/W/AE0176/V8-21/1P4G/0825/16679	TP4(16.6),TP11(0.0),TP10(2.9)

Identifier	Failure Reason
359/W/AE0193/V8-21/1P4G/0825/22698	TP4(17.1),TP11(0.0),TP10(3.0)

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32498	TP4(16.7),TP11(0.0),TP10(3.0)

Identifier	Failure Reason
359/W/AE0193/V8-21/1P4G/0825/22179	TP4(16.6),TP11(0.0),TP10(3.0)

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36465	TP7(3.2),TP10(0.1)

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/34823	TP7(3.2),TP10(0.0)

Identifier	Failure Reason
359/W/AE0199/V8-21/1P4G/0925/24189	TP10(3.1)
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36895	TP4(24.3),TP8(0.1),TP9(1.2)
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37096	TP8(0.1),TP9(1.2)
Identifier	Failure Reason
359/W/AE0193/V8-21/1P4G/0825/18334	TP10(2.9)
Identifier	Failure Reason
359/W/AE0193/V8-21/1P4G/0825/22752	TP10(3.1)
Identifier	Failure Reason
359/W/AE0193/V8-21/1P4G/0825/22205	TP10(3.1)
Identifier	Failure Reason
2024359/W/AE0304/V8-21/1P4G/1225/36731	TP4(17.2)
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36656	TP11(0.0)
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36928	TP4(17.3),TP11(0.0)
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36550	TP4(16.6),TP11(0.0)
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36983	TP4(0.0),TP11(0.0),TP8(0.0),TP9(0.0)
Identifier	Failure Reason
]999359/W/AE0304/V8-21/1P4G/1225/37153	TP4(16.7),TP11(0.0)
Identifier	Failure Reason
50359/W/AE0304/V8-21/1P4G/1225/37120	TP11(0.0)
Identifier	Failure Reason
`359/W/AE0304/V8-21/1P4G/1225/36974	TP4(17.2),TP11(0.0)
Identifier	Failure Reason
6359/W/AE0193/V8-21/1P4G/0825/18334	TP4(17.3),TP11(0.0)
Identifier	Failure Reason
5359/W/AE0304/V8-21/1P4G/1225/34287	TP4(16.7),TP11(0.0)

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32725	TP8(0.8),TP9(0.1)

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32729	TP4(0.0),TP11(0.0),TP8(0.0),TP9(0.0)

PCB_MAPPING

Total Pass	Total Fail
1575	0

No failed items recorded for this phase.

AGEING

Total Pass	Total Fail
1132	5

Identifier	Failure Reason
MZ2024129	CurrentReverseRestoration

Identifier	Failure Reason
MZ2024807	CurrentReverseRestoration

Identifier	Failure Reason
MZ2024206	Energy Range Cumm KVAh Fail Found 1948.68920898438 (-10.6809574192494%) Expected between Previous Meter 2181.71752929688 and Range 1963.54577636719

Identifier	Failure Reason
MZ2024106	CurrentReverseRestoration

Identifier	Failure Reason
MZ2024331	,Drift: [74.97s], Allowed: [11.72s], Read Time: [5/15/2026 1:22:09 PM], Meter Time: [5/15/2026 1:20:55 PM], RCR2 Reg: [73]

NIC_MAPPING

Total Pass	Total Fail
752	0

No failed items recorded for this phase.

PERIPHERIAL

Total Pass	Total Fail
1581	59

Identifier	Failure Reason
359/W/AE0245/V8-21/1P4G/1025/27370	RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/31917	GPIO: Relay Pin Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32029	RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32033	RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32147	RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32251	GPIO: Meter Cover Button Check Failed. RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32319	GPIO: LCD Segment, Backlight, Push Button Check Failed. RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32419	RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32447	EEPROM: Compute Total Size, Compute Total Free Size, Verify Write Operation Action Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32504	RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32616	RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32670	RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32680	GPIO: Impluse LED, LCD Segment, Backlight, Push Button Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32683	RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32697	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32721	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/32730	GPIO: Relay Pin Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/34704	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/34741	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/34812	GPIO: Meter Cover Button Check Failed. RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/35942	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36472	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36518	GPIO: Impluse LED, LCD Segment, Backlight, Push Button Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36531	GPIO: Meter Cover Button Check Failed. RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36556	GPIO: Meter Cover Button, Relay Pin Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36616	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36631	GPIO: Meter Cover Button Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36634	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36642	GPIO: Backlight, Push Button Check Failed. EEPROM: Compute Total Size, Compute Total Free Size, Verify Write Operation Action Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36653	RTC: RTC Action, Date Time Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36685	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36689	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36716	GPIO: Relay Pin Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36717	GPIO: Meter Cover Button Check Failed. RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36785	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36826	GPIO: Meter Cover Button Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36851	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36865	GPIO: Meter Cover Button Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36898	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36907	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36918	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36940	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36962	GPIO: Relay Pin Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36966	GPIO: NIC Ready Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36984	GPIO: Impluse LED Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/36991	GPIO: Meter Cover Button Check Failed. NIC Uart: At Script Check Failed.

Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37005	GPIO: Relay Pin Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37011	GPIO: Relay Pin Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37075	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37078	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37079	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37081	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37105	GPIO: Meter Cover Button Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37132	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37167	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37182	GPIO: NIC Ready Check Failed. NIC Uart: At Script Check Failed. RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37198	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37209	RTC: RTC Action, Date Time Check Failed.
Identifier	Failure Reason
359/W/AE0304/V8-21/1P4G/1225/37212	RTC: RTC Action, Date Time Check Failed.

PACKGING

Total Pass	Total Fail
709	0

No failed items recorded for this phase.

MASTER_CARTON

Total Pass	Total Fail
795	0

No failed items recorded for this phase.

SCRAP_PCB

Total Pass	Total Fail
0	0

No failed items recorded for this phase.

PCB_REJECTION

Total Pass	Total Fail
0	0

No failed items recorded for this phase.

TRC_REJECTION

Total Pass	Total Fail
17	0

No failed items recorded for this phase.