



**SOMANY**

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.  
Ahmedabad: 601 to 606, 6th floor, Aapts Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S. G. Highway, Ahmedabad- 382481, Ph.: 079-27661103 & 04  
Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22467406/5013  
www.somanyceramics.com | e-mail marketing@somanyceramics.com

**Toll Free No. 1800-103-0004** (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:  
[www.somanyceramics.com](http://www.somanyceramics.com)



Find us at:  
[www.facebook.com/SomanyCeramic](https://www.facebook.com/SomanyCeramic)



Find us at:  
[www.twitter.com/SomanyCeramic](https://www.twitter.com/SomanyCeramic)



Find us at:  
[www.instagram.com/SomanyCeramics](https://www.instagram.com/SomanyCeramics)



VITRO / CAT / AUGUST 2024

**VITRO**

**SOMANY**  
TILES | BATHWARE

**ULTRA**  
CHARGE  
TECHNOLOGY

**DOUBLE**  
**CHARGE**  
VITRIFIED TILES

800x1600mm | 600x1200mm  
800x800mm | 600x600mm

UNIT - 3 | FOR ALL INDIA

# BEAUTY UNEXPLORED



Nano Tech



Anti Stain



Highly Durable



Eco Friendly



Polish Finish

Engineered for durability and elegance, these tiles offer a robust surface with intricate designs. Ideal for high-traffic areas, they provide long-lasting performance and aesthetic appeal.



## Radiant Reflections

Elevate your space with our glossy tiles, where sophistication meets shine. Immerse yourself in the allure of polished surfaces that not only reflect light but also redefine your surroundings with a touch of contemporary elegance. Redefine your space, redefine your style.



## DOUBLE CHARGE VITRIFIED TILES

Introducing Double Charge Vitrified Tiles - the epitome of grace and sophistication for your living spaces. Double Charge Vitrified Tiles are the pinnacle of architectural finesse. These tiles exude opulence and refinement with their exquisite craftsmanship and intricate detailing.



## APPLICATION



RESIDENCES



OFFICES



PUBLIC PLACES



AIRPORTS



SHOPS



HOTELS



MALLS

## CONTENT

800x 1600mm	600x 1200mm	800x 800mm	600x 600mm
page no. <b>06</b>	page no. <b>16</b>	page no. <b>50</b>	page no. <b>58</b>

AN  
IMPECCABLE  
LOOK






Double Charge Vitrified Tiles are the pinnacle of innovation and artistry, meticulously crafted to embody a harmonious blend of breathtaking beauty and unparalleled functionality in any space.

800x1600mm

DOUBLE CHARGE VITRIFIED TILES



Elegantly  
Crafted Beauty



NANO  
TECH



ANTI  
STAIN



HIGHLY  
DURABLE



ECO  
FRIENDLY



GLOSS  
FINISH









ARION BROWN

RANDOM PATTERN



ARION GREY

RANDOM PATTERN



ARION CRÉMA

RANDOM PATTERN



ARION MERCURY

RANDOM PATTERN



ARION ULTRA WHITE RANDOM PATTERN



ARION VERDE RANDOM PATTERN



ARION PEACH RANDOM PATTERN



ARION ULTRA WHITE





ACE CREMA



RANDOM PATTERN



ACE WHITE



RANDOM PATTERN



ACE WHITE




ULTRA  
CHARGE  
TECHNOLOGY

VERVE


The Ultra Charge technology employed in the creation of these tiles further enhances their allure, infusing them with a radiant luminosity that adds depth and dimension to their already stunning designs.

600x1200mm

DOUBLE CHARGE VITRIFIED TILES



SOMANY  
VITRO



Unveiling  
Artistic Surface



NANO  
TECH



ANTI  
STAIN



HIGHLY  
DURABLE



ECO  
FRIENDLY



GLOSS  
FINISH










VERVE PERLATO FOSSIL Random Pattern



VERVE PERLATO WHITE Random Pattern




VERVE PERLATO GRAPHITE Random Pattern



VERVE PERLATO BIANCO Random Pattern



VERVE PERLATO BUTTER SCOTCH Random Pattern



VERVE MOON WHITE





VERVE RIVERA GREY

Random Pattern



VERVE RIVERA WHITE

Random Pattern



VERVE RIVERA CREMA

Random Pattern



VERVE RIVERA GREY










VERVE IMPERIAL CHARCOAL Random Pattern



VERVE IMPERIAL DENIM Random Pattern



VERVE IMPERIAL WHITE Random Pattern




VERVE IMPERIAL GREY Random Pattern



VERVE IMPERIAL CREMA Random Pattern





VERVE MERCURY GALAXY



VERVE MERCURY MUSTERD




VERVE MERCURY WHITE



VERVE MERCURY GOLD



VERVE MERCURY ITALIAN



VERVE MERCURY ASH









NEO SERPENGENTA NERO

RANDOM PATTERN



NEO DESERT GREY

RANDOM PATTERN



NEO COLPI WHITE NEW



NEO STATUARIO PEARL

RANDOM PATTERN










NEO MAGNUS WHITE NEW



NEO MAGNUS SLATE GREY NEW



NEO MAGNUS IVORY NEW



NEO MAGNUS CHOCO



NEO ONYX PEARL

RANDOM PATTERN



NEO ONYX PINK

RANDOM PATTERN





NEO PERLINO BIANCO



RANDOM PATTERN



NEO PERLINO BEIGE



RANDOM PATTERN



NEO PERLINO GREY




RANDOM PATTERN



NEO PERLINO BEIGE







VERVE IONTECH S&P WHITE



VERVE IONTECH S&P CREMA




VERVE IONTECH S&P NERO



VERVE IONTECH S&P GREY




VERVE IONTECH S&P GRIS



VERVE IONTECH S&P PEARL





VERVE IONTECH S&P ALMOND



VERVE IONTECH S&P SAHARA



VERVE IONTECH S&P MENTA



VERVE IONTECH S&P ROJO







NEW



Also Available in  
600x  
600mm



NEO AMORE WHITE RANDOM PATTERN

NEW



Also Available in  
600x  
600mm



NEO AMORE CREMA RANDOM PATTERN

NEW



Also Available in  
600x  
600mm



NEO AMORE CHERRY RANDOM PATTERN

NEW




Also Available in  
600x  
600mm



NEO AMORE MINT RANDOM PATTERN

NEW



Also Available in  
600x  
600mm



NEO AMORE GREY RANDOM PATTERN

NEW



Also Available in  
600x  
600mm



NEO LUCA WHITE RANDOM PATTERN



NEW




Also Available in  
600x  
600mm



NEO LUCA CREMA

RANDOM PATTERN

NEW



Also Available in  
600x  
600mm



NEO LUCA GREY

RANDOM PATTERN

NEW



Also Available in  
600x  
600mm



NEO LUCA SKY BLACK

RANDOM PATTERN

NEW



NEO LUCA SAND

RANDOM PATTERN

NEW



NEO LUCA MINT

RANDOM PATTERN

NEW



NEO LUCA CHERRY

RANDOM PATTERN






Infused with breakthrough nanotech advancements, 800x800mm Double Charge tiles are stated with delicate, intricate patterns that provide an opulent and distinct marble look. Ideal for seamless designs and patterns.

800x800mm

DOUBLE CHARGE VITRIFIED TILES



Fascinating  
Stellar Touch



NANO  
TECH



ANTI  
STAIN



HIGHLY  
DURABLE



ECO  
FRIENDLY



GLOSS  
FINISH





NEO CABRIO WHITE



NEO ESCALADE



NEO CABRIO BEIGE



NEO BERLINETTA WHITE



NEO ESCALADE









NEO OPULENCE BIANCO      RANDOM PATTERN



NEO EUPHORIA GLACIER WHITE      RANDOM PATTERN



NEO MILTON BIANCO



NEO TUSCAN BEIGE



NEO TRIBECA WHITE      RANDOM PATTERN



NEO MILKY WHITE



NEO MIRAGE BEIGE      RANDOM PATTERN



NEO MIRAGE BIANCO      RANDOM PATTERN



ULTRA  
CHARGE  
TECHNOLOGY

VERVE

iontech  
COLLECTION

GREVITI

These tiles boast mesmerizing patterns with delicate precision, ensuring a captivating visual impact that exudes opulence and refinement. They effortlessly transform ordinary surfaces into extraordinary ones.

600x600mm

DOUBLE CHARGE VITRIFIED TILES



SOMANY  
VITRO



Classiness  
in Every Detail



NANO  
TECH



ANTI  
STAIN



HIGHLY  
DURABLE



ECO-  
FRIENDLY



GLOSS  
FINISH









Also Available in  
600x  
1200mm



NEO AMORE WHITE  
RANDOM  
PATTERN



Also Available in  
600x  
1200mm



NEO AMORE CREMA  
RANDOM  
PATTERN



Also Available in  
600x  
1200mm



NEO AMORE CHERRY  
RANDOM  
PATTERN



Also Available in  
600x  
1200mm



NEO AMORE MINT  
RANDOM  
PATTERN



NEO AMORE BLACK  
RANDOM  
PATTERN



Also Available in  
600x  
1200mm



NEO AMORE GREY  
RANDOM  
PATTERN



Also Available in  
600x  
1200mm



NEO LUCA GREY  
RANDOM  
PATTERN



Also Available in  
600x  
1200mm



NEO LUCA SKY BLACK  
RANDOM  
PATTERN



Also Available in  
600x  
1200mm



NEO LUCA WHITE  
RANDOM  
PATTERN



Also Available in  
600x  
1200mm



NEO LUCA CREMA  
RANDOM  
PATTERN



NEO LUCA NERO  
RANDOM  
PATTERN



NEO LUCA BROWN  
RANDOM  
PATTERN





NEO NUVARO BIANCO  
RANDOM  
PATTERN



NEO NUVARO BEIGE  
RANDOM  
PATTERN



NEO NUVARO BROWN  
RANDOM  
PATTERN



NEO NUVARO CREMA  
RANDOM  
PATTERN



NEO NUVARO GREY  
RANDOM  
PATTERN



NEO NUVARO MOCHA  
RANDOM  
PATTERN



NEO NUVARO NERO  
RANDOM  
PATTERN



NEO NUVARO MOCHA






NEO IONTECH PISTACHIO



NEO IONTECH BEIGE



NEO IONTECH NERO



NEO IONTECH BLACK PEARL



NEO IONTECH CREMA



NEO IONTECH CHOCO



NEO IONTECH GREY



NEO IONTECH PISTACHIO





NEO DACIA WHITE



NEO DACIA GREEN



NEO DACIA PEARL



NEO DACIA BROWN



NEO DACIA GREY



NEO DACIA IVORY



NEO BERLINETTA WHITE




NEO CROWN MINT



NEO CROWN SNOW



NEO CROWN WHITE



NEO DAZZLING WHITE



NEO HAZE GREY





NEO MICRA BROWN



NEO S&P-GREY



SOVRANO AQUA

Nanovated




SOVRANO BLANCO

Nanovated



SOVRANO GOLD

Nanovated



SOVRANO SILVER



SOVRANO SILVER





SOVRANO FROST

Nanovated



SOVRANO PEARL

Nanovated



SOVRANO GREY

Nanovated



SOVRANO GRIS

NEW



SOVRANO NERO



SOVRANO BROWN



SOVRANO IG BEIGE



SOVRANO LEMON



SOVRANO FROST











ASTONIA GOLD Random Pattern Nanovated



ASTONIA CHERRY Random Pattern Nanovated



ASTONIA GREY Random Pattern Nanovated



ASTONIA SKY BLACK Random Pattern Nanovated



ASTONIA ARMANI



ASTONIA AMBER



IGNIS GOLD NEW



ALEXA PINK Nanovated



ALEXA ASH Nanovated



ALEXA BONE Nanovated







IGNIS BEIGE



IGNIS BIANCO




IGNIS CHOCO



IGNIS GOLD



IGNIS SLATE



IGNIS CHOCO



PACKING DETAIL FOR 600X600MM POLISHED VITRIFIED TILES				
Nominal Size (mm)	Thickness	Avg. Weight per Carton (Kgs)	No. of Tiles Per Carton	Coverage Area Per Carton
800X1600 (Ultra Charge)	9.0 mm	50.00	2	2.56sq.mtr./27.55sq.ft.
600X1200 (Verve Ultra Charge)	8.4 mm	26.90	2	1.44sq.mtr./15.50sq.ft.
600X1200 Neo Ultra Charge)	8.2 mm	26.50	2	1.44sq.mtr./15.50sq.ft.
800X800 (Verve Ultra Charge)	8.2 mm	35.50	3	1.02sq.mtr./20.67sq.ft.
600X600 (Verve Ultra Charge)	8.2 mm	25.70	4	1.44sq.mtr./15.50sq.ft.
600X600 (Neo Ultra Charge)	8.2 mm	25.70	4	1.44sq.mtr./15.50sq.ft.
600X600 (Neo Iontech)	8.2 mm	25.70	4	1.44sq.mtr./15.50sq.ft.
600X600mm (Greviti & Ignis Series)	7.8 mm	24.30	4	1.44sq.mtr./15.50sq.ft.

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

TECHNICAL SPECIFICATION FOR POLISHED VITRIFIED TILES				
Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a	Requirement as per ISO 13006:2018 ≤ 0.5% Group B I a	Our Values	Test Method
Dimension & Surface Quality				
Length & Width %	± 0.10%	± 0.5%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
Thickness %	± 5.00%	± 5.00%	± 4.0%	
Straightness of Side %	± 0.10%	± 0.50%	± 0.10%	
Rectangularity %	± 0.10%	± 0.80%	± 0.10%	
Surface Flatness				
Center curvature (%) ( Max.Deviation)	± 0.50%	± 0.50%	± 0.2 %	
Edge curvature (%) ( Max.Deviation)	± 0.50%	± 0.50%	± 0.2 %	
Corner warpage (%) ( Max.Deviation)	± 0.50%	± 0.50%	± 0.2 %	
Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
Physical Properties				
Water Absorption	Average ≤ 0.08%, Individual Max.0.1%	Avr ≤ 0.5 %, Individual 0.6% max	<0.08%, Individual Max 0.1%	IS 13630 Part 2/ ISO 10545-3
Modulus of Rupture [N/mm <sup>2</sup> ]	Avr. 35, Individual 32 Min	Avr. 35, Individual 32 Min	Avr. > 35, Individual 32	IS 13630 Part 6/ISO 10545-4
Breaking Strength in N	1300	Min 1300	Min 1300	
Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10
Scratch Hardness of surface (Mohs)	Min 5	N/A	Min 5	IS 13630 Part 13
Coefficient of Linear Thermal Expansion from Ambient Temperature to 100 0 C.	6 X 10 <sup>-6</sup> K <sup>-1</sup> max	Test method available	6 X 10 <sup>-6</sup> K <sup>-1</sup> max	IS 13630 Part 4/ ISO 10545-8
Thermal Shock Resistance	10 cycle Min	Required	10 cycle passed	IS 13630 Part 5/ISO-10545-9
Crazing Resistance	4 cycle @ 7.5bar min	Not Applicable	Not Applicable	IS 13630 Part 9/ISO 10545-11
Impact Resistance as Co-efficient of Restitution (COR)	0.55 min	Test method available	0.55 Min	IS 13630 Part 14/ISO 10545-5
Deep Abrasion Resistance [in mm <sup>3</sup> ]	140 Max	Max 175	Max 140	IS 13630 PART 12/ISO 10454-6
Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
Stain & Chemical Resistance (Un-glazed Tiles)				
Stain Resistance	Min Class 2	Manufacturer to state the class	Min Class 2	IS 13630 Part 7/ISO 10545-14
Resistance to Household Chemicals	Min Class AA	Min Class UB	Class UA	
Resistance to Acids and Alkalis ( with exception of hydrofluoric acid and its compounds)	Required if agreed	Test method available	Class ULB (Low Conc) Class UHB (High Conc)	



**SOMANY**  
Bathware

## Our PORTFOLIO



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

**Ezy Fix**

TILES ADHESIVES & GROUTS

**SOMANY**



## HIGH STRENGTH POLYMER MODIFIED TILE ADHESIVE



### BENEFITS

- ▶ READY AND EASY TO USE
- ▶ EXCELLENT BONDING WITH ALL SURFACES
- ▶ FAST SETTING
- ▶ SELF-CURING

### USES

- ▶ FOR FIXING ALL TYPE OF TILES
- ▶ FOR NEW FLOORING AND RENOVATION
- ▶ CAN BE USED FOR TILE ON TILE