

JavaScript Tasks – Complete Answers

Answers for all 15 tasks. Tasks that were repeated in the prompt are answered separately with different test values.

1. Total engagement

```
const likes = 120;
const comments = 35;

const totalEngagement = likes + comments;
console.log(totalEngagement);
```

Expected output:

Output: 155

2. Total engagement

```
const likes = 250;
const comments = 50;

const totalEngagement = likes + comments;
console.log(totalEngagement);
```

Expected output:

Output: 300

3. likeCounter.js

```
// likeCounter.js
let likes = 0;

likes += 1;

console.log(likes);
```

Expected output:

Output: 1

4. Discount tag

```
function showDiscountTag(price) {
  if (price < 500) {
    console.log('Special Discount!');
  } else {
    console.log('Regular Price');
  }
}
```

```
showDiscountTag(450);
showDiscountTag(600);
```

Expected output:

Output:

Special Discount!

Regular Price

5. Discount tag

```
function showDiscountTag(price) {
  if (price < 500) {
```

```
    console.log('Special Discount!');
  } else {
    console.log('Regular Price');
  }
}
```

```
showDiscountTag(300);
showDiscountTag(500);
```

Expected output:

Output:

Special Discount!

Regular Price

6. Discount eligibility

```
function isEligibleForDiscount(totalAmount) {
  return totalAmount >= 500;
}
```

```
console.log(isEligibleForDiscount(300));
console.log(isEligibleForDiscount(700));
```

Expected output:

Output:

false

true

7. Verification badge

```
const followers = 1500;

const badge =
  followers > 1000 ? 'Verified Creator' : 'Regular User';

console.log(badge);
```

Expected output:

Output: Verified Creator

8. Verification badge

```
const followers = 800;

const badge =
  followers > 1000 ? 'Verified Creator' : 'Regular User';

console.log(badge);
```

Expected output:

Output: Regular User

9. getBadge function

```
function getBadge(followers) {
  return followers >= 1000
    ? 'Verified Creator ■'
    : 'Regular User';
}
```

```
console.log(getBadge(1200));
console.log(getBadge(900));
```

Expected output:

Output:

Verified Creator ■

Regular User

10. Premium access

```
const isPremiumUser = true;
const hasActiveSubscription = true;

if (isPremiumUser && hasActiveSubscription) {
  console.log('Access Granted');
} else {
  console.log('Upgrade Needed');
}
```

Expected output:

Output: Access Granted

11. Premium access

```
const isPremiumUser = true;
const hasActiveSubscription = false;

if (isPremiumUser && hasActiveSubscription) {
  console.log('Access Granted');
} else {
  console.log('Upgrade Needed');
}
```

Expected output:

Output: Upgrade Needed

12. Username truthiness

```
const username = 'Priya';

if (username) {
  console.log(`Welcome, ${username}!`);
} else {
  console.log('Guest Login');
}
```

Expected output:

Examples:

username = "" → Guest Login

username = null → Guest Login

username = 'Priya' → Welcome, Priya!

13. isTruthy function

```
function isTruthy(input) {
  return input ? 'Truthy' : 'Falsy';
}

console.log(isTruthy(''));
console.log(isTruthy(0));
console.log(isTruthy(null));
console.log(isTruthy('hello'));
console.log(isTruthy(42));
```

Expected output:

Output:

Falsy
Falsy
Falsy
Truthy
Truthy

14. isTruthy function

```
function isTruthy(input) {  
  return input ? 'Truthy' : 'Falsy';  
}  
  
const values = ['', 0, null, 'hello', 42];  
  
values.forEach(value => {  
  console.log(isTruthy(value));  
});
```

Expected output:

Output:
Falsy
Falsy
Falsy
Truthy
Truthy

15. Food ordering eligibility

```
function canOrderFood(isLoggedIn, hasPaymentMethod) {  
  return isLoggedIn && hasPaymentMethod;  
}  
  
console.log(canOrderFood(true, true)); // true  
console.log(canOrderFood(true, false)); // false  
console.log(canOrderFood(false, true)); // false  
console.log(canOrderFood(false, false)); // false
```

Expected output:

Output:
true
false
false
false