

JavaScript Array & Object Tasks — Answers

Complete solutions for Tasks 1–15. The repeated questions are kept as separate answers, with different sample data where appropriate.

1. Create a playlists array with three Spotify playlist objects.

```
const playlists = [
  {
    name: "Chill Vibes",
    creator: "Divy",
    numberOfSongs: 25
  },
  {
    name: "Workout Hits",
    creator: "Aarav",
    numberOfSongs: 40
  },
  {
    name: "Road Trip",
    creator: "Riya",
    numberOfSongs: 32
  }
];

console.log(playlists);
```

2. Create a playlists array with three Spotify playlist objects.

```
const playlists = [
  {
    name: "Morning Motivation",
    creator: "Neha",
    numberOfSongs: 20
  },
  {
    name: "Party Mix",
    creator: "Karan",
    numberOfSongs: 35
  },
  {
    name: "Relaxing Evening",
    creator: "Meera",
    numberOfSongs: 28
  }
];

console.log(playlists);
```

3. Create a playlists array with name, numberOfSongs, and genre.

```
const playlists = [
  {
    name: "Pop Favorites",
    numberOfSongs: 30,
    genre: "Pop"
  },
  {
    name: "Classic Rock",
    numberOfSongs: 24,
    genre: "Rock"
  },
  {
    name: "Late Night Jazz",
    numberOfSongs: 18,
    genre: "Jazz"
  }
];
```

```
console.log(playlists);
```

4. Add a new playlist using push() and print the updated array.

```
playlists.push({
  name: "Indie Discoveries",
  creator: "Kabir",
  numberOfSongs: 22
});

console.log(playlists);
```

5. Add another new playlist using push() and print the updated array.

```
playlists.push({
  name: "Electronic Energy",
  creator: "Ananya",
  numberOfSongs: 45
});

console.log(playlists);
```

6. Add a playlist with your favorite genre using push(), then remove it using pop(). Log after each operation.

```
playlists.push({
  name: "Favorite Beats",
  creator: "Divy",
  numberOfSongs: 27,
  genre: "Lo-fi"
});

console.log("After push:", playlists);

playlists.pop();

console.log("After pop:", playlists);
```

7. Remove the last playlist with pop() and display the removed object.

```
const removedPlaylist = playlists.pop();

console.log("Removed playlist:", removedPlaylist);
```

8. Remove the last playlist with pop() and display the removed object.

```
const removedPlaylist = playlists.pop();

console.log("Removed playlist:", removedPlaylist);
```

9. Create a Flipkart cart with 4 products and display each product's name and total price.

```
const cart = [
  {
    productName: "Wireless Mouse",
    price: 799,
    quantity: 2
  },
  {
    productName: "Keyboard",
    price: 1299,
    quantity: 1
  },
  {

```

```

    productName: "USB Cable",
    price: 299,
    quantity: 3
  },
  {
    productName: "Headphones",
    price: 1999,
    quantity: 1
  }
];

for (const product of cart) {
  const totalPrice = product.price * product.quantity;
  console.log(product.productName, "Total:", totalPrice);
}

```

10. Use splice() to replace the second playlist.

```

playlists.splice(1, 1, {
  name: "Focus Flow",
  creator: "Arjun",
  numberOfSongs: 26
});

console.log(playlists);

```

11. Use splice() to replace the second playlist with a new playlist.

```

playlists.splice(1, 1, {
  name: "Sunset Sessions",
  creator: "Ishita",
  numberOfSongs: 31
});

console.log(playlists);

```

12. Print each movie's title and its IMDb rating from a nested rating object.

```

const movies = [
  {
    title: "Inception",
    year: 2010,
    rating: {
      imdb: 8.8,
      rottenTomatoes: 87
    }
  },
  {
    title: "Interstellar",
    year: 2014,
    rating: {
      imdb: 8.7,
      rottenTomatoes: 73
    }
  },
  {
    title: "The Dark Knight",
    year: 2008,
    rating: {
      imdb: 9.0,
      rottenTomatoes: 94
    }
  }
];

for (const movie of movies) {
  console.log(movie.title, "IMDb:", movie.rating.imdb);
}

```

13. Create orders and display each orderId and the total price of its items.

```
const orders = [
  {
    orderId: "ORD101",
    items: [
      { itemName: "T-Shirt", price: 599 },
      { itemName: "Jeans", price: 1299 }
    ],
    delivery: {
      address: "Ahmedabad",
      status: "Shipped"
    }
  },
  {
    orderId: "ORD102",
    items: [
      { itemName: "Shoes", price: 1999 },
      { itemName: "Cap", price: 399 }
    ],
    delivery: {
      address: "Surat",
      status: "Delivered"
    }
  }
];

for (const order of orders) {
  let totalPrice = 0;

  for (const item of order.items) {
    totalPrice += item.price;
  }

  console.log(order.orderId, "Total:", totalPrice);
}
```

14. Create another orders array and calculate each order's total item price.

```
const orders = [
  {
    orderId: "ORD201",
    items: [
      { itemName: "Laptop Bag", price: 1499 },
      { itemName: "Mouse Pad", price: 349 }
    ],
    delivery: {
      address: "Vadodara",
      status: "Processing"
    }
  },
  {
    orderId: "ORD202",
    items: [
      { itemName: "Smart Watch", price: 2499 },
      { itemName: "Screen Guard", price: 299 }
    ],
    delivery: {
      address: "Rajkot",
      status: "Out for Delivery"
    }
  }
];

for (const order of orders) {
  const totalPrice = order.items.reduce(
    (total, item) => total + item.price,
    0
  );

  console.log(order.orderId, "Total:", totalPrice);
}
```

15. Create favApps with 5 objects, then replace the third app using splice().

```
const favApps = [
  { title: "YouTube", url: "https://www.youtube.com" },
  { title: "WhatsApp", url: "https://www.whatsapp.com" },
  { title: "Instagram", url: "https://www.instagram.com" },
  { title: "Spotify", url: "https://www.spotify.com" },
  { title: "GitHub", url: "https://github.com" }
];

favApps.splice(2, 1, {
  title: "ChatGPT",
  url: "https://chatgpt.com"
});

console.log(favApps);
```