RAJALAKSHMI ENGINEERING COLLEGE

Roshini N G 250701611-2025-CSE

R2

Started on	Saturday, 19 September 2026, 10:14 PM
State	Finished
Completed on	Saturday, 19 September 2026, 10:24 PM
Time taken	9 mins 48 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Given two strings find the length of the common longest subsequence(need not be contiguous) between the two.

Example:

s1: ggtabe

s2: tgatasb

s1		a	g	**g**	**t**	**a**	**b**
s2	**g**	x	**t**	x	**a**	**y**	**b**

The length is 4

Solveing it using Dynamic Programming

For example:

Input	Result
aab azb	2

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>
#include <string.h>
int max(int a, int b)
{
    return (a > b) ? a : b;
}
int main()
{
    char s1[100], s2[100];
    int dp[101][101];
    int n, m, i, j;
    scanf("%s", s1);
    scanf("%s", s2);
    n = strlen(s1);
    m = strlen(s2);
    for (i = 0; i <= n; i++)
        dp[i][0] = 0;
    for (j = 0; j <= m; j++)
        dp[0][j] = 0;
    for (i = 1; i <= n; i++)
    {
        for (j = 1; j <= m; j++)
        {
            if (s1[i - 1] == s2[j - 1])
            {
                dp[i][j] = dp[i - 1][j - 1] + 1;
            }
            else
            {
                dp[i][j] = max(dp[i - 1][j], dp[i][j - 1]);
            }
        }
    }
    printf("%d", dp[n][m]);
    return 0;
}
```

	Input	Expected	Got	
✔	aab azb	2	2	✔
✔	ABCD ABCD	4	4	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course