EXPERIMENT NO: 04

To count the frequency of occurrence of a word in a body of text is often needed during text processing

Program:

```
import nltk
from nltk.tokenize import word_tokenize
from nltk.corpus import gutenberg
nltk.download('gutenberg')
nltk.download('punkt')
nltk.download('punkt_tab')
sample=gutenberg.raw("shakespeare-hamlet.txt")
token=word_tokenize(sample)
wlist=[]
for i in range(30):
  wlist.append(token[i])
wordfreq=[wlist.count(w) for w in wlist]
print("Pairs\n"+str(list(zip(wlist,wordfreq))))
```

Output:

```
[nltk_data] Downloading package gutenberg to /root/nltk_data...
[nltk_data]   Package gutenberg is already up-to-date!
[nltk_data] Downloading package punkt to /root/nltk_data...
[nltk_data]   Package punkt is already up-to-date!
[nltk_data] Downloading package punkt_tab to /root/nltk_data...
[nltk_data]   Package punkt_tab is already up-to-date!

Pairs
[('[', 1), ('The', 1), ('Tragedie', 1), ('of', 1), ('Hamlet', 1), ('by', 1), ('William', 1), ('Shakespeare', 1),
('1599', 1), (']', 1), ('Actus', 1), ('Primus', 1), ('.', 4), ('Scoena', 1), ('Prima', 1), ('.', 4), ('Enter', 1),
('Barnardo', 2), ('and', 1), ('Francisco', 1), ('two', 1), ('Centinels', 1), ('.', 4), ('Barnardo', 2), ('.', 4),
('Who', 1), ("'s", 1), ('there', 1), ('?', 1), ('Fran', 1)]
```