

Optimizing Tyre and Brake Performance in Formula 1 Using Big Data Analytics: A Survey on Predictive Models and Strategies

Mrs. T. Shakila Research Scholar
Department of Computer Science and
Engineering
Bharath Institute of Higher Education &
Research
Tamil Nadu, India

Dr. K. Baalaji Assistant Professor
Department of Computer Science and
Engineering
Bharath Institute of Higher Education &
Research
Tamil Nadu, India

Abstract - Two of the most important components influencing both performance and safety in Formula One (F1) racing, where milliseconds define success and failure are tyres and brakes. These components withstand particularly difficult conditions, which can lead to issues including brake fade and tyre degradation that significantly influences the race outcome. Notwithstanding technological improvements, it is still difficult to project exactly how these components should be kept and used. This is important considering the massive amounts of telemetry data generated during events and practices. The use of big data analytics is discussed in this work in order to grasp and enhance Formula One brake and tyre performance. Real-time processing and telemetry data interpretation including measures of tyre pressure, temperature, wear levels, and brake disc temperatures is the main challenge to be solved. This comprehensive review of machine learning algorithms highlights under a range of race conditions the value of regression analysis, clustering, and decision trees in forecasting ideal tyre change strategies and brake cooling requirements. The methodology of the survey combines published works analysis, industry reports, and technical documentation for Formula One. This paper attempts to identify the most recent developments in data-driven models for application in motorsports together with their limitations. Predictive analytics lets the results of past studies show potential for better lap times, longer tyre lifetime, and more efficient brake cooling systems. Moreover, discussed in the paper is the application of real-time analytics into race strategies, so enabling teams to make informed decisions balancing performance with safety. Those engineers, data scientists, Formula One strategists ready to use big data to get a competitive advantage will much value the insights this survey provides. Furthermore, under research are potential future directions including hybrid prediction models and advanced neural networks integration.

Keywords - Formula 1, big data analytics, tyre performance, brake optimization, machine learning

I. INTRODUCTION

Formula One (F1) racing is considered the best kind of motorsport combining exact engineering, modern technologies, and split-second decision-making to reach the best possible degree of performance. During cornering and braking, the cars go through quite demanding conditions; speeds above 350 km per hour and forces up to six gigapascals abound. For both safety and performance of vehicles, tyres and brakes are rather important since they influence lap times, stability, and dependability. Sophisticated telemetry systems built in Formula One cars enable teams to review performance and develop the most winning race strategies. Among the great volume of data these systems capture are tyre pressure, temperature, and brake disc wear levels. Big data analytics has become a required instrument in the field of motorsport engineering thanks to the technological advancements [1–3].

To maximise the performance of brakes and tyres, many problems still have to be solved even with the availability of sophisticated tools and algorithms. High loads and temperatures cause tyres to degrade quickly, so affecting grip and lap times. Brake systems compromise their capacity to provide stopping power in critical conditions by being prone to problems including overheating and fade during the same period. Teams have to strike a balance between the need for speed and the need to maximise the lifetime of their tires and brake efficiency since sometimes it is difficult for them to make changes on demand during races. The real-time processing of telemetry data complicates matters even more since decisions on the race depend on analysing vast amounts of data in few of seconds [4–7].

Developing a predictive framework that faithfully models tyre and brake behaviour under several race conditions is the main challenge that has to be solved. In situations involving dynamic races, current approaches are not very successful since they typically struggle to offer insights that can be used in real time. Moreover, the great variation among outside factors like the temperature and the track condition

complicates the study even more. Strong, data-driven solutions that maximise performance while simultaneously lowering risks are therefore more sought for [8–9].

The objectives of this study are to:

1. Big data analytics can enable predictive models for tyre degradation and brake performance.
2. Offer suggestions for actions to improve contest brake cooling system and pit stop strategies performance.

This work combines F1 telemetry data with machine learning techniques including regression analysis, clustering, and decision trees to create real-time predictions of the performance of tyres and brakes. Unlike conventional methods, which mostly depend on historical data or hand interpretation, this method uses big data to provide dynamic and particular to a given race insight instead.

The contributions of this work are as follows:

- An extensive analysis of present predictive models and their applications in motorsports.
- The framework is designed to simulate brake and tyre performance by handling and evaluating Formula One car telemetry data.
- Knowing the limitations of current approaches and possible paths for next research including hybrid models and integration of advanced neural networks.
- Data-driven decision-making and real-time analytics are two of the sensible recommendations Formula One teams should consider to improve their race plans.

II. RECENT WORKS ON OPTIMISATION OF TYRE AND BRAKE PERFORMANCE IN F1-RACE

Particularly focused on the optimization of tyre and brake performance, this section provides a review of the body of current research on the application of big data analytics in Formula One racing. The survey is set under several subheads to provide a whole awareness of the research terrain in this field.

A. Telemetry Data and Its Role in Performance Optimization

By means of real-time data streams from Formula One cars during races and practice sessions, telemetry systems have transformed motorsport. Plenty of studies have been done on the part telemetry contributes to improve brake and tyre performance. Predictive models for tyre degradation under a range of conditions, for instance, have been developed using telemetry data, that is, data on tyre pressure, temperature, wear levels, and brake disc condition. Real-time data processing and sensor fusion are two of the several strategies that have been discussed in the literature [8] as alternatives for the conventional ways of handling and assessing telemetry data. Tire and brake performance real-time monitoring provides teams with essential data to enable more precisely planned race strategies and quick changes.

B. Machine Learning and Predictive Analytics in Motorsport

for the goal of predictive statistical analysis, a lot of study has been conducted on the use of machine learning methods to Formula One performance data. One has obtained predictions of tyre wear and brake performance by means of techniques including clustering, decision trees, and regression analysis. Based on real-time data on tyres and brakes, regression models have been used and decision trees have been used to help determine the most effective strategy for pit stops so estimating the rate of tyre degradation over time [9–11]. Clustering techniques have also drawn attention in the segmentation of data depending on comparable features and the classification of race conditions, so improving the accuracy of predictive models. For instance, clustering can help to find trends in tire wear under particular temperature ranges or track conditions, so providing interesting analysis of the most effective approach to control brakes and tires [12].

C. Tyre Degradation Modeling

The condition of the tires defines one of the most important factors affecting the performance of a race. Models based on speed, track conditions, tyre pressure, and temperature have been proposed by several studies to project tyre wear rate. The models show these figures. Many times, dynamic elements are part of models of tyre degradation. These models take into account how outside factors including the track surface and weather affect the rate of wear. Models able of highly accurate prediction of tyre wear based on historical data and real-time inputs from telemetry systems have been developed using support vector machines (SVM) and random forests [13–15]. These models enable the optimal timing for pit stops as well as the tyre pressures and temperatures that produce the longest lifetime without compromising performance.

D. Brake System Optimization

Important issues in Formula One racing are overheating and brake fade, which compromise not only performance but also safety. Since many studies concentrate on the prediction of brake system behavior under great stress, brake performance modelling has attracted a lot of attention. To better understand how race conditions interact with several predictive models for brake temperatures and pad wear, researchers have examined several models. It is suggested that instead machine learning techniques including neural networks and deep learning models be applied to generate more exact and dynamic forecasts on the performance of brakes [16–17]. These models reduce the possibility of brake fade at critical points of the race; thus, they are helpful for providing real-time comments on the need of cooling or changing braking techniques.

E. Real-Time Decision Making and Pit Stop Strategies

In Formula One racing, where teams must act fast depending on live telemetry readings, real-time decision-making is absolutely vital. Many studies have examined how predictive models might be combined with real-time race data to help pit stop strategies be optimized. For example, the timing of pit

stops, tire changing methods, and brake cooling needs all must be maximised if one is to achieve best performance. Big data analytics considers many factors including fuel load, tyre wear, track position, and outside weather conditions, so enabling one to dynamically change these strategies. Mostly, research has concentrated on creating algorithms capable of real-time ideal pit stop timing [18–19]. These systems should factor tyre wear rates and brake system cooling requirements. Teams have to use these strategies if they are to maintain their competitive edge, particularly in situations of poor tyre and brake performance.

F. Future Trends and Hybrid Models

Although the application of machine learning for the optimization of tires and brakes has made great progress, recent research suggest that combining several algorithms and models may yield better results. Currently under investigation for the aim of more accurate forecasts and enhanced decision-making are hybrid models, which combine machine learning strategies with optimization algorithms. Combining neural networks with genetic algorithms or particle swarm optimization, for instance, has been demonstrated to help to improve the accuracy and robustness of predictions [20]. Moreover, under active research is the possibility of including more complex deep learning models, such convolutional neural networks (CNNs), for the aim of image-based telemetry data analysis.

The use of big data analytics to maximize brake and tire performance in Formula One racing has seen interesting advancements noted in the literature. Predictive analytics and machine learning together provide real-time insights that could significantly improve race strategies as well as their general performance. Conversely, managing the complexity and variability of the data still presents difficulties; hence, future research is most likely to concentrate on hybrid models and more sophisticated algorithms to solve these problems. The integration of these advanced data processing techniques will become ever more important as telemetry systems keep developing in the process of improving race strategies and increasing general performance.

Table 1: Methods, Algorithms, Methodology, and Outcomes in Tyre and Brake Performance Optimization in F1

Method	Algorithm	Methodology	Outcomes
Tyre Degradation Modeling	Regression Analysis, Random Forests	Predict tyre wear based on telemetry data such as temperature, pressure, and speed using machine learning techniques	Accurate prediction of tyre wear and optimization of pit stop timing based on tyre wear and track conditions [8-9]
Brake Performance Optimization	Neural Networks, Deep Learning	Predict brake temperatures and pad wear under race conditions, real-time data analysis for brake cooling	Improved brake performance, reduced risk of brake fade, and enhanced safety through dynamic adjustments [15-17]
Real-Time Decision Making	Clustering, Decision Trees	Analyze real-time telemetry data to optimize pitstop strategies and tyre changes using predictive models	Enhanced race strategies, faster pit stop decisions, and better overall race performance through data-driven insights [18-19]
Hybrid Models for Performance	Neural Networks + Genetic Algorithms	Combine neural networks with genetic algorithms for enhanced prediction accuracy and strategy optimization	Improved prediction models with better robustness and accuracy in complex race environments, enabling dynamic race strategies [20]
Telemetry Data Integration	Support Vector Machines (SVM), KNN	Integrate telemetry data from tyres and brakes for performance modeling; use machine learning for real-time adjustments	Real-time optimization of tyre pressures and braking systems, improving race team and strategy execution [13-15]

III. RESEARCH GAPS

Even if big data analytics has made tremendous progress towards improving the performance of tires and brakes in Formula One racing, many research gaps remain. Among the most important elements is the inclusion of demanding datasets. Telemetry data covers environmental factors including temperature, track conditions, and fuel loading amount apart from the state of the brakes and tires. Many times, the present models fail to smoothly combine several data sources, which results in less accurate forecasts and decision-making above and beyond what is best. A field ready for more study is the ability of combining different types of data, such visual data from cameras (for example, tyre wear), with telemetry.

There is little research on deep learning applications able to more successfully control the complexity and non-linearity of race conditions. This is valid even if models of machine learning such decision trees and regression show promise. Two deep learning models, convolutions neural networks (CNNs) and recurrent neural networks (RNNs), have not been well investigated in F1 environments even though they have the potential to considerably raise predictive accuracy which is shown in Table 2. Still another important distinction is the ability of predictive models for continuous real-time update. Most of the models now in use come from past data and cannot dynamically adapt to changing race conditions, that is, sudden temperature changes, accidents, or pit strategies used by rivals.

Table 2: Research Gap Identified in Existing Methods

Research Gap	Description	Potential Solutions
Integration in various Dataset Sources	Combining Multiple Dataset sources	Need to prepare Visual charts, methods, data visualization
Applications on Deep Learning	CNN, RNN, Neural Networks	Explore more about several Neural algorithms
Real Time Adaptive Models	Adapt to real time models and metrics	Develop and learn the system on real time applications




Fig-1. Research Gap Analysis in F1 Tyre and Brake Performance Optimization




Fig- 2. Performance over various datasets

From figure 1 and Figure 2, for real-time race performance optimization, Deep Learning stands out as the best option due to its scalability and adaptability. For strategic planning, the combination of Neural Networks and Genetic Algorithms provides a robust framework. However, simpler models like Random Forests remain valuable for interpretable, fast, and reliable predictions in scenarios with limited computational resources.

IV. DISCUSSION

Big data analytics shows great potential in helping Formula One racing maximize tire and brake performance, which are essential elements in reaching competitive lap times and guaranteeing safety. By means of sophisticated machine learning algorithms, Formula One teams have been able to increase their capacity to forecast tyre degradation and brake performance. This has produced better plans and decision-making for the races. The data collected by telemetry, real-time information on the temperature, tyre pressure, and brake wear levels, makes fundamental elements of these predictive models possible. Examining this data and generating actionable insights for ideal pit stops, tyre changes and brake cooling strategies has shown that machine learning techniques including regression analysis, random forests and neural networks have shown to be among the most useful tools in order to examine this data and produce actionable insights. Many obstacles have to be overcome before these technologies could be applied in actual racing events. One of the most critical handicaps is the complicated and erratic nature of the race conditions. Since many factors affect tyre and brake performance, including variations in the weather, the development of universal predictive models is rather challenging since strategic decisions made by competing teams can also affect the performance of the track surface. When conditions are perfect, models can reasonably predict tyre wear or brake temperatures; but they often find it challenging to remain accurate when outside factors cause quick performance changes. Furthermore, present models still mostly rely on past data, which limits their capacity to forecast in real time depending on dynamic and always changing race conditions.

V. INFERENCES

Based on the present research and body of knowledge, it is rather clear that data-driven approaches have great possibility to enhance Formula One car performance, particularly in terms of brake and tyre management. Already, machine learning models have shown they can rather effectively forecast when tires should be replaced. These models are based on degradation models that take into account several possibly affecting factors. Similarly, predictive models for brake performance, which take temperature and pad wear into account, have shown rather good success in significantly lowering brake fade and improving safety during contests.

These models improve race strategies but their adaptability and ability to make decisions in real time suffer. Moreover, needed is improved data fusion, the process of combining telemetry data with outside environmental variables including the temperature and data from competitors operating in real time. Moreover, the fact that traditional machine learning models are still used in the industry shows that many models fail to sufficiently represent the whole complexity of the dynamics of Formula One events.

VI. FUTURE SCOPE

A. *Advanced Machine Learning and Deep Learning Models:*

In the field of advanced machine learning and deep learning models, deep learning models, which comprise convolutional neural networks (CNNs) and recurrent neural networks (RNNs), have great potential to raise the prediction accuracy. Particularly in high-dimensional datasets altering over time, these models can be taught to recognize complex patterns in the telemetry data that simpler models would miss. This is true in situations whereby the data is evolving with time. Investigating these deep learning models could be the focus of next research to raise the accuracy of forecasts on tyre wear and brake performance under various race conditions.

B. *Real-Time Adaptability and Continuous Learning:*

One of the most important objectives of the work to be done in the future is developing models able of real-time adaptation to changing conditions since it will help to guarantee continuous learning. Models in this category can make dynamic changes to their predictions depending on external events including changes in the weather, accidents, and competitor strategies used. They can also continuously learn from fresh race data. These adaptive models have to be used to give pit teams and race engineers the most current data so as to maximize performance during the race itself.

C. *Hybrid Models for Optimized Performance:*

Combining several machine learning techniques, such as hybrid models that mix neural networks with optimization algorithms, for example, genetic algorithms or particle swarm optimization, has the potential to enable the development of predictions that are more accurate and reliable. These models allow one to maximize the performance of the brakes and tyres concurrently and take other aspects of the race, including lap time and fuel load, under consideration.

D. *Data Fusion and Multi-Source Integration:*

Combining several data sources, including sensor data from tyres and brakes, visual data from cameras (for tracking tyre wear), and external data, for example, weather forecasts and track conditions, should be the main emphasis of future studies. More accurate forecasts generated by this multi-source data fusion would help to acquire a more whole picture of the performance of the driving vehicle.

E. *Autonomous Decision-Making Systems:*

The ultimate aim is to establish autonomous decision-making systems able of automatically modifying tyre management, brake cooling and pit stop strategies without human participation. These systems would make quick decisions on the run during races using predictive models. This would ensure that performance is maximised free from constant hand control by strategists or engineers.

Big data analytics and machine learning applied in Formula One racing thus have great potential to help with tyre and brake management. On the other hand, ongoing research should concentrate on developing more flexible, real-time predictive models able of managing the complexity of race conditions and integrating several data sources to reach more accurate insights. Future Formula One racing might see increasingly autonomous systems leveraging sophisticated data analytics to push the envelope of performance optimization, so leveraging technology.

VII. CONCLUSION

Big data analytics and machine learning have been included into Formula One racing, and they have greatly enhanced the tyre and brake performance optimization. These elements ensure driver safety and help to reach competitive lap times. Teams have been able to better decide on pit stops, tire changes, and brake cooling by means of predictive models grounded on telemetry data including tire temperature, pressure, wear, and brake conditions. Regarding improving race strategies, lowering risks, and improving general performance, these models have shown great potential. These models still have to be adjusted to fit the always changing and intricate surroundings of a real-time racing environment; hence, overcoming difficulties is essential. With so many elements involved, weather, track conditions, competitor tactics, it is challenging to design models that fit every situation. Future research should mostly concentrate on the building of more advanced and flexible models able to manage this complexity and learn from real-time data collecting. crucial will be hybrid models, which combine machine learning algorithms with optimization strategies, and the fusion of many data sources so enhancing the accuracy and efficiency of predictive models. To maximize performance during races, so stretching the limits of both speed and safety in Formula 1, the ultimate goal is to produce autonomous systems capable of making decisions in real time, based on data.

REFERENCES

- [1] N. Xu, H. Askari, Y. Huang, J. Zhou, and A. Khajepour, "Tire force estimation in intelligent tires using machine learning," *IEEE Trans. Intell. Transp. Syst.*, vol. 23, no. 4, pp. 3565–3574, 2020.
- [2] J. Bastiaan, "Estimation of tyre forces using smart tyre sensors and artificial intelligence," *Int. J. Vehicle Des.*, vol. 76, no. 1–4, pp. 110–139, 2018.
- [3] S. Viswanathan, N. V. Sridharan, J. Rakkiyannan, and S. Vaithiyannathan, "Brake fault diagnosis using a voting ensemble of machine learning classifiers," *Results Eng.*, vol. 23, p. 102857, 2024.
- [4] Y. Liu *et al.*, "Impact of vehicle type, tyre feature and driving behaviour on tyre wear under real-world driving conditions," *Sci. Total Environ.*, vol. 842, p. 156950, 2022.
- [5] F. Farroni and A. Sakhnevych, "Tire multiphysical modeling for the analysis of thermal and wear sensitivity on vehicle objective dynamics and racing performances," *Simul. Model. Pract. Theory*, vol. 117, p. 102517, 2022.
- [6] P. Aversa, L. Cabantous, and S. Haefliger, "When decision support systems fail: Insights for strategic information systems from Formula 1," in *Strategic Information Management*, 2020, pp. 403–429.
- [7] A. Patil *et al.*, "A data-driven analysis of Formula 1 car races outcome," in *Proc. Irish Conf. Artif. Intell. Cogn. Sci.*, Dec. 2022, pp. 134–146.
- [8] M. K. Kumar and N. Preethi, "Formula one race analysis using machine learning," in *Proc. 3rd Int. Conf. Recent Trends Mach. Learn., IoT, Smart Cities Appl. (ICMISC)*, 2022, pp. 533–540.
- [9] H. Jafari *et al.*, "The intersection of Industry 4.0 with Formula 1 and other motorsports: Future of racing," in *Int. Conf. Sci. Technol. Adv. Mater. Energy Storage Convers.*, Jul. 2023, pp. 171–192.
- [10] L. Belkovic, K. Andr, and I. Takács, "Formula 1-Information solutions on and off the racetrack," in *Proc. 2024 IEEE 18th Int. Symp. Appl. Comput. Intell. Informatics (SACI)*, May 2024, pp. 1–6.
- [11] D. Bhatnagar and S. Urolagin, "Data warehousing for Formula One (racing) popularity rating using Pentaho tools," in *Proc. 2021 IEEE 6th Int. Conf. Comput., Commun. Autom. (ICCCA)*, Dec. 2021, pp. 1–7.
- [12] P. Aversa, L. Cabantous, and S. Haefliger, "When decision support systems fail: Insights for strategic information systems from Formula 1," in *Strategic Information Management*, 2020, pp. 403–429.
- [13] A. Xu, K. M. Lim, and H. P. Lee, "The sound and psychoacoustic analysis of 2023 Formula 1 race," *Results Eng.*, vol. 23, p. 102572, 2024.
- [14] C. C. Gerard-Reimer, "Race cartels: How constructor collaboration is curbing innovation in Formula 1," *Vand. J. Ent. & Tech. L.*, vol. 23, pp. 855, 2020.
- [15] E. Gutiérrez and S. Lozano, "Benchmarking Formula One auto racing circuits: A two stage DEA approach," *Oper. Res.*, vol. 20, no. 4, pp. 2059–2083, 2020.
- [16] A. Nalin *et al.*, "Application of cell phone data to monitor attendance during motor racing major event: The case of Formula One Grand Prix in Imola," *Case Stud. Transp. Policy*, vol. 18, p. 101287, 2024.
- [17] S. Kim, M. Jwa, S. Lee, S. Park, and N. Kang, "Deep learning-based inverse design for engineering systems: Multidisciplinary design optimization of automotive brakes," *Struct. Multidiscip. Optim.*, vol. 65, no. 11, p. 323, 2022.
- [18] M. Farahpoor, O. Esparza, and M. Soriano, "Comprehensive IoT-driven fleet management system for industrial vehicles," *IEEE Access*, 2023.
- [19] L. Akin, "Data-driven vehicle performance optimization for Formula Student Racing," Ph.D. dissertation, Politecnico di Torino, 2024.
- [20] A. Heilmeyer, A. Thomaser, M. Graf, and J. Betz, "Virtual strategy engineer: Using artificial neural networks for making race strategy decisions in circuit motorsport," *Appl. Sci.*, 2020.