

EXP18: Prolog Program for a Database with Name and DOB

Name: Y. Roshitha (192424400)

Aim:

To develop a Prolog program that creates a simple database of persons with their Name and Date of Birth (DOB), and to query it for specific information.

Algorithm:

- Step 1: Start the program.
- Step 2: Create a database containing names and corresponding dates of birth.
- Step 3: Store each person's details as facts.
- Step 4: Define a procedure to display all records in the database.
- Step 5: Define another procedure to search for the DOB of a particular person.
- Step 6: Load the program into SWI-Prolog.
- Step 7: Execute the required query.
- Step 8: Retrieve matching records from the database.
- Step 9: Display the result and terminate.

Source Code:


% Program for a Database with Name and Date of Birth (DOB)

```
person(ravi, date(15, 6, 2000)).  
person(anita, date(22, 11, 1998)).  
person(kumar, date(3, 3, 2001)).  
person(divya, date(30, 9, 1999)).
```

```
show_all :-  
    forall(person(Name, date(D, M, Y)),  
        format("~w : ~w-~w-~w~n", [Name, D, M, Y])).
```

```
show_dob(Name) :-  
    person(Name, date(D, M, Y)),  
    format("~w-~w-~w~n", [D, M, Y]).
```

Flowchart:



Output:

```
Welcome to SWI-Prolog (threaded, 64 bits, version 9.2.9)
SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software.
Please run ?- license. for legal details.

For online help and background, visit https://www.swi-prolog.org
For built-in help, use ?- help(Topic). or ?- apropos(Word).

?- cd('C:/Users/yanar/Documents/CSA1717').
true.

?- [dob].
true.

?- show_all.
ravi : 15-6-2000
anita : 22-11-1998
kumar : 3-3-2001
divya : 30-9-1999
true.

?- show_dob(ravi).
15-6-2000
true .

?- show_dob(anita).
22-11-1998
true ■
```

Result:

Thus the Prolog program for a database with Name and DOB was written, executed successfully and the output was verified.