

Python Weekly test (2nd)

Points: 15/40

Time: 34:58

1. Write your name *

ROSHNI VERMA

2. Select the NSTI *

- ☐ Calicut
- ☐ Howrah
- ☒ Kolkata
- ☐ Vidyanagar

✗ **Incorrect** 0/1 Points

3. What will be the output of the following Python code?

```
def sayHello():  
    print('Hello World!')  
sayHello()
```

- ☒ Hello World!
- ☐ 'Hello World!'

- ☐ Error
- ☐ None of these

✓ **Correct** 1/1 Points

4. What will be the output of the following Python code?

```
x = 50
def func(x):
    print('x is', x)
    x = 2
    print('Changed local x to', x)
func(x)
print('x is now', x)
```

- ☐ x is 50 / Changed local x to 2 / x is now 2
- ☐ x is 2 / Changed local x to 2 / x is now 50
- ☒ x is 50 / Changed local x to 2 / x is now 50
- ☐ None of these

✗ **Incorrect** 0/1 Points

5. Where is function defined?

- ☒ Module
- ☐ Class
- ☐ Another function
- ☐ All of the mentioned

✗ **Incorrect** 0/1 Points

6. If return statement is not used inside the function, the function will return:

- ☐ None
- ☒ 0
- ☐ Null
- ☐ Arbitrary value

✗ **Incorrect** 0/1 Points

7. What is the output of the following program?

```
z = lambda x : x * x  
print(z(6))
```

- ☐ 6
- ☐ 36
- ☐ 0
- ☒ error

✓ **Correct** 1/1 Points

8. What will be the output of the following Python code?

```
def maximum(x, y):  
    if x > y:  
        return x  
    elif x == y:  
        return 'The numbers are equal'  
    else:
```

```
    return y  
print(maximum(2, 3))
```

- ☐ 2
- ☒ 3
- ☐ The numbers are equal
- ☐ None of the mentioned

✗ **Incorrect** 0/1 Points

9. Choose the correct option with reference to below Python code?

```
def fn(a):  
    print(a)  
b=90  
fn(b)
```

- ☐ b is the formal argument.
- ☐ a is the actual argument.
- ☒ fn(b) is the function signature.
- ☐ b is the actual argument.

✗ **Incorrect** 0/1 Points

10. Which of the following is not an advantage of using modules?

- ☐ Provides a means of reuse of program code
- ☐ Provides a means of dividing up tasks
- ☐ Provides a means of reducing the size of the program

- ☒ Provides a means of testing individual parts of the program

✓ **Correct** 1/1 Points

11. Which of the following is not a valid namespace?

- ☐ Global namespace
- ☒ Public namespace
- ☐ Built-in namespace
- ☐ Local namespace

✗ **Incorrect** 0/1 Points

12. What will be the output of the following Python code?

```
from math import factorial  
print(math.factorial(5))
```

- ☒ 120
- ☐ Nothing is printed
- ☐ Error, method factorial doesn't exist in math module
- ☐ None of these

✓ **Correct** 1/1 Points

13. What will be the output of the following Python code?

```
e="butter"  
def f(a):  
    print(a)+e  
f("bitter")
```

- ☐ error
- ☐ butter / error
- ☒ bitter / error
- ☐ None of these

✗ **Incorrect** 0/1 Points

14. What will be the output of the following Python code?

```
def f():  
    x=4  
x=1  
f()  
print(x)
```

- ☒ Error
- ☐ 4
- ☐ Junk value
- ☐ 1

✓ **Correct** 1/1 Points

15. What will be the output of the following code snippet?

```
a = [1, 2, 3]  
a = tuple(a)  
a[0] = 2  
print(a)
```

- ☐ [2,2,3]
- ☐ (2,2,3)

☐ (1,2,3)☒ Error

✓ **Correct** 1/1 Points

16. What will be the output of the following code snippet?

```
print(type(5 / 2))  
print(type(5 // 2))
```

☒ float & int☐ int & float☐ int & int☐ float & float

✗ **Incorrect** 0/1 Points

17. What will be the output of the following code snippet?

```
def solve(a):  
    a = [1, 3, 5]  
a = [2, 4, 6]  
print(a)  
solve(a)  
print(a)
```

☐ [2, 4, 6] / [2, 4, 6]☒ [2, 4, 6] / [1, 3, 5]☐ [1, 3, 5] / [1, 3, 5]☐ None of these

✓ **Correct** 1/1 Points

18. What will be the output of the following code snippet?

```
a = 3
b = 1
print(a, b)
a, b = b, a
print(a, b)
```

☒ 3 1 / 1 3

☐ 3 1 / 3 1

☐ 1 3 / 1 3

☐ 1 3 / 3 1

✗ **Incorrect** 0/1 Points

19. What will be the output of the following code snippet?

```
example = ["Sunday", "Monday", "Tuesday", "Wednesday"]
print(example[-3:-1])
```

☐ ['sunday', 'Monday']

☐ ['Monday', 'Tuesday']

☒ ['Tuesday', 'Wednesday']

☐ None of these

✓ **Correct** 1/1 Points

20. What will be the type of the variable sorted_numbers in the below code snippet?

```
numbers = (4, 7, 19, 2, 89, 45, 72, 22)
```



```
sorted_numbers = sorted(numbers)
print(sorted_numbers)
```

- ☐ Tuple
- ☐ Dictionary
- ☒ List
- ☐ Int

✗ **Incorrect** 0/1 Points

21. What will be the output of the following code snippet?

```
set1 = {1, 3, 5}
set2 = {2, 4, 6}
print(len(set1 + set2))
```

- ☐ 6
- ☐ 0
- ☐ Error
- ☒ 3

✗ **Incorrect** 0/1 Points

22. Which of the following is not a valid set operation in python?

- ☒ Union
- ☐ Intersection
- ☐ All of the above

☐ None of the above

✓ **Correct** 1/1 Points

23. Which of the following are valid string manipulation functions in Python?

☐ count()

☐ strip()

☒ All of the above

☐ None of the above

✓ **Correct** 1/1 Points

24. What will be the result of the following expression in Python "2 ** 3 + 5 ** 2"?

☐ 65536

☒ 33

☐ 169

☐ None of these

✓ **Correct** 1/1 Points

25. To open a file c:\scores.txt for appending data, we use _____

☒ outfile = open("c:\\scores.txt", "a")

☐ outfile = open("c:\\scores.txt", "rw")

☐ outfile = open(file = "c:\scores.txt", "w")

☐ outfile = open(file = "c:\\scores.txt", "w")

✗ **Incorrect** 0/1 Points

26. The readlines() method returns _____

- ☐ str
- ☐ a list of lines
- ☒ a list of single characters
- ☐ a list of integers

✗ **Incorrect** 0/1 Points

27. What will be the output of the following Python code?

```
str = input("Enter your input: ");  
print "Received input is : ", str
```

- ☐ Enter your input: [x*5 for x in range(2,10,2)] / Received input is : [x*5 for x in range(2,10,2)]
- ☐ Enter your input: [x*5 for x in range(2,10,2)] / Received input is : [10, 30, 20, 40]
- ☒ Enter your input: [x*5 for x in range(2,10,2)] / Received input is : [10, 10, 30, 40]
- ☐ d) None of the mentioned

✓ **Correct** 1/1 Points

28. What is the current syntax of rename() a file?

- ☐ rename(new_file_name, current_file_name,)

- ☐ rename()(current_file_name, new_file_name))
- ☒ rename(current_file_name, new_file_name)
- ☐ none of the mentioned

✗ **Incorrect** 0/1 Points

29. Which of the following mode will refer to binary data?

- ☒ r
- ☐ w
- ☐ +
- ☐ b

✗ **Incorrect** 0/1 Points

30. What is the correct syntax of open() function?

- ☒ file = open(file_name [, access_mode][, buffering])
- ☐ file object = open(file_name)
- ☐ file object = open(file_name [, access_mode][, buffering])
- ☐ None of these

✓ **Correct** 1/1 Points

31. Which of the following is correct with respect to OOP concept in Python?

- ☒ Objects are real world entities while classes are not real.

- ☐ Classes are real world entities while objects are not real.
- ☐ Both objects and classes are real world entities.
- ☐ Both object and classes are not real.

✗ **Incorrect** 0/1 Points

32. Which of the following is False with respect Python code?
class Student:

```
def __init__(self,id,age):
```

```
    self.id=id
```

```
    self.age=age
```

```
std=Student(1,20)
```

- ☒ "std" is the reference variable for object Student(1,20)
- ☐ id and age are called the parameters.
- ☐ Every class must have a constructor.
- ☐ None of the above

✗ **Incorrect** 0/1 Points

33. What will be the output of below Python code?
class Student:

```
def __init__(self,name,id):
```

```
    self.name=name
```

```
    self.id=id
```

```
    print(self.id)
```

```
std=Student("Simon",1)
```

```
std.id=2  
print(std.id)
```

☐ 1 / 1

☐ 1 / 2

☒ 2 / 1

☒ 2 / 1

✗ **Incorrect** 0/1 Points

34. Which of the following is correct?

```
class A:  
    def __init__(self,name):  
        self.name=name  
a1=A("john")  
a2=A("john")
```

☒ id(a1) and id(a2) will have same value.

☐ id(a1) and id(a2) will have different values.

☐ Two objects with same value of attribute cannot be created.

☐ None of the above

✗ **Incorrect** 0/1 Points

35. Which of the following is correct?

```
class Book:  
    def __init__(self,author):  
        self.author=author  
book1=Book("Jones")  
book2=book1
```

- ☒ Both book1 and book2 will have reference to two different objects of class Book.
- ☐ id(book1) and id(book2) will have same value.
- ☐ It will throw error as multiple references to same object is not possible.
- ☐ None of the above

✓ **Correct** 1/1 Points

36. What will be the output of below Python code?

```
class A():
    def __init__(self,count=100):
        self.count=count

obj1=A()
obj2=A(102)
print(obj1.count)
print(obj2.count)
```

- ☐ 100 / 100
- ☒ 100 / 102
- ☐ 102 /102
- ☐ Error

✗ **Incorrect** 0/1 Points

37. What will be the output of the following Python code?

```
class test:
    def __init__(self,a=""Hello World"):
        self.a=a

    def display(self):
        print(self.a)

obj=test()
obj.display()
```

- ☒ The program has an error because constructor can't have default arguments
- ☐ Nothing is displayed
- ☐ "Hello World" is displayed
- ☐ The program has an error display function doesn't have parameters

✗ **Incorrect** 0/1 Points

38. What is getattr() used for?

- ☐ To access the attribute of the object
- ☐ To delete an attribute
- ☐ To check if an attribute exists or not
- ☒ To set an attribute

✗ **Incorrect** 0/1 Points

39. Which of the following best describes inheritance?

- ☒ Means of bundling instance variables and methods in order to restrict access to certain class members
- ☐ Ability of a class to derive members of another class as a part of its own definition
- ☐ Focuses on variables and passing of variables to functions
- ☐ Allows for implementation of elegant software that is well designed and easily modified
- ☐ Option 2

✗ **Incorrect** 0/1 Points

40. What type of inheritance is illustrated in the following Python code?

```
class A():  
    pass  
class B(A):  
    pass  
class C(B):  
    pass
```

- ☒ Multiple inheritance
- ☐ Hierarchical inheritance
- ☐ Single-level inheritance
- ☐ None of these

✗ **Incorrect** 0/1 Points


41. Which of the following best describes polymorphism?

- ☐ Ability of a class to derive members of another class as a part of its own definition
- ☐ Means of bundling instance variables and methods in order to restrict access to certain class members
- ☒ Focuses on variables and passing of variables to functions
- ☐ Allows for objects of different types and behaviour to be treated as the same general type

✓ **Correct** 1/1 Points

42. Identify the scope resolution operator.

- ☐ :



Keep the information with you by saving your response.

Save my response

This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Powered by Microsoft Forms |

The owner of this form has not provided a privacy statement as to how they will use your response data. Do not provide personal or sensitive information.

| [Terms of use](#)