

NodeJS & ExpressJS (6th weekly test)

Points: 23/40

Time: 16:53

1. Write your name *

ROSHNI VERMA

2. Select your location *

- ☐ NSTI Calicut
- ☐ NSTI Howrah
- ☒ NSTI Kolkata
- ☐ NSTI Vidyanagar

✓ **Correct** 1/1 Points

3. Which of the following is used to interact with MySQL in Node.js?

- ☐ mysql

- ☐ sequelize
- ☐ knex
- ☒ all of the above

✗ **Incorrect** 0/1 Points

4. Which core module provides functionality for working with paths and file directories in Node.js?

- ☒ http
- ☐ fs
- ☐ path
- ☐ url

✗ **Incorrect** 0/1 Points

5. What does the npm install --save command do when installing a package?

- ☐ It installs the package globally.
- ☒ It saves the package as a development dependency in the package.json file.
- ☐ It installs the package as a production dependency in the package.json file.
- ☐ It removes the package from the project.

✓ **Correct** 1/1 Points

6. Which of the following is used to create file uploading services in Node.js?

- ☒ Multer
- ☐ formidable
- ☐ busboy
- ☐ all of the above

✓ **Correct** 1/1 Points

7. Which core feature of Express.js simplifies the creation of web routes and handling of HTTP requests and responses?

- ☒ Middleware
- ☐ Promises
- ☐ Templates
- ☐ Cookies

✓ **Correct** 1/1 Points

8. What HTTP methods are commonly used in RESTful APIs to perform CRUD (Create, Read, Update, Delete) operations on resources?

- ☒ GET, POST, PUT, DELETE.
- ☐ CREATE, FETCH, MODIFY, DELETE.
- ☐ READ, WRITE, UPDATE, REMOVE.

☐ REQUEST, RECEIVE, UPDATE, REMOVE

✓ **Correct** 1/1 Points

9. Which of the following is used to handle errors in Node.js?

☐ try/catch

☐ throw

☐ assert

☒ all of the above

✗ **Incorrect** 0/1 Points

10. In Visual Studio Code, what extension is commonly used for debugging Node.js applications?

☐ Node Debug

☒ Express Debugger

☐ Mocha Test Runner

☐ NPM Task Runner

✓ **Correct** 1/1 Points

11. Which of the following is used to send email in Node.js?

☒ nodemailer

- ☐ email.js
- ☐ sendmail
- ☐ all of the above

✗ **Incorrect** 0/1 Points

12. What is the purpose of the package.json file in a Node.js project?

- ☐ To store HTML templates
- ☒ To define API routes
- ☐ To specify project metadata, dependencies, and scripts
- ☐ To manage database migrations

✓ **Correct** 1/1 Points

13. Which statements is correct about mongoose in MongoDB ?

- ☐ it is Java library to connect with MongoDB
- ☒ It is used for modeling your application data in node.js
- ☐ It is Python library to connect with MongoDB
- ☐ It is a PHP library to connect with MongoDB

✗ **Incorrect** 0/1 Points

14. Which of the following is used to manage asynchronous operations in Node.js?

- ☐ callbacks
- ☐ promises
- ☒ async/await
- ☐ all of the above

✓ **Correct** 1/1 Points

15. Which of the following is used to interact with MongoDB in Node.js?

- ☒ mongoose
- ☐ sequelize
- ☐ knex
- ☐ all of the above

✓ **Correct** 1/1 Points

16. How is a WebSocket different from a traditional HTTP request in Node.js?

- ☐ WebSockets use a different port number for communication.
- ☐ WebSockets are unidirectional, while HTTP is bidirectional.
- ☒ WebSockets provide full-duplex communication, allowing both the client and server to send data at any time.

☐ WebSockets are a deprecated technology.

✗ **Incorrect** 0/1 Points

17. Which of the following is used to create package managers in Node.js?

☒ npm

☐ Yarn

☐ pnpm

☐ all of the above

✓ **Correct** 1/1 Points

18. In Node.js, what is the typical way to establish a connection to a MySQL database using the mysql module?

☐ By calling the mysql.connect() method.

☐ By specifying the database connection details in a JavaScript file.

☒ By using the mysql.createConnection() method and passing connection options.

☐ By defining a new MySQL class

✓ **Correct** 1/1 Points

19. What is the primary purpose of testing in Node.js development?

☐ To create HTML templates

- ☒ To identify and fix bugs and errors in the application code
- ☐ To handle database migrations
- ☐ To optimize network connections

✓ **Correct** 1/1 Points

20. In the context of Node.js performance, what is "caching"?

- ☐ A method for managing hardware devices
- ☒ Storing frequently accessed data in memory to reduce redundant computations and speed up responses
- ☐ The process of creating static HTML templates
- ☐ A type of routing strategy

✓ **Correct** 1/1 Points

21. Which of the following is used to create error handling frameworks in Node.js?

- ☒ Express.js error handling middleware
- ☐ domain module
- ☐ Node.js assert module
- ☐ all of the above

✗ **Incorrect** 0/1 Points

22. What is Mongoose in the context of Node.js and MongoDB?

- ☐ A type of fruit
- ☐ A popular template engine
- ☐ An ORM library for MongoDB
- ☒ A built-in MongoDB module

✓ **Correct** 1/1 Points

23. What is the purpose of using comments in Node.js code?

- ☐ To hide code from other developers
- ☐ To provide additional security
- ☒ To explain the code's functionality, logic, and usage
- ☐ To create HTML templates

✓ **Correct** 1/1 Points

24. In MongoDB, what is a document in the context of database connectivity?

- ☐ A physical data storage unit
- ☐ A structured query language
- ☒ A JSON-like data structure used to store and retrieve data
- ☐ A client-side JavaScript file

✓ **Correct** 1/1 Points

25. What is Express.js commonly used for in web development?

- ☐ Real-time event handling
- ☐ Front-end design
- ☒ Building web applications, RESTful APIs, and server-side applications
- ☐ Database management

✗ **Incorrect** 0/1 Points

26. In which format MongoDB represents document structure?

- ☐ BSON
- ☐ .txt
- ☒ .Docx
- ☐ None of these

✓ **Correct** 1/1 Points

27. The Node.js modules can be exposed using

- ☐ module.expose
- ☐ module
- ☒ module.exports

☐ none of the above

✓ **Correct** 1/1 Points

28. What is the purpose of "promises" in Node.js development, and how do they differ from callbacks?

- ☐ Promises are used for debugging code, and they are interchangeable with callbacks.
- ☒ Promises are a way to handle asynchronous operations in a more readable and structured manner compared to callbacks.
- ☐ Promises are a type of callback.
- ☐ Promises are used for caching data.

✗ **Incorrect** 0/1 Points

29. In Express.js, what is the purpose of the `app.use()` method when defining middleware for routing?

- ☐ To define static file serving
- ☒ To define error-handling middleware
- ☐ To specify route handlers for all routes
- ☐ To establish network connections

✓ **Correct** 1/1 Points

30. Which platform is Node.js built on top of?

- ☐ .NET
- ☐ Java
- ☒ V8 JavaScript engine
- ☐ Ruby on Rails

✓ **Correct** 1/1 Points

31. which field is always the first field in the document.?

- ☒ _id
- ☐ Ob_id
- ☐ id
- ☐ None of these

✗ **Incorrect** 0/1 Points

32. What is the purpose of the app.use() method in Express.js?

- ☒ To define API routes
- ☐ To create HTML templates
- ☐ All of the above
- ☐ None of these

✗ **Incorrect** 0/1 Points

33. How do you include a module in a Node.js file?

- ☒ By declaring it as a global variable
- ☐ By using the import statement
- ☐ By using the require function
- ☐ By copying and pasting the module's code

✗ **Incorrect** 0/1 Points

34. What is a common use case for npm scripts in a Node.js project?

- ☐ A. Handling database connections
- ☒ Defining routing for web applications
- ☐ Creating HTML templates
- ☐ None of these

✗ **Incorrect** 0/1 Points

35. Which Node.js module is commonly used for connecting to MongoDB databases?

- ☐ mongo
- ☐ mysql
- ☐ mongodb
- ☒ mongoose

✓ **Correct** 1/1 Points

36. What is an Object-Relational Mapping (ORM) library used for in Node.js and database connectivity?

- ☐ To create static HTML templates
- ☐ To manage hardware devices
- ☒ To provide an abstraction layer that simplifies database operations by mapping database entities to JavaScript objects
- ☐ To establish network connections

✗ **Incorrect** 0/1 Points

37. Which of the following is true about process global object?

- ☐ The process object is an instance of EventEmitter.
- ☐ process emits exit event when process is about to exit.
- ☒ process emits uncaughtException when an exception bubbles all the way back to the event loop.
- ☐ All of the above

✗ **Incorrect** 0/1 Points

38. Which of the following is used to create HTTP servers in Node.js?

- ☐ http

- ☒ express
- ☐ koa
- ☐ all of the above

✓ **Correct** 1/1 Points

39. What is authorization in Node.js?

- ☐ A JavaScript library
- ☒ The process of granting or denying access to specific resources or actions based on the authenticated user's permissions
- ☐ A method for encrypting data
- ☐ A type of middleware

✗ **Incorrect** 0/1 Points

40. Which method of fs module is used to delete a file?

- ☒ fs.delete(fd, len, callback)
- ☐ fs.remove(fd, len, callback)
- ☐ fs.unlink(path, callback)
- ☐ None of the above.

✗ **Incorrect** 0/1 Points

41. What is the primary benefit of using route parameters in Express.js routing?

- ☒ They provide a way to hide sensitive information in URLs.
- ☐ They allow for dynamic routing based on values captured from the URL.
- ☐ They simplify the creation of HTML templates.
- ☐ They are used for error handling.

✓ **Correct** 1/1 Points

42. What is the purpose of the "node_modules" directory in a Node.js project?

- ☐ To store backup copies of the application code
- ☐ To contain built-in Node.js modules
- ☒ To store third-party packages and libraries installed via npm
- ☐ To host the application's database

Keep the information with you by saving your response.

[Save my response](#)



This content is created by the owner of the form. The data you submit will be sent to the form owner. Microsoft is not responsible for the privacy or security practices of its customers, including those of this form owner. Never give out your password.

Microsoft Forms | AI-Powered surveys, quizzes and polls [Create my own form](#)

The owner of this form has not provided a privacy statement as to how they will use your response data. Do not provide personal or sensitive information. | [Terms of use](#)