Appendix

Visual Tests

Here, we'll perform some visual tests allowing the user to ensure that `stat440pkg` is returning sane results.

`gen.imp.resp`

Let's make sure `gen.imp.resp` is returning somewhat normally-distributed data.

```
library(stat440pkg)
library(tidyr)
library(ggplot2)

imp.resp <- gen.imp.resp(data = multiis, num.iter = 5)
gathered.data <- gather(imp.resp)
p <- ggplot(gathered.data) +
  geom_histogram(aes(x = value), binwidth = 0.25) +
  facet_wrap(~ key)

plot(p)
```



gen.latent.vars

Let's make sure `gen.latent.vars` is returning somewhat normally-distributed data. First we'll do so for Bartlett scores, then Thompson regression scores.

Bartlett factor scores

```
grp.indicator <- sapply(names(multiis), FUN =
                            function(x){strsplit(x, split = "_")[[1]][2]})

lv <- gen.latent.vars(data = multiis, grp.indicator = grp.indicator, num.iter = 5, scores = "Bartlett")

gathered.data <- gather(lv)
p <- ggplot(gathered.data) +
  geom_histogram(aes(x = value), binwidth = 0.25) +
  facet_wrap(~ key)

plot(p)
```



Thompson factor scores

```
grp.indicator <- sapply(names(multiis), FUN =
                            function(x){strsplit(x, split = "_")[[1]][2]})
```

```
lv <- gen.latent.vars(data = multiis, grp.indicator = grp.indicator, num.iter = 5, scores = "regression"

gathered.data <- gather(lv)
p <- ggplot(gathered.data) +
  geom_histogram(aes(x = value), binwidth = 0.2) +
  facet_wrap(~ key)

plot(p)
```



Results using Thompson scores for latent variables

Here, we'll create the similar plots to those that appear in the Results section of the report, but using Thompson scores.

```
M <- 50
latent.datasets <- gen.latent.datasets(M, multiis, grp.indicator = grp.indicator, num.iter = 5, scores =

pooled.add1 <- pool.analyses(latent.datasets, cat~comp + int, lm)
pooled.add2 <- pool.analyses(latent.datasets, comp~cat + int, lm)
pooled.add3 <- pool.analyses(latent.datasets, int~comp + cat, lm)

signif(pooled.add1$hypothesis.test, digits = 3)
```

```
##             Estimate Std. Error p value
## (Intercept) -5.48e-18    0.00596  1.0000
## comp         4.63e-02    0.01950  0.0175
```

```
## int          -1.21e-02    0.01740  0.4880
```

```
signif(pooled.add2$hypothesis.test, digits = 3)
```

```
##              Estimate Std. Error  p value
## (Intercept) -4.69e-19    0.00575 1.00e+00
## cat          4.75e-02    0.01610 3.18e-03
## int         -9.84e-02    0.01940 3.93e-07
```

```
signif(pooled.add3$hypothesis.test, digits = 3)
```

```
##              Estimate Std. Error  p value
## (Intercept)  1.01e-18    0.00569 1.00e+00
## comp        -1.00e-01    0.01850 6.02e-08
## cat         -2.25e-02    0.01550 1.46e-01
```

```
library(scatterplot3d)
add <- function(x) Reduce("+", x)
averaged <- add(latent.datasets)/M
fit <- lm(int~comp + cat, data = averaged)
scplot <- scatterplot3d(averaged$comp, averaged$cat, averaged$int,
              main="3D Scatterplot of Latent Variables\n with Regression Plane for Int ~  Comp + Cat", a
              xlab = "compartmentalization", ylab = "categorization", zlab = "integration",
              col.grid = "lightgrey", pch = 19, color = "lightblue")

scplot$plane3d(fit, lty = "dotted")
orig <- scplot$xyz.convert(averaged$comp, averaged$cat, averaged$int)
plane <- scplot$xyz.convert(averaged$comp, averaged$cat, fitted(fit))
i.negpos <- 1 + (resid(fit) > 0)
segments(orig$x, orig$y, plane$x, plane$y,
         col = c("blue", "red")[i.negpos], lty = (2:1)[i.negpos])
```



```
# ggplot2 pairs plot
library(ggplot2)
library(GGally)

ggpairs(averaged)
```