```
margin: 0;
    padding: 0;
    box-sizing: border-box;
 body {
   margin: 0px;
   font-family: 'segoe ui';
.nav {
 height: 50px;
 width: 100%;
 background-color: white;
 position: relative;
.nav > .nav-header {
 display: inline;
.nav > .nav-header > .nav-title {
 display: inline-block;
 font-size: 22px;
 color: black;
 padding: 10px 10px 10px 10px;
.nav-title{
 overflow: hidden;
 border-right: .15em solid #9b53b6;
 white-space: nowrap;
 margin: 0 auto;
  letter-spacing: .15em;
 animation:
    typing 3.5s steps(40, end) infinite alternate,
    blink-caret .75s step-end infinite;
/* The typing effect */
@keyframes typing {
 from { width: 0 }
 to { width: 100% }
```

```
/* The typewriter cursor effect */
@keyframes blink-caret {
  from, to { border-color: transparent }
  50% { border-color: #9b53b6; }
.nav > .nav-btn {
 display: none;
.nav > .nav-links {
 display: none;
.nav > .nav-links > a {
 display: inline-block;
 padding: 13px 10px 13px 10px;
  text-decoration: none;
  color: #efefef;
.nav > .nav-links > a:hover {
 background-color: rgba(0, 0, 0, 0.3);
.nav > #nav-check {
  display: none;
@media (max-width:600px) {
  .nav > .nav-btn {
   display: inline-block;
   position: absolute;
   right: 0px;
   top: 0px;
  .nav > .nav-btn > label {
   display: inline-block;
   width: 50px;
   height: 50px;
   padding: 13px;
    background-color: #5c5ae5;
  .nav > .nav-btn > label:hover,.nav #nav-check:checked ~ .nav-btn > label {
   background-color: #9b53b6;
```

```
.nav > .nav-btn > label > span {
 display: block;
 width: 25px;
 height: 10px;
 border-top: 2px solid #eee;
.nav > .nav-links {
 position: absolute;
 display: block;
 width: 100%;
 background: black;
 height: 0px;
 transition: all 0.3s ease-in;
 overflow-y: hidden;
 top: 50px;
 left: 0px;
.nav > .nav-links > a {
 display: block;
 width: 100%;
.nav > #nav-check:not(:checked) ~ .nav-links {
 height: 0px;
.nav > #nav-check:checked ~ .nav-links {
 height: calc(100vh - 50px);
 overflow-y: auto;
```