


Model	Year	MG	SG	Illustration	Restrictions	UPD	21:13	31.01.2010		PET	
944	1985	8	11	811-05		248	USA / CANADA				



Pos	Part Number	Description	Remark	Qty	Model
		lifting roof	84 -		M650
1	944 564 021 01	roof		1	
2	944 564 047 00	lining		1	
	05T	black			
	4RB	brown			
3	944 624 055 00	electric drive		1	
4	944 624 011 00	electric motor		1	
5	944 564 941 00	assembly kit see tpi group 8 NR. 43		1	
6	944 564 114 01	gasket		1	
7	477 871 761	tensioning device		2	
8	477 871 789	sealing strip		2	
9	N 012 226 5	spring washer B 6		2	
10	477 871 763 A	threaded sleeve		2	
11	477 871 217	roof catch	/V	2	
12	477 871 219	bearing bracket		2	
	01C	black			
13	N 033 174 1	countersunk-head screw M 3 X 6		6	
14	477 871 665 A	centring wedge	/V	2	
15	N 013 964 4	tapping screw B 4,2 X 16		4	
16	N 033 018 1	lens-head screw M 5 X 12		2	
17	999 704 605 07	cone washer		2	
18	944 564 621 00	edge protection		1	
19	477 871 053	clip		11	
20	311 867 167	tapping screw		1	
21	900 151 028 02	washer		1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	21:13	31.01.2010	PORSCHE PET PORSCHE		
944	1985	8	11	811-05		248	USA / CANADA				

Pos	Part Number	Description	Remark	Qty	Model	Pos	Part Number	Description	Remark	Qty	Model
22	311 867 169	cap		1			05T	black			
	01C	black					4RB	brown			
	90V	brown				41	944 564 161 00	gate guide	/L/H	1	
23	944 564 093 00	air deflector		1		(41)	944 564 162 00	gate guide	/R/H	1	
24	944 564 683 00	bearing		1		42	N 014 133 8	oval-head screw M 5 X 12		2	
25	N 013 964 4	tapping screw 4,2 X 16		1		43	N 014 264 4	oval-head screw AM 5 X 10		4	
26	944 564 685 00	flap		1		44	944 613 033 00	microswitch		1	
27	944 564 223 00	fastening part centre		1		45	944 613 127 00	microswitch		2	
28	944 564 224 00	adjusting screw		2		46	N 100 718 01	pan-head screw M 5 X 70		2	
29	N 012 222 4	spring washer A 5		1		47	900 025 003 02	washer A 5,3		2	
30	N 014 133 8	oval-head screw M 5 X 12		1		48	N 012 104 2	serrated lock washer 5,3		2	
31	944 564 233 00	cap		3		49	N 011 005 14	hexagon nut M 5		2	
	01C	black				50	999 218 005 02	pan-head screw M 6		4	
	90V	brown				51	N 011 524 7	washer A 6,4		4	
32	477 871 635 A	hinge	/L	1		52	431 951 253 D	relay		2	
(32)	477 871 636 A	hinge	/R	1		53	944 564 521 00	support		1	
33	477 837 959	self-lock. fillister screw		4		54	N 013 967 5	tapping screw BZ 4,2 X 19		1	
34	477 871 701 A	cap nut		4		55	944 624 415 00	spacer sleeve		1	
35	900 143 031 02	oval-head sheetmetal screw B 4,2 X 9,5		4		56	944 624 417 00	rubber sleeve		1	
36	944 564 235 00	water drain hose	/L/H	1		57	N 902 577 01	speed nut B 4,2		1	
(36)	944 564 064 00	water drain hose	/R/H	1		58	944 564 433 00	support		1	
37	944 564 237 00	water drain tube	/L/H	1		59	N 013 884 4	tapping screw BZ 4,8 X 13		2	
(37)	944 564 238 00	water drain tube	/R/H	1		60	N 012 201 2	washer 5,5		2	
38	021 119 569	rubber sleeve		X							
39	321 877 233 C	water drain hose	/V	2							
40	477 871 027	retaining pocket		1							

Model	Year	MG	SG	Illustration	Restrictions	UPD	21:13	31.01.2010		PET	
944	1985	8	11	811-05		248	USA / CANADA				

Pos	Part Number	Description	Remark	Qty	Model	Pos	Part Number	Description	Remark	Qty	Model
61	999 591 722 02	speed nut B 4,8 X 19		2							
62	944 564 517 00	lid		1							
63	944 564 425 01	driver		1							
64	944 564 427 00	clamping sleeve		1							
64	944 564 427 00	clamping sleeve		1							
65	944 564 437 00	pinion		1							
66	900 116 003 02	circlip		1							
67	N 014 745 2	pan-head screw M 6 X 14 micro-self-locking		4							
68	944 556 441 00	felt strip		1							