

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:46	23.01.2010	PORSCHE	PET	PORSCHE
9442	1991	6	02	602-01		248					

Pos	Part Number	Description	Remark	Qty	Model
		disc brake front axle see technical information GR.4, NR.1/89 GR.4, NR.1/93			944S2/TURBO
1	951 351 085 03	cover plate	/L	1	
(1)	951 351 086 03	cover plate	/R	1	
2	N 010 226 2	hexagon-head bolt M 7 X 10		6	
3	N 012 234 5	spring washer		6	
4 A	951 351 041 02	brake disc		2	944S2
4	951 351 041 02	brake disc		2	944S2
(4)	928 351 043 60	brake disc	/L 90-	1	TURBO 944S2 M030
(4)	928 351 044 60	brake disc	/R 90-	1	TURBO 944S2 M030
5	N 033 167 1	countersunk-head screw M 6 X 12		4	
7	951 351 421 01	fixed calliper with scraper ring piston \$ 36/40 F >>94KN4 02629	/L	1	944S2
7	951 351 421 03	fixed calliper with protection cap piston \$ 36/40 F 94KN4 02630>>	/L	1	944S2
7	951 351 093 00	fixed calliper with scraper ring piston \$ 36/44	/L	1	TURBO
7	928 351 421 03	fixed calliper with protection cap piston \$ 36/44	/L 90-	1	TURBO 944S2 M030

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:46	23.01.2010	PORSCHÉ PET PORSCHÉ		
9442	1991	6	02	602-01		248					

Pos	Part Number	Description	Remark	Qty	Model	Pos	Part Number	Description	Remark	Qty	Model
(7)	951 351 422 01	fixed calliper with scraper ring piston \$ 36/40 F >>94KN4 02629	/R	1	944S2	12	930 351 927 00	dust boot		4	
						13	951 352 950 00	expanding spring		2	944S2
						13	928 351 950 01	expanding spring	90-	2	TURBO 944S2 M030
(7)	951 351 422 03	fixed calliper with protection cap piston \$ 36/40 F 94KN4 02630>>	/R	1	944S2	14	951 351 971 00	connecting line		2	944S2
						14	928 351 971 00	connecting line	90-	2	TURBO 944S2 M030
(7)	951 351 094 00	fixed calliper with scraper ring piston \$ 36/44	/R	1	TURBO	15	951 351 919 02	gasket set with scraper ring \$ 40 F >>94KN4 02629		2	944S2
(7)	928 351 422 03	fixed calliper with protection cap piston \$ 36/44	/R	1	TURBO 944S2 M030	15	951 351 919 11	gasket set with protection cap \$ 40 F 94KN4 02630>>		2	944S2
8	N 010 137 2	hexagon-head bolt M 12 X 1,5 X 35		4	944S2	15	928 351 919 01	gasket set with scraper ring \$ 44		2	TURBO
8	900 067 154 02	pan-head screw M 12 X 1,5 X 70		4	TURBO 944S2 M030	15	928 351 919 10	repair kit with protection cap \$ 44	90-	2	TURBO 944S2 M030
9	900 028 014 02	spring washer B 12		4	944S2	16	951 351 919 01	gasket set with scraper ring \$ 36 F >>94KN4 02629		2	944S2
9	N 011 564 2	washer B 13		4	TURBO 944S2 M030	16	951 351 919 10	repair kit with protection cap \$ 36 F 94KN4 02630>>		2	944S2
10	A 951 351 939 08	brake pad repair set		1	944S2	16	951 351 919 01	gasket set with scraper ring \$ 36		2	TURBO
10	951 351 939 08	brake pad repair set without asbestos use also: POS.(24)		1	944S2						
10	A 993 351 939 01	brake pad repair set		1	TURBO						
10	993 351 939 01	brake pad repair set without asbestos use also: POS.(23)		1	TURBO 944S2 M030						
11	930 351 919 00	ventilation valve		4							

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:46	23.01.2010	PORSCHE	PET	PORSCHE
9442	1991	6	02	602-01		248					

Pos	Part Number	Description	Remark	Qty	Model	Pos	Part Number	Description	Remark	Qty	Model
16	951 351 919 10	repair kit with protection cap \$ 36	90-	2	TURBO 944S2 M030	24	951 351 096 00	damping plate for piston with scraper ring \$ 40 F >>94KN4 02629		4	944S2
17	964 351 959 01	repair kit spring plate		2	944S2						
17	993 351 959 01	repair kit spring plate	90-	2	TURBO 944S2 M030	24	964 351 096 01	damping plate for piston with protection cap \$ 36 F 94KN4 02630>>		4	944S2
18	964 351 959 00	repair kit spring plate		2	944S2						
18	993 351 959 00	repair kit spring plate	90-	2	TURBO 944S2 M030	24	964 351 096 02	damping plate for piston with protection cap \$ 40 F 94KN4 02630>>		4	944S2
19	000 043 020 00	optimoly TA 1 100-gramme tube		X							
(19)	000 043 117 00	brake cylinder paste 1 50-g tube		X							
20	944 612 365 01	warning contact use also:		2							
21	928 612 361 00	cable holder		2							
22	951 341 705 00	cable holder		2							
23	951 351 089 04	vibration damper for fixed calliper with scraper ring \$ 25,2/33,8		4	TURBO						
23	951 351 089 03	vibration damper for fixed calliper with protection cap \$ 19,7/27,3	90-	4	TURBO 944S2 M030						
24	928 351 096 19	damping plate for piston with scraper ring \$ 36 F >>94KN4 02629		4	944S2						