

Jeffrey Ross-Ibarra

Department of Evolution and Ecology
Center for Population Biology
Genome Center
University of California Davis

Phone: (530) 752-4565
Email: rossibarra@ucdavis.edu
Web: www.rilab.org, [@jrossibarra](https://twitter.com/jrossibarra)

Education

PhD Genetics, University of Georgia 2006
MS Botany, University of California Riverside 2000
BA Botany, University of California Riverside 1998

Academic Employment

Professor, Dept. Evolution and Ecology, University of California Davis 2019-present
Professor, Dept. Plant Sciences, University of California Davis 2016-2019
Associate Professor, Dept. Plant Sciences, University of California Davis 2012-2016
Assistant Professor, Dept. Plant Sciences, University of California Davis 2009-2012
Postdoctoral Researcher, University of California Irvine 2006-2008
Profesor de Asignatura, Universidad Nacional Autónoma de México 2001

Selected Fellowships and Awards

Corn Pun Trophy, Genetics Society of America 2017
Stadler Mid-Career Excellence in Maize Genetics Award 2016
Faculty Development Award in recognition of university service 2015
DuPont Young Professor Award 2012
Presidential Early Career Award for Scientists and Engineers 2009
Dean's Award for Postdoctoral Excellence, UC Irvine 2008

Instruction and Advising

Current (total) advisees: 4 (22) postdoc, 5 (9) graduate, 3 (30) undergraduate
Plant Biology (UC Davis, PLB200A, graduate), 2018-present
Genetics (UC Davis, BIS 101, undergraduate), 2013-present
Ecological Genomics (UC Davis, ECL 243, graduate), 2014-present
Faculty advisor, Pioneer Hi-Bred/CAES graduate student symposium in plant breeding, 2012-present
Faculty advisor, US-Mexico graduate student exchange program, 2011-2015
Population and Quantitative Genetics (GGG 201D, graduate), 2010-2013
Plant Genetics (PLS 152, undergraduate), 2010-2011
Biología de Plantas I (undergraduate), UNAM, 2001

Service: selected from last 2 years

University

Campus-wide High-Performance Computing Task Force 2019
 Executive Cmte, Plant Biology Graduate Group 2019
 Ecology Graduate Group admissions committee 2018
 Campus Disciplinary Peer Review Committee on sexual violence and sexual harassment, 2017-present
 Campus Task Force on Bioinformatics, 2017-present
 Section Chair for Agricultural Plant Biology, 2014-2019
 Plant Sciences executive committee, 2014-2019
 Search committees: Dept. Chair of Plant Sciences (Chair, 2016), Climate Adaptation (2017-2019)
 Dept. of Plant Sciences academic planning committee, 2010-2016, 2018-2019

Professional

LEAD21 Leadership in Land Grant Institutions, Class 14
 Skype-a-Scientist K-12 Outreach: 2017: Korematsu Elementary, CA; Shelburne Middle School, VA; Summit Hill Elementary, IL; 2018: Espiciencia, Spain; Valleyview Middle School, NJ
 Maize Genetics conference steering committee, 2018-present
 Maize Genetics Awards Committee, 2017,2019
 Editorial Boards: Genes, Genomes, and Genetics (AE 2014-2019, SE 2017-2019), Genetics (Guest, 2018), PLoS Genetics (2018-2019), PeerJ (2013-present, SE 2018-2019), PNAS (Guest, 2018)
 Journal peer review: eLife (2), Cell, Nature Communications (3), Nature Reviews Genetics, PNAS (3), Science, PLoS Genetics, New Phytologist (2), Molecular Ecology, G3 (many), Plant Journal, Agriculture, Ecosystems and Environment
 Proposal review: NSF (2017)

Current Funding

NSF: "Uncovering the role of transposons in maize variation" \$800,000 of \$4.5M total (Co-PI), 2019-2022
 NSF: "Harnessing convergence and constraint to predict adaptations to abiotic stress for maize and sorghum" \$740,000 of \$5.4M total (Co-PI), 2018-2022
 NSF: "The evolutionary genetics of pollen-pistil incompatibility and reproductive isolation in *Zea mays*" \$320,000 of \$1M total (Co-PI), 2018-2021
 NSF: "The genetics of highland adaptation in maize", \$4.2M (PI), 2016-2021
 UCMEXUS: "Adaptive gene flow from teosinte to highland maize in central Mexico" (Co-PI), 2015-2016
 UC-Mexico Initiative: "Maize adaptation to climate in Mexico", 2015-2016 (PI, \$30,000 total)
 Smithsonian Institution: "Phenotypes, environmental plasticity, and gene expression in teosinte and maize in ancient climates before and during the time of domestication" (Co-PI) 2015-2017
 UCMEXUS: "Adaptive gene flow from teosinte to highland maize in central Mexico", 2015-2016 (Co-PI, \$24,897 total)
 NSF: "Biology of rare alleles in maize and its wild relatives" \$3.2M of \$13M total (Co-PI), 2013-2019
 NSF Plant Genome Research Program (Co-PI, \$754,409 to JRI, 2010-2016) "Functional Genomics of Maize Centromeres"

USDA-NIFA Plant Genome, Genetics, and Breeding: "Scanning the weather: high-throughput discovery of agronomic loci for advanced maize breeding to address climate change" (PI, \$300,000 Sept 2012-Sept. 2014)

USDA-ARS: "Collection of the maize wild relative, *Zea luxurians*, in southeast Guatemala for ex situ conservation" (PI, \$9,000) Nov 2010 - June 2012

France-Berkeley Fund (PI, \$8,160 Jan 2012-June 2013)

USDA-NIFA Plant Genome, Genetics, and Breeding: "Scanning for yield: high-throughput discovery of candidate agronomic loci for marker-assisted selection in maize" (PI, \$448,000 Sept 2009 - Sept 2012)

UC MEXUS: "Phylogeography and Systematics of Mesoamerican *Diospyros*" (PI, \$14,825) July 2009 - Jan 2012

France-Berkeley Fund: "Does domestication affect recombination: a pilot study in maize" (PI, \$8,160 Jan 2012-June 2013)

Invited Seminars: last 12 months

CAAS, Beijing, China, June 2019

University of Science and Technology, Beijing, China, June 2019

International Forum on Crop Science, Wuhan, China, June 2019

U. California, Riverside, May 2019

U. Vermont, Burlington, Apr 2019

U. Washington, Seattle, Mar 2019

Keynote Speaker, Seed Central, U. California, Davis, Feb 2019

Annual James Brewbaker Lecture on Genetics & Plant Breeding, U. Hawaii, Manoa Dec. 2018

National Science Foundation, Washington DC, Sept 2018

U. Georgia, Athens, Aug 2018

Science and Society public lecture, Woodland, Aug 2018

Publications (lab members bold, *equal contribution, ‡undergraduate, §corresponding, [citations])

Preprints

Lozano R, Gazave E, dos Santos JPR, Stetter MG [4 authors] Mockler T, **Ross-Ibarra J**, Buckler ES, Gore M. Comparative evolutionary analysis and prediction of deleterious mutation patterns between sorghum and maize. doi: 10.1101/777623

Gates DJ§, Runcie D, Janzen GM, Romero Navarro A, Willcox M, Sonder K, Snodgrass SJ, Rodríguez-Zapata F, Sawers RJH, Rubén Rellín-Álvarez, Buckler ES, Hearne S, Hufford MB, **Ross-Ibarra J**§. Single-gene resolution of locally adaptive genetic variation in Mexican maize. doi: 10.1101/706739 [o]

Anderson SN, **Stitzer MC**, Zhou P, **Ross-Ibarra J**, Hirsch CD, Springer NM. Dynamic patterns of transcript abundance of transposable element families in maize. doi: 10.1101/668558 [o]

Torres R*, **Stetter MG***, Hernandez R§, **Ross-Ibarra J**§. The temporal dynamics of background selection in non-equilibrium populations. doi: 10.1101/618389 [o]

Stitzer MC§, Anderson SN, Springer NM, **Ross-Ibarra J**. The Genomic Ecosystem of Transposable Elements in Maize. doi: 10.1101/559922 [o]

In press or in print

H-Index 40 (7576 citations as of Mon Sep 23 13:18:11 2019)

85. Anderson SN*, **Stitzer MC***, Brohammer A*, Zhou P, Noshay JM, O'Connor CH, Hirsch CD, **Ross-Ibarra J**, Hirsch CN, Springer NM. Transposable elements contribute to dynamic genome content in maize. *THE PLANT JOURNAL Accepted* [o]
84. Wei X, Anderson SN, Wang X, Yang L, Crisp PA, Li Q, Noshay J, Albert PS, Birchler JA, **Bilinski MC**, **Stitzer MC**, **Ross-Ibarra J**, Flint-Garcia S, Chen X, Springer NM, Doebley JF. Hybrid decay: a transgenerational epigenetic decline in vigor and viability triggered in backcross populations of teosinte with maize. *GENETICS In Press* [o]
83. **O'Brien AM[§]**, Sawers RJH, Strauss SY, **Ross-Ibarra J[§]**. Adaptive phenotypic divergence in teosinte differs across biotic contexts. *EVOLUTION In Press* [o]
82. Gonzalez-Segovia E, Pérez-Limon S, Cíntora-Martínez C, Guerrero-Zavala A, Jansen G, Hufford MB, **Ross-Ibarra J**, Sawers RJH (2019). Characterization of introgression from the teosinte *Zea mays* ssp. *mexicana* to Mexican highland maize. *PEERJ* 7: e6815. [o]
81. **Josephs EM[§]**, Berg JJ, **Ross-Ibarra J**, Coop G (2019) Detecting adaptive differentiation in structured populations with genomic data and common gardens. *GENETICS* 211: 989-1004. [5]
80. **Stetter MG[§]**, Thornton K, **Ross-Ibarra J[§]** (2018) Genetic architecture and selective sweeps after polygenic adaptation to distant trait optima. *PLOS GENETICS* 14(11): e1007794. [10]
79. **O'Brien A[§]**, Sawers R, **Ross-Ibarra J**, Strauss SY[§] (2018) Evolutionary responses to conditionality in species interactions across environmental gradients. *AMERICAN NATURALIST* 192(6): 715-730. [3]
78. **Stitzer MC[§]**, **Ross-Ibarra J** (2018) Maize domestication and gene interaction. *NEW PHYTOLOGIST* 220:395-408 [13]
77. Manchanda N, Snodgrass SJ, **Ross-Ibarra J**, Hufford MB (2018) Evolution and adaptation in the maize genome. *In THE ZEA MAYS GENOME*, Bennetzen, Flint-Garcia, Hirsch, Tuberosa (Eds.), Springer Nature Publishing *In Press* [o]
76. **Lorant A**, **Ross-Ibarra J**, Maud Tenaillon (2018) Genomics of long- and short- term adaptation in maize and teosinte. *In STATISTICAL POPULATION GENOMICS*, Dutheil (Ed.), Springer Nature Publishing *In Press* [1]
75. Dawe RK, Lowry EG, Gent J, **Stitzer MC**, Higgins DM, **Ross-Ibarra J**, Wallace JG, Kanizay L, Alabady M, Wang N, Gao Z, Birchler J, Harkess AE, Hodges AL, Hiatt EN (2018) A novel maize kinesin causes neocentromere activity and meiotic drive, altering inheritance patterns across the genome. *CELL* 173: 839-850. [17]
74. Aburto-Oropeza O, Johnson A, Agha M, Allen E, Allen M, González JA, Arenas-Moreno DM, Beas R, Butterfield H, Caetano G, Caselle J, Casteñada Gaytán G, Castorani MCN, Anh Cat L, Cavanaugh K, Chambers JQ, Cooper RD, Arafeh-Dalmau N, Dawson T, Diaz de la Vega A, DiMento JFC, Domínguez S, Edwards M, Ennen J, Estrada-Medina H, Fierro N, Gadsden H, Galina-Tessaro P, Gibbons P, Goode EV, Gorris ME, Harmon T, Hecht SB, Heredia Fragoso MA, Hernández-Solano A, Hernández-Cortés D, Hernández-Carmona G, Hillard S, Huey RB, Hufford MB, Pàramo Figueroa VH, Jenerette D, Jiménez-Osornio J, López-Nava KJ, Lara R, Leslie H, Lopez-Feldman A,

- Luja V, Martínez-Méndez N, Mautz W, Medellín-Azuara J, Meléndez-Torres C, de la Cruz FRM, Micheli F, Miles D, Montagner G, Montaña-Moctezuma G, Müller J, Oliva P, Ortinez A, Ortiz Partida JP, Palheiro-Nayar J, Parnell PE, Raimondi P, Ramirez A, Randerson JT, Reed DC, Riquelme M, Torres TR, Rosen PC, **Ross-Ibarra J**, Sanchez-Cordero V, Sandoval-Solis S, Santos J, Sawers R, Sinervo B, Sites J, Sosa-Nishizaki O, Stanton T, Stapp J, Stewart J, Torre J, Torres-Moye G, Treseder KK, Valdez-Villavicencio JH, Jiménez FIV, Vaughn M, Welton L, Westphal MF, Woolrich-Piña G, Yunez-Naude A, Zertuche-González JA, Taylor JE (2018) Harnessing Cross-border Resources to Confront Climate Change. *ENVIRONMENTAL SCIENCE AND POLICY In Press*. [3]
73. **Bilinski P[§]**, Albert P, Berg JJ, Birchler JA, Grote M, **Lorant A**, **Quezada J[†]**, Swarts, K, **Yang J**, **Ross-Ibarra J[§]** (2018) Parallel altitudinal clines reveal adaptive evolution of genome size in *Zea mays*. *PLoS GENETICS* 14: e1007162 [25]
 72. **Mei W**, **Stetter MG**, **Gates DJ**, **Stitzer MC**, **Ross-Ibarra J[§]** (2018) Adaptation in plant genomes: bigger is different. *AMERICAN JOURNAL OF BOTANY* 105: 16-19 [0]
 71. Bukowski R, Guo X, Lu Y, Zou C, He B, Rong Z, Wang B, Xu D, Yang B, Xie C, Fan L, Gao S, Xu X, Zhang G, Li Y, Jiao Y, Doebley J, **Ross-Ibarra J**, **Lorant A**, **Buffalo V**, Romay MC, Buckler ES, Ware D, Lai J, Sun Q, Xu Y (2017) Construction of the third generation *Zea mays* haplotype map. *GIGASCIENCE* gix134 [62]
 70. Wang L, **Beissinger TM**, **Lorant A**, **Ross-Ibarra C**, **Ross-Ibarra J[§]**, Hufford MB[§] (2017) The interplay of demography and selection during maize domestication and diffusion. *GENOME BIOLOGY* 18:215 [39]
 69. **Yang J[§]**, **Mezmouk S***, Baumgarten A, Buckler ES, Guill KE, McMullen MD, Mumm RH, **Ross-Ibarra J[§]** (2017) Incomplete dominance of deleterious alleles contribute substantially to trait variation and heterosis in maize. *PLoS GENETICS* 13:e1007019 [0]
 68. **Lorant A**, Pedersen S, Holst I, Hufford MB, Winter K, Piperno D, **Ross-Ibarra J[§]** (2017) The potential role of genetic assimilation during maize domestication. *PLoS ONE* 12:e0184202 [9]
 67. Aguilar-Rangel MR, Chàvez Montes RA, Gonzalez-Segovia E, **Ross-Ibarra J**, Simpson JK, Sawers RJH (2017) Allele specific expression analysis identifies regulatory variation associated with stress-related genes in the Mexican highland maize landrace Palomero Toluqueño. *PEERJ* 5:e3737 [6]
 66. **Stetter MG[§]**, **Gates DJ**, **Mei W**, **Ross-Ibarra J[§]** (2017) How to make a domesticate. *CURRENT BIOLOGY* 27:R896-R900 [14]
 65. Swarts K, Gutaker RM, Schuenemann V, Benz B, Blake M, Bukowski R, Holland J, Kruse-Peebles M, Lepak N, Matson RG, Prim L, Romay C, **Ross-Ibarra J**, Sanchez J, Schmidt C, Sofro E, Krause J, Weigel D, Buckler ES, Burbano HA (2017) Genomic estimation of complex traits reveals ancient maize adaptation to temperate North America. *SCIENCE* 357:512-515 [46]
 64. **Bilinski P[§]**, Han Y, **Hufford MB**, **Lorant A**, Zhang P, Jiang J, **Ross-Ibarra J[§]** (2017) Genomic abundance is not predictive of tandem repeat localization in grass genomes. *PLoS ONE* 12:e0177896 [3]
 63. Jiao Y, Peluso P, Shi J, Liang T, **Stitzer MC**, Wang B, Campbell M, Stein JC, Wei X, Chin C-S, Guill K, Regulski M, Kumari S, Olson A, Gent J, Schneider KL, Wolfgruber TK, May MR, Springer N, Antoniou E, McCombie R, Presting GG, McMullen M, **Ross-Ibarra J**, Dawe RK, Hastie A, Rank DR, Ware D (2017) Improved maize reference genome with single-molecule technologies. *NATURE*

546:524-527 [0]

62. **Renny-Byfield S[§]**, Rodgers-Melnick E, **Ross-Ibarra J[§]** (2017) Gene fractionation and function in the ancient subgenomes of maize. *MBE* 34:1825-1832 [26]
61. **Velasco D**, Aradhya M, and **Ross-Ibarra J[§]** (2016) Evolutionary genomics of peach and almond domestication. *G3* 6:3985-3993 [18]
60. Ramos-Madrigal J, Smith BD, Moreno-Mayar JV, Gopalakrishnan S, **Ross-Ibarra J**, Gilbert MTP, Wales N (2016) Genome sequence of a 5310-year-old maize cob provides insights into the early stages of maize domestication. *CURRENT BIOLOGY* 26:3195-3201 [18]
59. **Durvasula A^{‡*}**, Hoffman PJ*, **Kent TV[‡]**, Liu C, Kono TJY, Morrell PL[§], **Ross-Ibarra J[§]** (2016) ANGSD-wrapper. *MOLECULAR ECOLOGY RESOURCES* 16:1449-1454 [0]
58. **Beissinger TM[§]**, Wang L, **Crosby K**, **Durvasula A[‡]**, Hufford MB, **Ross-Ibarra J[§]** (2016) Recent demography drives changes in linked selection across the maize genome. *NATURE PLANTS* 2:16084 [58]
57. Wolfgruber TK, Nakashima MM, Schneider KL, Sharma A, Xie Z, Albert PS, Xu R, **Bilinski P**, Dawe RK, **Ross-Ibarra J**, Birchler JA, Presting G (2016) High quality maize centromere 10 sequence reveals evidence of frequent recombination events. *FRONTIERS IN PLANT SCIENCE* 7 [18]
56. Orozco-Ramírez Q, Santacruz-Varela A, **Ross-Ibarra J**, Brush B (2016) Maize diversity associated with social origin and environmental variation in southern Mexico. *HEREDITY* 116:477-484. [25]
55. Gerke JP[§], Edwards JW, Guill KE, **Ross-Ibarra J[§]**, McMullen MD. The genomic impacts of drift and selection for hybrid performance in maize (2015). *GENETICS* 201: 1201-1211 [25]
54. Sosso D, Luo D, Li Q-B, Sassse J, **Yang J**, Gendrot G, Suzuki M, Koch KE, McCarty DR, Chourey PS, Rogoswky PM, **Ross-Ibarra J**, Yang B, Frommer WB (2015) Seed filling in domesticated maize and rice depends on SWEET-mediated hexose transport. *NATURE GENETICS* 47:1489-1493 [97]
53. **Takuno S**, Ralph P, Swarts K, Elshire RJ, Glaubitz JC, Buckler ES, **Hufford MB**, **Ross-Ibarra J[§]** (2015) Independent molecular basis of convergent highland adaptation in maize. *GENETICS* 200:1297-1312 [43]
52. **Vann LE**, **Kono T**, **Pyhäjärvi T**, **Hufford MB[§]**, **Ross-Ibarra J[§]** (2015) Natural variation in teosinte at the domestication locus *teosinte branched1 (tb1)*. *PEERJ* 3:e900 [10]
51. Hake S, **Ross-Ibarra J** (2015) Genetic, evolutionary and plant breeding insights from the domestication of maize. *eLIFE* 2015;4:e05861 [35]
50. Fonseca RR, Smith B, Wales N, Cappellini E, Skoglund P, Fumagalli M, Samaniego JA, Caroe C, Avila-Arcos MC, Hufnagel D, Korneliussen TS, Vieira FG, Jakobsson M, Arriaza B, Willerslev E, Nielsen R, Hufford MB, Albrechtsen A, **Ross-Ibarra J**, Gilbert MT (2015) The origin and evolution of maize in the American Southwest. *NATURE PLANTS* 1:14003 [0]
49. Dyer GA, López-Feldman A, Yúnez-Naude A, Taylor JE, **Ross-Ibarra J** (2015) Reply to Brush *et al.*: A wake up call for crop conservation science. *PNAS* 112 (1), E2-E2 (letter). [5]

48. Makarevitch I, Waters M, West P, **Stitzer M, Ross-Ibarra, J**, Springer NM (2015) Mobile elements contribute to activation of genes in response to abiotic stress. *PLOS GENETICS* 11 (1): e1004915. [177]
47. Tiffin P, **Ross-Ibarra J** (2014) Advances and limits of using population genetics to understand local adaptation. *TRENDS IN ECOLOGY AND EVOLUTION* 29:673-680 [0]
46. **Bilinski P, Distor KD, Gutierrez-Lopez J, Mendoza Mendoza G**, Shi J, Dawe RK, **Ross-Ibarra J^S** (2014) Diversity and evolution of centromere repeats in the maize genome. *CHROMOSOMA* 0009-5915 [16]
45. **Mezmouk S, Ross-Ibarra J^S** (2014) The pattern and distribution of deleterious mutations in maize. (2014). *G3* 4:163-171 [0]
44. Waters AJ, **Bilinski P**, Eichten SR, Vaughn MW, **Ross-Ibarra J**, Gehring M, Springer NM (2013) Comprehensive analysis of imprinted genes in maize reveals allelic variation for imprinting and limited conservation with other species. *PNAS* 110:19639-19644 [72]
43. **Pyhäjärvi T, Hufford MB, Mezmouk S, Ross-Ibarra J^S** (2013) Complex patterns of local adaptation in teosinte. *GENOME BIOLOGY AND EVOLUTION* 5: 1594-1609 [94]
42. Wills DM, Whipple C, **Takuno S**, Kursel LE, Shannon LM, **Ross-Ibarra J**, Doebley JF (2013) From many, one: genetic control of prolificacy during maize domestication. *PLOS GENETICS* 9(6): e1003604. [64]
41. McCouch S, Baute GJ, Bradeen J, Bramel P, Bretting PK, Buckler E, Burke JM, Charest D, Cloutier S, Cole G, Dempewolf H, Dingkuhn M, Feuillet C, Gepts, P, Grattapaglia D, Guarino L, Jackson S, Knapp S, Langridge P, Lawton-Rauh A, Lijua Q, Lusty C, Michael T, Myles S, Naito K, Nelson RL, Pontarollo R, Richards CM, Rieseberg L, **Ross-Ibarra J**, Rounsley S, Hamilton RS, Schurr U, Stein N, Tomooka N, van der Knaap E, van Tassel D, Toll J, Valls J, Varshney RK, Ward J, Waugh R, Wenzl P, Zamir. (2013) Agriculture: Feeding the future. *NATURE* 499:23-24 [297]
40. **Hufford MB**, Lubinsky P, **Pyhäjärvi T**, **Devenganzo MT[†]**, Ellstrand NC, **Ross-Ibarra J^S** (2013) The genomic signature of crop-wild introgression in maize. *PLOS GENETICS* 9(5): e1003477. [0]
39. **Provance MC^S**, Garcia Ruiz I, **Thommes C[†]**, **Ross-Ibarra J** (2013) Population genetics and ethnobotany of cultivated *Diospyros riojae* Gómez Pompa (Ebenaceae), an endangered fruit crop from Mexico. *GENETIC RESOURCES AND CROP EVOLUTION* 60: 2171-2182. [4]
38. Melters DP*, Bradnam KR*, Young HA, Telis N, May MR, Ruby JG, Sebra R, Peluso P, Eid J, Rank D, Fernando Garcia J, DeRisi J, Smith T, Tobias C, **Ross-Ibarra J^S**, Korf IF^S, Chan SW-L. (2013) Patterns of centromere tandem repeat evolution in 282 animal and plant genomes. *GENOME BIOLOGY* 14:R10 [198]
37. Kanizay LB, **Pyhäjärvi T**, Lowry E, **Hufford MB**, Peterson DG, **Ross-Ibarra J**, Dawe RK (2013) Diversity and abundance of the Abnormal chromosome 10 meiotic drive complex in *Zea mays*. *HEREDITY* 110: 570-577. [15]
36. **Hufford MB, Bilinski P, Pyhäjärvi T, Ross-Ibarra J^S** (2012) Teosinte as a model system for population and ecological genomics. *TRENDS IN GENETICS* 12:606-615 [45]
35. Muñoz Diez C, Vitte C, **Ross-Ibarra J**, Gaut BS, Tenaillon MI (2012) Using nextgen sequencing to investigate genome size variation and transposable element content. *In* Grandbastien M-A,

- Casacuberta JM, editors. TOPICS IN CURRENT GENETICS v24: Plant Transposable Elements - Impact on Genome Structure & Function. pp. 41-58 [17]
34. **van Heerwaarden J[§], Hufford MB, Ross-Ibarra J[§]** (2012) Historical genomics of North American maize. PNAS 109: 12420-12425 [99]
 33. Swanson-Wagner R, Briskine R, Schaefer R, **Hufford MB, Ross-Ibarra J**, Myers CL, Tiffin P, Springer NM. Reshaping of the maize transcriptome by domestication. (2012). PNAS 109: 11878-11883 [104]
 32. **Hufford MB***, Xun X*, **van Heerwaarden J***, **Pyhäjärvi T***, Chia J-M, Cartwright RA, Elshire RJ, Glaubitz JC, Guill KE, Kaeppler S, Lai J, Morrell PL, Shannon LM, Song C, Springer NM, Swanson-Wagner RA, Tiffin P, Wang J, Zhang G, Doebley J, McMullen MD, Ware D, Buckler ES[§], Yang S[§], **Ross-Ibarra J[§]** (2012) Comparative population genomics of maize domestication and improvement. NATURE GENETICS 44:808-811 [518]
 31. Chia J-M*, Song C*, Bradbury P, Costich D, de Leon N, Doebley JC, Elshire RJ, Gaut BS, Geller L, Glaubitz JC, Gore M, Guill KE, Holland J, **Hufford MB**, Lai J, Li M, Liu X, Lu Y, McCombie R, Nelson R, Poland J, Prasanna BM, **Pyhäjärvi T**, Rong T, Sekhon RS, Sun Q, Tenaillon M, Tian F, Wang J, Xu X, Zhang Z, Kaeppler S, **Ross-Ibarra J**, McMullen M, Buckler ES, Zhang G, Xu Y, Ware, D (2012) Maize HapMap2 identifies extant variation from a genome in flux. NATURE GENETICS 44:803-807 [459]
 30. Fang Z, **Pyhäjärvi T**, Weber AL, Dawe RK, Glaubitz JC, Sánchez González J, **Ross-Ibarra C**, Doebley J, Morrell PL[§], **Ross-Ibarra J[§]** (2012) Megabase-scale inversion polymorphism in the wild ancestor of maize. GENETICS 191:883-894 [66]
 29. Cook JP, McMullen MD, Holland JB, Tian F, Bradbury P, **Ross-Ibarra J**, Buckler ES, Flint-Garcia SA (2012) Genetic architecture of maize kernel composition in the Nested Association Mapping and Inbred Association panels. PLANT PHYSIOLOGY 158: 824-834 [0]
 28. Morrell PL, Buckler ES, **Ross-Ibarra J[§]** (2012) Crop genomics: advances and applications. NATURE REVIEWS GENETICS 13:85-96 [357]
 27. Studer A, Zhao Q, **Ross-Ibarra J**, Doebley J (2011) Identification of a functional transposon insertion in the maize domestication gene *tb1*. NATURE GENETICS 43:1160-1163. [372]
 26. **van Heerwaarden J[§]**, Doebley J, Briggs WH, Glaubitz JC, Goodman MM, Sánchez González JJ, **Ross-Ibarra J[§]** (2011) Genetic signals of origin, spread and introgression in a large sample of maize landraces. PNAS 108: 1088-1092 [0]
 25. **Hufford MB[§]**, Gepts P, **Ross-Ibarra J** (2011) Influence of cryptic population structure on observed mating patterns in the wild progenitor of maize (*Zea mays* ssp. *parviglumis*). MOLECULAR ECOLOGY 20: 46-55 [15]
 24. Tenaillon MI, **Hufford MB**, Gaut BS, **Ross-Ibarra J[§]** (2011) Genome size and TE content as determined by high-throughput sequencing in maize and *Zea luxurians*. GENOME BIOLOGY AND EVOLUTION 3: 219-229 [145]
 23. Eckert AJ, **van Heerwaarden J**, Wegrzyn JL, Nelson CD, **Ross-Ibarra J**, González-Martínez SC, and Neale DB (2010) Patterns of population structure and environmental associations to aridity across the range of loblolly pine (*Pinus taeda* L, Pinaceae). GENETICS 185: 969-982 [300]

22. Fuchs EJ, **Ross-Ibarra J^S**, Barrantes G (2010) Reproductive biology of *Macleania rupestris*: a pollen-limited Neotropical cloud-forest species in Costa Rica. JOURNAL OF TROPICAL ECOLOGY 26: 351-354 [8]
21. Whitney KD, Baack EJ, Hamrick JL, Godt MJW, Barringer BC, Bennett MD, Eckert CG, Goodwillie C, Kalisz S, Leitch I, **Ross-Ibarra J** (2010) A role for nonadaptive processes in plant genome size evolution? . EVOLUTION 64: 2097-2109 [66]
20. **van Heerwaarden J**, **Ross-Ibarra J^S**, Doebley J, Glaubitz JC, Sánchez González J, Gaut BS, Eguiarte LE (2010) Fine scale genetic structure in the wild ancestor of maize (*Zea mays* ssp. *parviglumis*). MOLECULAR ECOLOGY 19: 1162-1173 [37]
19. Shi J, Wolf S, Burke J, Presting G, **Ross-Ibarra J**, Dawe RK (2010) High frequency gene conversion in centromere cores. PLoS BIOLOGY 8: e1000327 [94]
18. Hollister JD, **Ross-Ibarra J**, Gaut BS (2010) Indel-associated mutation rate varies with mating system in flowering plants. MOLECULAR BIOLOGY AND EVOLUTION 27: 409-416. [37]
17. **van Heerwaarden J**, van Eeuwijk FA, **Ross-Ibarra J** (2010) Genetic diversity in a crop metapopulation. HEREDITY 104: 28-39 [0]
16. Gore MA*, Chia JM*, Elshire RJ, Sun Q, Ersoz ES, Hurwitz BL, Peiffer JA, McMullen MD, Grills GS, **Ross-Ibarra J**, Ware D, Buckler ES (2009) A first-generation haplotype map of maize. SCIENCE 326: 1115-1117. [640]
15. **May MR[†]**, **Provance MC**, Sanders AC, Ellstrand NC, **Ross-Ibarra J^S** (2009) A pleistocene clone of Palmer's Oak persisting in Southern California. PLoS ONE 4: e8346. [24]
14. Zhang LB, Zhu Q, Wu ZQ, **Ross-Ibarra J**, Gaut BS, Ge S, Sang T (2009) Selection on grain shattering genes and rates of rice domestication. NEW PHYTOLOGIST 184: 708-720. [119]
13. **Ross-Ibarra J**, Tenaillon M, Gaut BS (2009) Historical divergence and gene flow in the genus *Zea*. GENETICS 181: 1399-1413. [137]
12. **Ross-Ibarra J***, Wright SI*, Foxe JP, Kawabe A, DeRose-Wilson L, Gos G, Charlesworth D, Gaut BS (2008) Patterns of polymorphism and demographic history in natural populations of *Arabidopsis lyrata*. PLoS ONE 3: e2411. [159]
11. Lockton S, **Ross-Ibarra J**, Gaut BS (2008) Demography and weak selection drive patterns of transposable element diversity in natural populations of *Arabidopsis lyrata*. PNAS 105: 13965-13970. [70]
10. **Ross-Ibarra J^S**, Gaut BS (2008) Multiple domestications do not appear monophyletic. PNAS 105: E105 (letter). [21]
9. Gaut BS, **Ross-Ibarra J** (2008) Selection on major components of angiosperm genomes. SCIENCE 320: 484-486. [66]
8. **Ross-Ibarra J**, Morrell PL, Gaut BS (2007) Plant domestication, a unique opportunity to identify the genetic basis of adaptation. PNAS 104 Suppl 1: 8641-8648. [306]
7. **Ross-Ibarra J^S** (2007) Genome size and recombination in angiosperms: a second look. JOURNAL OF EVOLUTIONARY BIOLOGY 20: 800-806. [28]

6. Wares JP, Barber PH, **Ross-Ibarra J**, Sotka EE, Toonen RJ (2006) Mitochondrial DNA and population size. *SCIENCE* 314: 1388-90 (letter). [29]
5. **Ross-Ibarra J**^S (2005) QTL and the study of plant domestication. *GENETICA* 123: 197-204. [29]
4. **Ross-Ibarra J**^S (2004) The evolution of recombination under domestication: a test of two hypotheses. *AMERICAN NATURALIST* 163: 105-112. [77]
3. **Ross-Ibarra J** (2003) Origin and domestication of chaya (*Cnidoscolus aconitifolius* Mill I. M. Johnston): Mayan spinach. *MEXICAN STUDIES* 19: 287-302. [16]
2. **Ross-Ibarra J**^S, Molina-Cruz A (2002) The ethnobotany of Chaya (*Cnidoscolus aconitifolius* ssp. *aconitifolius* Breckon): A nutritious Maya vegetable. *ECONOMIC BOTANY* 56: 350-365. [0]
1. Neel MC, **Ross-Ibarra J**, Ellstrand NC (2001) Implications of mating patterns for conservation of the endangered plant *Eriogonum ovalifolium* var. *vineum*. *AMERICAN JOURNAL OF BOTANY* 88: 1214-1222. [31]