Department of Evolution and Ecology Center for Population Biology Genome Center University of California Davis

Phone: (530) 752-4565

Email: rossibarra@ucdavis.edu

Web: rilab.ucdavis.edu, @jrossibarra

#### Education

PhD Genetics, University of Georgia 2006 MS Botany, University of California Riverside 2000 BA Botany, University of California Riverside 1998

## Academic Employment

Professor, Dept. Evolution and Ecology, University of California Davis 2019-present

Paternity leave 2017

Professor, Dept. Plant Sciences, University of California Davis 2016-2019

Associate Professor, Dept. Plant Sciences, University of California Davis 2012-2016

Assistant Professor, Dept. Plant Sciences, University of California Davis 2009-2012

Postdoctoral Researcher, University of California Irvine 2006-2008

Profesor de Asignatura, Universidad Nacional Autónoma de México 2001

# Selected Fellowships and Awards

Fellow, AAAS 2021

Corn Pun Trophy, Genetics Society of America 2017

Stadler Mid-Career Excellence in Maize Genetics Award 2016

Faculty Development Award in recognition of university service 2015

DuPont Young Professor Award 2012

Presidential Early Career Award for Scientists and Engineers 2009

Dean's Award for Postdoctoral Excellence, UC Irvine 2008

## Instruction and Advising

Current (total) advisees: 3 (26) postdoc, 5 (10) graduate, 2 (32) undergraduate

Plant Biology (UC Davis, PLB200A, graduate), 2018-present

Genetics (UC Davis, BIS 101, undergraduate), 2013-present

Ecological Genomics (UC Davis, ECL 243, graduate), 2014-present

Faculty advisor, US-Mexico graduate student exchange program, 2011-2015

Population and Quantitative Genetics (GGG 201D, graduate), 2010-2013

Plant Genetics (PLS 152, undergraduate), 2010-2011

Biología de Plantas I (undergraduate), UNAM, 2001

# Service: selected from last 3 years

7 7	•		٠.
1 11	1171	240	1+11
	ıive	15	1 I. I.
OL.	,,,,		,,,

Chair, CBS High Performance Computing Advisory Cmte	2021
Chair and Co-Chair, Ecology & Evolution Seminar Series	2020-2022
EVE representative, Faculty Executive Cmte, College of Biological Sciences	2020-2021
Advisory cmte, controlled environment facility	2020-2021
Executive Cmte, Plant Biology Graduate Group	2019-2021
Graduate advisor: Ecology Graduate Group (2018-2021), Plant Biology (2021)	
Campus-wide High-Performance Computing Task Force	2019
Hatch/AES review, Plant Sciences (2018), EVE (2019)	
Ecology Graduate Group admissions committee	2018
appointment, tenure, full professor, and distinguished professor letters (8)	
Confidential committee for the Office of the Vice Provost — Academic Affairs	2017-2021
Section Chair for Agricultural Plant Biology	2014-2019
Plant Sciences executive committee	2014-2019
Faculty advisor, Corteva graduate student symposium in plant science	2012-2021
Search committees: Climate Adaptation (PLS)	2017-2019
Dept. of Plant Sciences academic planning committee	2010-2016, 2018-2019

## Professional

Chair, PEQG Conference (2022)	2022
Advisory board, FOREVER project	2021
Organizing Committee, PEQG 2020 Conference	2020
Abstract review, SACNAS	2020
LEAD21 Leadership in Land Grant Institutions, Class 14	
Founder and organizer, Zeavolution webinar series	2019-2020
Maize Genetics conference steering committee	2018-2021
Maize Genetics Awards Committee	2017,2019-2020
Advisory Board, PeerJ Preprints	2016-2019

Editorial Boards: Genes, Genomes, and Genetics Senior (2017-2021) and Associate (2014-2021) Editor, New Phytologist Associate Editor (2021), eLife Reviewing Editor (2021) PLoS Genetics Associate Editor (2018-2019), PeerJ Senior (2018-2019) and Associate (2013-2021) Editor

Grant peer review: NSF

Journal peer review: Cell, Nature, Nature Communications (2), Science, PLoS Genetics, Plant Cell, Trends in Genetics (2), Current Biology, Molecular Ecology (2), PNAS (3), Scientific Reports, Genetics, Nature Reviews Genetics, G3, The Plant Journal, New Phytologist, eLife (3)

## Contributions to Diversity

Member, pilot program, graduate student mentor training

2021

Spanish translation, Evolution conf.

2021

Mentor, Graduate Student Mentoring Initiative, Cientifico Latino (2)

2021

Advisor, graduate student of color mentoring program (2)

2020-2021

EVE Diversity cmte (organized 2 workshops)

2021

2021

Faculty host, HBCU summer research internship program

2020

### Outreach

Radiolab episode "body count"

2020

## **Current Funding**

NSF: "Uncovering the role of transposons in maize variation" \$800,000 of \$4.5M total (Co-PI), 2019-2023 NSF: "Harnessing convergence and constraint to predict adaptations to abiotic stress for maize and sorghum" \$740,000 of \$5.4M total (Co-PI), 2018-2022

NSF: "The evolutionary genetics of pollen-pistil incompatibility and reproductive isolation in *Zea mays*" \$320,000 of \$1M total (Co-PI), 2018-2022

USDA: "Mapping the genetic loci controlling highland adaptation in maize", \$29,000 (PI) 2021-2023

NSF: "The genetics of highland adaptation in maize", \$4.2M (PI), 2016-2022

# Invited Seminars, previous 3 years

U. British Columbia, Oct 2021

U. Zurich, April 2021

Gates Foundation (plenary), April 2021

U. Vienna, Mar. 2021

Fresno State U, Jan. 2021

Carnegie Institution for Science, Stanford, Dec. 2020

Calvin Sperling Memorial Biodiversity Lectureship, CSSA meeting, Nov 2020

NC State, Nov 2020

Stony Brook U, Sept. 2020

U. Oulu, Finland, April 2020

NYU Abu Dhabi, Feb. 2020

U. Oregon, Feb 2020

U. Massachusetts, Nov 2019

Chinese Academy of Agricultural Sciences, June 2019

U. of Science and Technology, Beijing, China, June 2019

International Forum on Crop Science, Wuhan, June 2019

UC Riverside, May 2019

U. Vermont, Apr 2019

U. Washington, Mar 2019 Seed Central (keynote), Davis, Feb 2019 James Brewbaker Lecture on Genetics & Plant Breeding, U. Hawaii, Manoa Dec. 2018

Publications (lab members bold, \*equal contribution, ‡undergraduate, §corresponding, [citations])

**Preprints** 

Tittes  $S^\S$ , Lorant A, McGinty  $S^\ddagger$ , Doebley JF, Holland JBH, Sànchez-Gonzàlez JdJ, Seetharam A, Tenaillon M, Ross-Ibarra  $J^\S$ . Not so local: the population genetics of convergent adaptation in maize and teosinte. doi: 10.1101/2021.09.09.459637 [o]

Horvath  $R^\S$ , Menon M, Stitzer M, Ross-Ibarra  $J^\S$ . An age-adjusted site frequency spectrum identifies selection on transposable elements while controlling for demography and variable transposition rate. doi: 10.1101/2021.08.16.456262 [0]

**O'Brien AM**, Sawers RJH, Gasca-Pineda J, Baxter I, Eguiarte LE, **Ross-Ibarra J**, Strauss SY. Strengthened mutualistic adaptation between teosinte and itâĂŹs rhizosphere biota in cold climates. doi: 10.1101/2021.04.20.440703 [0]

Chen L\*, Luo J\*, Minliang Jin\*, Yang N\* $\S$ , Liu X, Peng Y, Li W, Liu Q, Yin Y, Ye X, Yan J, Zhang Q, Zhang X, Gui S, Wu S, Wang Y, Luo Y, Jiang C, Deng M, Jin M, Jian L, Yu Y, Zhang M, Yang X, Hufford MB, Fernie AR, Warburton ML, Ross-Ibarra J $\S$ , Yan J $\S$ . Portrait of a genus: the genetic diversity of *Zea*. doi: 10.1101/2021.04.07.438828 [o]

Guerra-Garcia A, Rojas-Barrera IC, **Ross-Ibarra J**, Papa R, Piñero D. The genomic signature of wild-to-crop introgression during the domestiation of scarlet runner bean (*Phaseolus coccineus L.*). doi: 10.1101/2021.02.03.429668v1 [2]

Rodríguez-Zapata F, Barnes AC, Blöcher-Juárez KA, **Gates DJ**, Kur A, Wang L, Janzen GM, Jensen S, Estévez-Palmas JM, Crow T, Taylor Crow, Aguilar-Rangel R, Demesa-Arevalo E, Skopelitis T, Pérez-Limón S, Stuttsa WL, Chiu Y-C, Jackson D, Fiehn O, Runcie D, Buckler ES, **Ross-Ibarra J**, Hufford M, Sawers RJH, Rellán-Álvarez R. Teosinte introgression modulates phosphatidylcholine levels and induces early maize flowering. doi: 10.1101/2021.01.25.426574 [7]

**Rushworth CA**, Wardlaw AM, **Ross-Ibarra J**, Brandvain Y. Conflict over fertilization underlies the transient evolution of reinforcement. doi: 10.1101/2020.11.10.377481v1 [o]

**Gates DJ**<sup>§</sup>, Runcie D, Janzen GM, Romero Navarro A, Willcox M, Sonder K, Snodgrass SJ, Rodríguez-Zapata F, Sawers RJH, Rubén Rellín-Álvarez, Buckler ES, Hearne S, Hufford MB, **Ross-Ibarra J**<sup>§</sup>. Singlegene resolution of locally adaptive genetic variation in Mexican maize. doi: 10.1101/706739 [12]

*In press or in print* 

H-Index 47 (11723 citations as of Tue Dec 21 11:03:36 2021)

103. **Hudson AI**, **Odell SG**, Dubreuil P, Tixier M-H, Praud S, Runcie DE, **Ross-Ibarra J** (2022). Analysis of genotype by environment interactions in a maize mapping population. G3 *In Press* [0]

- 102. Samayoa LF, Olukolu BA, Yang CJ, Chen Q, Stetter MG, York AM, Sanchez-Gonzalez JJ, Glaubitz JC, Bradbury PJ, Romay MC, Sun Q, Yang J, Ross-Ibarra J, Buckler ES, Doebley JF, and Holland JB (2022). Domestication reshaped the genetic basis of inbreeding depression in a maize landrace compared to its wild relative, teosinte. PLoS GENETICS *Accepted* [o]
- 101. Perez-Limòn S, Li M, Cintora-Martinez GC, Aguilar-Range MR, Salazar-Vidal MN, Gonzàlez-Segovia E, Blocher-Juàrez K, Guerrero-Zavala A, Barrales-Gamez B, Carcano-Macias J, Nieto-Sotelo J, Martinez de la Vega O, Simpson J, Hufford MB, Ross-Ibarra J, Flint-Garcia S, Diaz-Garcia L, Rellàn-Àlvarez R, Sawers RJH (2022). A B73 x Palomero Toluqueño mapping population reveals local adaptation in Mexican highland maize. G3 In Press [o]
- 100. **Odell SG**, **Hudson AI**, Praud S, Dubreuil P, Tixier M-H, **Ross-Ibarra J**, Runcie DE. Modeling allelic diversity of multi-parent mapping populations affects detection of quantitative trait loci (2022). G3 *In Press* [1]
- 99. Calfee E<sup>§</sup>, **Gates DJ**, **Lorant A**, **Perkins MT**, Coop GM<sup>§</sup>, **Ross-Ibarra J**<sup>§</sup> (2021). Selective sorting of ancestral introgression in maize and teosinte along an elevational cline. PLoS GENETICS *In Press* [6]
- 98. **Stitzer MC**<sup>§</sup>, Anderson SN, Springer NM, **Ross-Ibarra J** (2021). The Genomic Ecosystem of Transposable Elements in Maize. PLoS GENETICS *In Press* [33]
- 97. Hufford MB, Seetharam AS, Woodhouse MR, Chougule KM, Ou S, Liu J, Ricci WA, Guo T, Olson A, Qiu Y Della Coletta R, **Tittes S**, **Hudson AI**, Marand AP, Wei S Lu Z, Wang B, Tello-Ruiz MK, Piri R, Wang N, Kim D, Zeng Y, O'Connor CH, Li X, Gilbert AM, Baggs E, Krasileva KV, Portwood JL, Cannon EKS, Andorf CM, Manchanda N, Snodgrass SJ, Hufnagel DE, Jiang Q, Pedersen S, Syring ML, Kudrna DA, Llaca V, Fengler K, Schmitz RJ, **Ross-Ibarra J**, Yu J, Gent JI, Hirsch CN, Ware D, Dawe RK (2021). De novo assembly, annotation, and comparative analysis of 26 diverse maize genomes. Science 373:655-662 [33]
- 96. Song CB, Wang H, Wu, Y, Rees E, **Gates DJ**, Burch M, Bradbury PJ, **Ross-Ibarra J**, Kellogg EA, Hufford MB, Romay MC, Buckler ES (2021). Constrained non-coding sequence provides insights into regulatory elements and loss of gene expression in maize. Genome Research gr.266528.120 [0]
- 95. **Wang L**, Josephs EB, Lee KM, Roberts LM, Rellán-Álvarez R, **Ross-Ibarra J**§, Hufford MB§ (2021). Molecular parallelism underlies convergent highland adaptation of maize landraces. MBE msab119 [13]
- 94. Muyle A, **Ross-Ibarra J**, Seymour DK, Gaut BS (2021). Gene body methylation is under selection in *Arabidopsis thaliana*. GENETICS 218(2):iyabo61 [5]
- 93. Lozano R, Gazave E, dos Santos JPR, Stetter MG, Valluru R, Bandillo N, Fernandes SB, Brown PJ, Shakoor N, Mockler T, Cooper EA, **Perkins MT**, Buckler ES, **Ross-Ibarra J**<sup>§</sup>, Gore M<sup>§</sup> (2021). Comparative evolutionary analysis and prediction of deleterious mutation patterns between sorghum and maize. Nature Plants 7: 17-24 [14]
- 92. Ross-Ibarra J, Piperno D (2020). Maize moving. Figshare. doi: 10.6084/m9.figshare.12781307.v1 [0]

91. Xu G, Lyu J, Li Q, Liu H, Wang D, Zhang M, Springer NM, Ross-Ibarra J, Yang J (2020). Adaptive evolution of DNA methylation reshaped gene regulation in maize NATURE COMMUNICATIONS 11: 5539 [19]

- 90. Chen Q, Samayo LF, Yang CJ, Bradbury PJ, Olukolu BA, Neumeyer MA, Romay, MC, Sun Q, Lorant A, Buckler ES, Ross-Ibarra J, Holland JB, Doebley JF (2020). The genetic architecture of the maize progenitor, teosinte, and how it was altered during maize domestication PLoS GENETICS 16.5:e1008791. [18]
- 89. **Zeitler L**, **Ross-Ibarra J**§, **Stetter MGS**§ (2020). Selective loss of diversity in doubled-haploid lines from European maize landraces. G<sub>3</sub> 10: 2497-2506 [0]
- 88. Wang B, Lin Z, Li X, Zhao Y, Zhao B, Wu G, Ma X, Wang H, Xie Y, Li Q, Song G, Kong D, Zheng Z, Wei H, Shen R, Chen C, Meng Z, Wang T, Li X, Chen Y, Lai J, Hufford MB, Ross-Ibarra J, He H, Wang H (2020). Genome-wide selection and genetic improvement during modern maize breeding. Nature Genetics 52: 565-571 [43]
- 87. Torres R\*, **Stetter MG**\*, Hernandez R<sup>§</sup>, **Ross-Ibarra J**<sup>§</sup> (2020). The temporal dynamics of background selection in non-equilibrium populations. Genetics 214: 1019-1030 [14]
- 86. **Turner-Hissong SD**§, Mabrey ME, Beissinger TM, **Ross-Ibarra J**, Pires JC (2020). Evolutionary insights into plant breeding. Current Opinion in Plant Biology 54: 93-100 [15]
- 85. Anderson SN, **Stitzer MC**, Zhou P, **Ross-Ibarra J**, Hirsch CD, Springer NM (2019) Dynamic patterns of transcript abundance of transposable element families in maize. G3 9: 3673-3682 [24]
- 84. Anderson SN\*, **Stitzer MC**\*, Brohammer A\*, Zhou P, Noshay JM, O'Connor CH, Hirsch CD, **Ross-Ibarra J**, Hirsch CN, Springer NM (2019). Transposable elements contribute to dynamic genome content in maize. The Plant Journal 100: 1052-1065 [59]
- 83. Wei X, Anderson SN, Wang X, Yang L, Crisp PA, Li Q, Noshay J, Albert PS, Birchler JA, **Bilinski P**, **Stitzer MC**, **Ross-Ibarra J**, Flint-Garcia S, Chen X, Springer NM, Doebley JF (2019). Hybrid decay: a transgenerational epigenetic decline in vigor and viability triggered in backcross populations of teosinte with maize. Genetics 213: 143-160 [6]
- 82. **O'Brien AM** $^{\S}$ , Sawers RJH, Strauss SY, **Ross-Ibarra J** $^{\S}$  (2019). Adaptive phenotypic divergence in teosinte differs across biotic contexts. Evolution 73: 2230-2246 [13]
- 81. Gonzalez-Segovia E, Pérez-Limon S, Cíntora-Martínez C, Guerrero-Zavala A, Jansen G, Hufford MB, Ross-Ibarra J, Sawers RJH (2019). Characterization of introgression from the teosinte *Zea mays* ssp. *mexicana* to Mexican highland maize. PeerJ 7: e6815. [13]
- 80. **Josephs EM**<sup>§</sup>, Berg JJ, **Ross-Ibarra J**, Coop G (2019) Detecting adaptive differentiation in structured populations with genomic data and common gardens. GENETICS 211: 989-1004. [32]
- 79. **Stetter MG**<sup>§</sup>, Thornton K, **Ross-Ibarra J**<sup>§</sup> (2018) Genetic architecture and selective sweeps after polygenic adaptation to distant trait optima. PLoS GENETICS 14(11): e1007794. [36]
- 78. **O'Brien**  $A^\S$ , Sawers R, Ross-Ibarra J, Strauss SY $^\S$  (2018) Evolutionary responses to conditionality in species interactions across environmental gradients. American Naturalist 192(6): 715-730. [23]

77. **Stitzer MC**<sup>§</sup>, **Ross-Ibarra J** (2018) Maize domestication and gene interaction. New Phytologist 220:395-408 [42]

- 76. Manchanda N, Snodgrass SJ, **Ross-Ibarra J**, Hufford MB (2018) Evolution and adaptation in the maize genome. *In* The Zea Mays Genome, Bennetzen, Flint-Garcia, Hirsch, Tuberosa (Eds.), Springer Nature Publishing *In Press* [3]
- 75. **Lorant A**, **Ross-Ibarra J**, Maud Tenaillon (2018) Genomics of long- and short- term adaptation in maize and teosinte. *In* Statistical Population Genomics, Dutheil (Ed.), Springer Nature Publishing *In Press* [4]
- 74. Dawe RK, Lowry EG, Gent J, **Stitzer MC**, Higgins DM, **Ross-Ibarra J**, Wallace JG, Kanizay L, Alabady M, Wang N, Gao Z, Birchler J, Harkess AE, Hodges AL, Hiatt EN (2018) A novel maize kinesin causes neocentromere activity and meiotic drive, altering inheritance patterns across the genome. Cell 173: 839-850. [66]
- 73. Aburto-Oropeza O, Johnson A, Agha M, Allen E, Allen M, González JA, Arenas-Moreno DM, Beas R, Butterfield H, Caetano G, Caselle J, Casteñada Gaytán G, Castorani MCN, Anh Cat L, Cavanaugh K, Chambers JQ, Cooper RD, Arafeh-Dalmau N, Dawson T, Diaz de la Vega A, DiMento JFC, Domínguez S, Edwards M, Ennen J, Estrada-Medina H, Fierro N, Gadsden H, Galina-Tessaro P, Gibbons P, Goode EV, Gorris ME, Harmon T, Hecht SB, Heredia Fragoso MA, Hernández-Solano A, Hernández-Cortés D, Hernández-Carmona G, Hillard S, Huey RB, Hufford MB, Pàramo Figueroa VH, Jenerette D, Jiménez-Osornio J, López-Nava KJ, Lara R, Leslie H, Lopez-Feldman A, Luja V, Martínez-Méndez N, Mautz W, Medellin-Azuara J, Meléndez-Torres C, de la Cruz FRM, Micheli F, Miles D, Montagner G, Montaño-Moctezuma G, Müller J, Oliva P, Ortinez A, Ortiz Partida JP, Palleiro-Nayar J, Parnell PE, Raimondi P, Ramirez A, Randerson JT, Reed DC, Riquelme M, Torres TR, Rosen PC, Ross-Ibarra J, Sanchez-Cordero V, Sandoval-Solis S, Santos J, Sawers R, Sinervo B, Sites J, Sosa-Nishizaki O, Stanton T, Stapp J, Stewart J, Torre J, Torres-Moye G, Treseder KK, Valdez-Villavicencio JH, Jiménez FIV, Vaughn M, Welton L, Westphal MF, Woolrich-Piña G, Yunez-Naude A, Zertuche-González JA, Taylor JE (2018) Harnessing Cross-border Resources to Confront Climate Change. Environmental Science and Policy In Press. [10]
- 72. **Bilinski** P<sup>§</sup>, Albert P, Berg JJ, Birchler JA, Grote M, **Lorant A**, **Quezada** J<sup>‡</sup>, Swarts, K, **Yang J**, **Ross-Ibarra** J<sup>§</sup> (2018) Parallel altitudinal clines reveal adaptive evolution of genome size in *Zea mays*. PLoS GENETICS 14: e1007162 [73]
- 71. **Mei W, Stetter MG, Gates DJ, Stitzer MC, Ross-Ibarra J**§ (2018) Adaptation in plant genomes: bigger is different. American Journal of Botany 105: 16-19 [38]
- 70. Bukowski R, Guo X, Lu Y, Zou C, He B, Rong Z, Wang B, Xu D, Yang B, Xie C, Fan L, Gao S, Xu X, Zhang G, Li Y, Jiao Y, Doebley J, Ross-Ibarra J, Lorant A, Buffalo V, Romay MC, Buckler ES, Ware D, Lai J, Sun Q, Xu Y (2017) Construction of the third generation *Zea mays* haplotype map. GIGASCIENCE gix134 [174]
- 69. Wang L, **Beissinger TM**, **Lorant A**, **Ross-Ibarra C**, **Ross-Ibarra J**<sup>§</sup>, Hufford MB<sup>§</sup> (2017) The interplay of demography and selection during maize domestication and diffusion. Genome Biology 18:215 [115]
- 68. **Yang J**\*§, **Mezmouk S**\*, Baumgarten A, Buckler ES, Guill KE, McMullen MD, Mumm RH, **Ross-Ibarra J**§ (2017) Incomplete dominance of deleterious alleles contribute substantially to trait variation and heterosis in maize. PLoS Genetics 13:e1007019 [86]

67. **Lorant A**, Pedersen S, Holst I, Hufford MB, Winter K, Piperno D, **Ross-Ibarra J**§ (2017) The potential role of genetic assimilation during maize domestication. PLoS ONE 12:e0184202 [17]

- 66. Aguilar-Rangel MR, Chàvez Montes RA, Gonzalez-Segovia E, **Ross-Ibarra J**, Simpson JK, Sawers RJH (2017) Allele specific expression analysis identifies regulatory variation associated with stress-related genes in the Mexican highland maize landrace Palomero Toluqueño. PeerJ 5:e3737 [15]
- 65. **Stetter MG**<sup>§</sup>, **Gates DJ**, **Mei W**, **Ross-Ibarra J**<sup>§</sup> (2017) How to make a domesticate. Current Biology 27:R896-R900 [38]
- 64. Swarts K, Gutaker RM, Schuenemann V, Benz B, Blake M, Bukowski R, Holland J, Kruse-Peeples M, Lepak N, Matson RG, Prim L, Romay C, Ross-Ibarra J, Sanchez J, Schmidt C, Sofro E, Krause J, Weigel D, Buckler ES, Burbano HA (2017) Genomic estimation of complex traits reveals ancient maize adaptation to temperate North America. Science 357:512-515 [113]
- 63. **Bilinski P**<sup>§</sup>, Han Y, **Hufford MB**, **Lorant A**, Zhang P, Jiang J, **Ross-Ibarra J**<sup>§</sup> (2017) Genomic abundance is not predictive of tandem repeat localization in grass genomes. PLoS ONE 12:e0177896 [8]
- 62. Jiao Y, Peluso P, Shi J, Liang T, **Stitzer MC**, Wang B, Campbell M, Stein JC, Wei X, Chin C-S, Guill K, Regulski M, Kumari S, Olson A, Gent J, Schneider KL, Wolfgruber TK, May MR, Springer N, Antoniou E, McCombie R, Presting GG, McMullen M, **Ross-Ibarra J**, Dawe RK, Hastie A, Rank DR, Ware D (2017) Improved maize reference genome with single-molecule technologies. Nature 546:524-527 [721]
- 61. **Renny-Byfield S**§, Rodgers-Melnick E, **Ross-Ibarra J**§ (2017) Gene fractionation and function in the ancient subgenomes of maize. MBE 34:1825-1832 [41]
- 60. **Velasco D**, Aradhya M, and and **Ross-Ibarra J**§ (2016) Evolutionary genomics of peach and almond domestication. G3 6:3985-3993 [24]
- 59. Ramos-Madrigal J, Smith BD, Moreno-Mayar JV, Gopalakrishnan S, **Ross-Ibarra J**, Gilbert MTP, Wales N (2016) Genome sequence of a 5310-year-old maize cob provides insights into the early stages of maize domestication. Current Biology 26:3195-3201 [24]
- 58. **Durvasula A**<sup>‡\*</sup>, Hoffman PJ\*, **Kent TV**<sup>‡</sup>, Liu C, Kono TJY, Morrell PL<sup>§</sup>, **Ross-Ibarra J**<sup>§</sup> (2016) ANGSD-wrapper. Molecular Ecology Resources 16:1449-1454 [13]
- 57. **Beissinger TM**§, Wang L, **Crosby K**, **Durvasula A**‡, Hufford MB, **Ross-Ibarra J**§ (2016) Recent demography drives changes in linked selection across the maize genome. Nature Plants 2:16084 [91]
- 56. Wolfgruber TK, Nakashima MM, Schneider KL, Sharma A, Xie Z, Albert PS, Xu R, **Bilinski P**, Dawe RK, **Ross-Ibarra J**, Birchler JA, Presting G (2016) High quality maize centromere 10 sequence reveals evidence of frequent recombination events. Frontiers In Plant Science 7 [24]
- 55. Orozco-Ramìrez Q, Santacruz-Varela A, **Ross-Ibarra J**, Brush B (2016) Maize diversity associated with social origin and environmental variation in southern Mexico. HereDity 116:477-484. [44]
- 54. Gerke JP<sup>§</sup>, Edwards JW, Guill KE, **Ross-Ibarra J**<sup>§</sup>, McMullen MD. The genomic impacts of drift and selection for hybrid performance in maize (2015). GENETICS 201: 1201-1211 [38]

53. Sosso D, Luo D, Li Q-B, Sassse J, Yang J, Gendrot G, Suzuki M, Koch KE, McCarty DR, Chourey PS, Rogoswky PM, Ross-Ibarra J, Yang B, Frommer WB (2015) Seed filling in domesticated maize and rice depends on SWEET-mediated hexose transport. Nature Genetics 47:1489-1493 [231]

- 52. **Takuno S**, Ralph P, Swarts K, Elshire RJ, Glaubitz JC, Buckler ES, **Hufford MB**, **Ross-Ibarra J**<sup>§</sup> (2015) Independent molecular basis of convergent highland adaptation in maize. Genetics 200:1297-1312 [59]
- 51. **Vann LE**, **Kono T**, **Pyhäjärvi T**, **Hufford MB**<sup>§</sup>, **Ross-Ibarra J**<sup>§</sup> (2015) Natural variation in teosinte at the domestication locus teosinte branched1 (tb1). PEERJ 3:e900 [12]
- 50. Hake S, Ross-Ibarra J (2015) Genetic, evolutionary and plant breeding insights from the domestication of maize. ELIFE 2015;4:e05861 [69]
- 49. Fonseca RR, Smith B, Wales N, Cappellini E, Skoglund P, Fumagalli M, Samaniego JA, Caroe C, Avila-Arcos MC, Hufnagel D, Korneliussen TS, Vieira FG, Jakobsson M, Arriaza B, Willerslev E, Nielsen R, Hufford MB, Albrechtsen A, Ross-Ibarra J, Gilbert MT (2015) The origin and evolution of maize in the American Southwest. Nature Plants 1:14003 [135]
- 48. Dyer GA, López-Feldman A, Yúnez-Naude A, Taylor JE, **Ross-Ibarra J** (2015) Reply to Brush *et al.*: A wake up call for crop conservation science. PNAS 112 (1), E2-E2 (letter). [9]
- 47. Makarevitch I, Waters M, West P, **Stitzer M**, **Ross-Ibarra**, J, Springer NM (2015) Mobile elements contribute to activation of genes in response to abiotic stress. PLoS Genetics 11 (1): e1004915. [328]
- 46. Tiffin P, Ross-Ibarra J (2014) Advances and limits of using population genetics to understand local adaptation. Trends in Ecology and Evolution 29:673-680 [284]
- 45. **Bilinski P, Distor KD, Gutierez-Lopez J, Mendoza Mendoza G**, Shi J, Dawe RK, **Ross-Ibarra J**<sup>§</sup> (2014) Diversity and evolution of centromere repeats in the maize genome. Сняомозома 0009-5915 [18]
- 44. **Mezmouk S, Ross-Ibarra J** $\S$  (2014) The pattern and distribution of deleterious mutations in maize. G3 4:163-171 [71]
- 43. Waters AJ, **Bilinski P**, Eichten SR, Vaughn MW, **Ross-Ibarra J**, Gehring M, Springer NM (2013) Comprehensive analysis of imprinted genes in maize reveals allelic variation for imprinting and limited conservation with other species. PNAS 110:19639-19644 [103]
- 42. **Pyhäjärvi T**, **Hufford MB**, **Mezmouk S**, **Ross-Ibarra J**<sup>§</sup> (2013) Complex patterns of local adaptation in teosinte. Genome Biology and Evolution 5: 1594-1609 [134]
- 41. Wills DM, Whipple C, **Takuno S**, Kursel LE, Shannon LM, **Ross-Ibarra J**, Doebley JF (2013) From many, one: genetic control of prolificacy during maize domestication. PLoS GENETICS 9(6): e1003604. [105]
- 40. McCouch S, Baute GJ, Bradeen J, Bramel P, Bretting PK, Buckler E, Burke JM, Charest D, Cloutier S, Cole G, Dempewolf H, Dingkuhn M, Feuillet C, Gepts, P, Grattapaglia D, Guarino L, Jackson S, Knapp S, Langridge P, Lawton-Rauh A, Lijua Q, Lusty C, Michael T, Myles S, Naito K, Nelson RL, Pontarollo R, Richards CM, Rieseberg L, Ross-Ibarra J, Rounsley S, Hamilton RS, Schurr U, Stein N,

- Tomooka N, van der Knaap E, van Tassel D, Toll J, Valls J, Varshney RK, Ward J, Waugh R, Wenzl P, Zamir. (2013) Agriculture: Feeding the future. NATURE 499:23-24 [0]
- 39. **Hufford MB**, Lubinsky P, **Pyhäjärvi T**, **Devengenzo MT**<sup>‡</sup>, Ellstrand NC, **Ross-Ibarra J**<sup>§</sup> (2013) The genomic signature of crop-wild introgression in maize. PLoS Genetics 9(5): e1003477. [287]
- 38. **Provance MC**<sup>§</sup>, Garcia Ruiz I, **Thommes C**<sup>‡</sup>, **Ross-Ibarra J** (2013) Population genetics and ethnobotany of cultivated *Diospyros riojae* Gómez Pompa (Ebenaceae), an endangered fruit crop from Mexico. Genetic Resources and Crop Evolution 60: 2171-2182. [8]
- 37. Melters DP\*, Bradnam KR\*, Young HA, Telis N, May MR, Ruby JG, Sebra R, Peluso P, Eid J, Rank D, Fernando Garcia J, DeRisi J, Smith T, Tobias C, **Ross-Ibarra J**<sup>§</sup>, Korf IF<sup>§</sup>, Chan SW-L. (2013) Patterns of centromere tandem repeat evolution in 282 animal and plant genomes. Genome Biology 14:R10 [309]
- 36. Kanizay LB, **Pyhäjärvi T**, Lowry E, **Hufford MB**, Peterson DG, **Ross-Ibarra J**, Dawe RK (2013) Diversity and abundance of the Abnormal chromosome 10 meiotic drive complex in *Zea mays*. Heredity 110: 570-577. [20]
- 35. **Hufford MB**, **Bilinski P**, **Pyhäjärvi T**, **Ross-Ibarra J**<sup>§</sup> (2012) Teosinte as a model system for population and ecological genomics. Trends in Genetics 12:606-615 [70]
- 34. Muñoz Diez C, Vitte C, Ross-Ibarra J, Gaut BS, Tenaillon MI (2012) Using nextgen sequencing to investigate genome size variation and transposable element content. *In* Grandbastien M-A, Casacuberta JM, editors. Topics in Current Genetics v24: Plant Transposable Elements Impact on Genome Structure & Function. pp. 41-58 [21]
- 33. van Heerwaarden  $J^\S$ , Hufford MB, Ross-Ibarra  $J^\S$  (2012) Historical genomics of North American maize. PNAS 109: 12420-12425 [153]
- 32. Swanson-Wagner R, Briskine R, Schaefer R, **Hufford MB**, **Ross-Ibarra J**, Myers CL, Tiffin P, Springer NM. Reshaping of the maize transcriptome by domestication. (2012). PNAS 109: 11878-11883 [135]
- 31. **Hufford MB**\*, Xun X\*, **van Heerwaarden J**\*, **Pyhäjärvi T**\*, Chia J-M, Cartwright RA, Elshire RJ, Glaubitz JC, Guill KE, Kaeppler S, Lai J, Morrell PL, Shannon LM, Song C, Spinger NM, Swanson-Wagner RA, Tiffin P, Wang J, Zhang G, Doebley J, McMullen MD, Ware D, Buckler ES<sup>§</sup>, Yang S<sup>§</sup>, **Ross-Ibarra J**<sup>§</sup> (2012) Comparative population genomics of maize domestication and improvement. Nature Genetics 44:808-811 [733]
- 30. Chia J-M\*, Song C\*, Bradbury P, Costich D, de Leon N, Doebley JC, Elshire RJ, Gaut BS, Geller L, Glaubitz JC, Gore M, Guill KE, Holland J, **Hufford MB**, Lai J, Li M, Liu X, Lu Y, McCombie R, Nelson R, Poland J, Prasanna BM, **Pyhäjärvi T**, Rong T, Sekhon RS, Sun Q, Tenaillon M, Tian F, Wang J, Xu X, Zhang Z, Kaeppler S, **Ross-Ibarra J**, McMullen M, Buckler ES, Zhang G, Xu Y, Ware, D (2012) Maize HapMap2 identifies extant variation from a genome in flux. Nature Genetics 44:803-807 [568]
- 29. Fang Z, **Pyhäjärvi T**, Weber AL, Dawe RK, Glaubitz JC, Sánchez González J, **Ross-Ibarra C**, Doebley J, Morrell PL§, **Ross-Ibarra J**§ (2012) Megabase-scale inversion polymorphism in the wild ancestor of maize. Genetics 191:883-894 [95]

28. Cook JP, McMullen MD, Holland JB, Tian F, Bradbury P, **Ross-Ibarra J**, Buckler ES, Flint-Garcia SA (2012) Genetic architecture of maize kernel composition in the Nested Association Mapping and Inbred Association panels. Plant Physiology 158: 824-834 [310]

- 27. Morrell PL, Buckler ES, **Ross-Ibarra J**§ (2012) Crop genomics: advances and applications. Nature Reviews Genetics 13:85-96 [453]
- 26. Studer A, Zhao Q, **Ross-Ibarra** J, Doebley J (2011) Identification of a functional transposon insertion in the maize domestication gene *tb1*. NATURE GENETICS 43:1160-1163. [562]
- 25. **van Heerwaarden** J<sup>§</sup>, Doebley J, Briggs WH, Glaubitz JC, Goodman MM, Sánchez González JJ, **Ross-Ibarra** J<sup>§</sup> (2011) Genetic signals of origin, spread and introgression in a large sample of maize landraces. PNAS 108: 1088-1092 [370]
- 24. **Hufford MB**<sup>§</sup>, Gepts P, **Ross-Ibarra J** (2011) Influence of cryptic population structure on observed mating patterns in the wild progenitor of maize (*Zea mays* ssp. *parviglumis*). Molecular Ecology 20: 46-55 [24]
- 23. Tenaillon MI, **Hufford MB**, Gaut BS, **Ross-Ibarra J**<sup>§</sup> (2011) Genome size and TE content as determined by high-throughput sequencing in maize and *Zea luxurians*. Genome Biology and Evolution 3: 219-229 [176]
- 22. Eckert AJ, van Heerwaarden J, Wegrzyn JL, Nelson CD, Ross-Ibarra J, González-Martínez SC, and Neale DB (2010) Patterns of population structure and environmental associations to aridity across the range of loblolly pine (*Pinus taeda* L, Pinaceae). GENETICS 185: 969-982 [373]
- 21. Fuchs EJ, **Ross-Ibarra J**<sup>§</sup>, Barrantes G (2010) Reproductive biology of *Macleania rupestris*: a pollen-limited Neotropical cloud-forest species in Costa Rica. Journal of Tropical Ecology 26: 351-354 [15]
- 20. Whitney KD, Baack EJ, Hamrick JL, Godt MJW, Barringer BC, Bennett MD, Eckert CG, Goodwillie C, Kalisz S, Leitch I, Ross-Ibarra J (2010) A role for nonadaptive processes in plant genome size evolution? . EVOLUTION 64: 2097-2109 [77]
- 19. **van Heerwaarden J**, **Ross-Ibarra J**<sup>§</sup>, Doebley J, Glaubitz JC, Sánchez González J, Gaut BS, Eguiarte LE (2010) Fine scale genetic structure in the wild ancestor of maize (*Zea mays* ssp. *parviglumis*). MOLECULAR ECOLOGY 19: 1162-1173 [45]
- 18. Shi J, Wolf S, Burke J, Presting G, **Ross-Ibarra J**, Dawe RK (2010) High frequency gene conversion in centromere cores. PLoS BIOLOGY 8: e1000327 [119]
- 17. Hollister JD, **Ross-Ibarra J**, Gaut BS (2010) Indel-associated mutation rate varies with mating system in flowering plants. Molecular Biology and Evolution 27: 409-416. [42]
- 16. **van Heerwaarden J**, van Eeuwijk FA, **Ross-Ibarra J** (2010) Genetic diversity in a crop metapopulation. HEREDITY 104: 28-39 [48]
- 15. Gore MA\*, Chia JM\*, Elshire RJ, Sun Q, Ersoz ES, Hurwitz BL, Peiffer JA, McMullen MD, Grills GS, Ross-Ibarra J, Ware D, Buckler ES (2009) A first-generation haplotype map of maize. Science 326:

- 1115-1117. [771]
- 14. **May MR**<sup>‡</sup>, **Provance MC**, Sanders AC, Ellstrand NC, **Ross-Ibarra J**<sup>§</sup> (2009) A pleistocene clone of Palmer's Oak persisting in Southern California. PLoS ONE 4: e8346. [32]
- 13. Zhang LB, Zhu Q, Wu ZQ, **Ross-Ibarra J**, Gaut BS, Ge S, Sang T (2009) Selection on grain shattering genes and rates of rice domestication. New Phytologist 184: 708-720. [145]
- 12. **Ross-Ibarra J**, Tenaillon M, Gaut BS (2009) Historical divergence and gene flow in the genus Zea. GENETICS 181: 1399-1413. [182]
- 11. **Ross-Ibarra** J\*, Wright SI\*, Foxe JP, Kawabe A, DeRose-Wilson L, Gos G, Charlesworth D, Gaut BS (2008) Patterns of polymorphism and demographic history in natural populations of *Arabidopsis lyrata*. PLoS ONE 3: e2411. [188]
- 10. Lockton S, **Ross-Ibarra J**, Gaut BS (2008) Demography and weak selection drive patterns of transposable element diversity in natural populations of *Arabidopsis lyrata*. PNAS 105: 13965-13970. [91]
- 9. **Ross-Ibarra** J<sup>§</sup>, Gaut BS (2008) Multiple domestications do not appear monophyletic. PNAS 105: E105 (letter). [23]
- 8. Gaut BS, **Ross-Ibarra J** (2008) Selection on major components of angiosperm genomes. Science 320: 484-486. [76]
- 7. **Ross-Ibarra J**, Morrell PL, Gaut BS (2007) Plant domestication, a unique opportunity to identify the genetic basis of adaptation. PNAS 104 Suppl 1: 8641-8648. [427]
- 6. **Ross-Ibarra J**<sup>§</sup> (2007) Genome size and recombination in angiosperms: a second look. Journal of Evolutionary Biology 20: 800-806. [31]
- 5. Wares JP, Barber PH, **Ross-Ibarra J**, Sotka EE, Toonen RJ (2006) Mitochondrial DNA and population size. Science 314: 1388-90 (letter). [33]
- 4. Ross-Ibarra J<sup>§</sup> (2005) QTL and the study of plant domestication. GENETICA 123: 197-204. [37]
- 3. **Ross-Ibarra J** $^\S$  (2004) The evolution of recombination under domestication: a test of two hypotheses. American Naturalist 163: 105-112. [91]
- 2. **Ross-Ibarra J** (2003) Origen y domesticación de la chaya (Cnidoscolus aconitifolius Mill IM Johnst): La espinaca Maya (*Cnidoscolus aconitifolius* Mill I. M. Johnst): Mayan spinach. MEXICAN STUDIES 19: 287-302. [34]
- 1. **Ross-Ibarra J**§, Molina-Cruz A (2002) The ethnobotany of Chaya (*Cnidoscolus aconitifolius* ssp. *aconitifolius* Breckon): A nutritious Maya vegetable. Economic Botany 56: 350-365. [138]
- o. Neel MC, **Ross-Ibarra J**, Ellstrand NC (2001) Implications of mating patterns for conservation of the endangered plant *Eriogonum ovalifolium* var. *vineum*. American Journal of Botany 88: 1214-1222. [35]