Jeffrey Ross-Ibarra

Department of Evolution and Ecology
Center for Population Biology
Genome Center
University of California Davis

Phone: (530) 752-4565
Email: rossibarra@ucdavis.edu
Web: rilab.ucdavis.edu, @jrossibarra.bsky.social

Education

PhD Genetics, University of Georgia 2006
MS Botany, University of California Riverside 2000
BA Botany, University of California Riverside 1998

Academic Appointments

Professor, Dept. Evolution and Ecology, University of California Davis	2019-present
Scientific Director, UC Davis High Performance Computing Core Facility	2024-present
Chair Professor, College of Plant Sciences, Huazhong Agricultural University	2024-2027
Paternity leave	2017
Professor, Dept. Plant Sciences, University of California Davis	2016-2019
Associate Professor, Dept. Plant Sciences, University of California Davis	2012-2016
Assistant Professor, Dept. Plant Sciences, University of California Davis	2009-2012
Postdoctoral Researcher, University of California Irvine	2006-2008
Profesor de Asignatura, Universidad Nacional Autónoma de México	2001

Selected Fellowships and Awards

Member, National Academy of Sciences	2026
NAS Prize in Food and Agriculture Sciences	2024
College of Biological Sciences Award for Research Excellence	2024
Fellow, American Association for the Advancement of Science	2020
Stadler Mid-Career Excellence in Maize Genetics Award	2016
Faculty Development Award in recognition of university service	2015
DuPont Young Professor Award	2012
Presidential Early Career Award for Scientists and Engineers	2009

Recent Instruction and Advising

Classroom Instruction

Graduate Population Genomics Workshop (HZAU, UCD)	2024-present
Hablemos de Evolución y Ecología (First year seminar)	2025-present
Plant Biology Graduate Core (PLB200A)	2018-2022, 2025
Ecological Genomics (ECL 243)	2014-present
Genetics (UC Davis, BIS 101, undergraduate)	2013-2022

Service: selected from last 3 years

University

Strategic Administration of Research Computing Committee, Office of Research	2026-present
Scientific Director, High Performance Computing Core Facility	2024-present
START taskforce on Research Computing	2024-2025
Member, Computer Support Committee, College of Letters & Science	2024-present
Advisor, Plant Biology Graduate Group	2024-present
Advisory cmte, controlled environment facility	2020-2024
Executive Cmte, Plant Biology Graduate Group	2019-2025
Confidential committee for the Office of the Vice Provost — Academic Affairs	2017-2024

Professional

Board of Directors, Genetics Society of America 2025-2028
Organizer, Bay Area Population Genetics Conference 2026
Co-Chair, International Forum on Maize Biology 2025, 2027
Organizing Committee, Society for Molecular Biology and Evolution Conference 2024
Board of Directors, Maize Genetics Corporation 2022-2025
Maize Genetics Advocacy Cmte 2022-2025
Executive Council, Society of Molecular Biology and Evolution 2022-2024
Scientific Advisory Board, FOREVER project 2021-2025
Founder and organizer, Zeavolution webinar series 2019-present
Editorial Boards: G3 Senior (2017-2024), Associate (2014-2024), Guest (2025-present); Genetics (Primers Editor, 2026-present); Peer Community In Evol. Bio (2025-present); bioRxiv affiliate (2021-present); eLife Reviewing Editor (2021-2024)
Journal peer review: Nature, Molecular Ecology, Science (4), eLife (4), Trends in Genetics , Evolution, Evolutionary Applications, PNAS (4) , Nature Genetics , PLoS Genetics (2), Nature Communications , Science Advances , PCI Evol Bio

Contributions to Diversity

Maize Genetics code of conduct committee 2023-2025
Society of Molecular Biology, *ad hoc* code of conduct committe 2024-2025
Faculty representative, Pop Bio graduate student DEI cmte 2023-2024
Chair, Maize Genetics review of multi-society DEI initiative 2023
Faculty representative, EEB grad preview workshop 2023
Member, IDEA Cmte, Society for Molecular Biology and Evolution 2022-2024

Outreach

Interviews: Edge Effects, Talking Biotech, OffRange Media, Breeding Bites, KQED, Eat This
San Francisco Exploratorium panel on crop domestication 2023
Expert interviews: Epsil∞n Magazine, Financial History Magazine, National Geographic, Science&Vie, Folha de S.Paulo, South China Post

Current Funding

Simons foundation: "Enabling genome-wide genealogies in complex plant genomes" $360,000 (Postdoctoral Mentor) 2026-2029
USDA: "The genomic and environmental drivers of crop-wild hybrid weed formation and success" $225,000 (Postdoctoral Mentor) 2025-2027
NSF: "REUSite: Ecology,Evolution,and Equity in Environmental Change (4EC)" $350,000 (PI) 2024-2027
NSF: "DISES: Coevolutionary dynamics of humans and maize in the Americas" $1.6M (PI), 2023-2026
Gates Foundation: "Study and test approaches for identifying alleles associated with environmental adaptation" $320,000 (Co-PI), 2022-2026

Invited Seminars, previous 3 years

TSkit webinar	November 2026
Chinese Academy of Sciences	October 2026
Huazhong Agricultural University	October 2026
Szechuan Agricultural University	October 2026
Texas A&M	September 2026
PEQG Conference (keynote)	June 2026
Biology of Genomes	May 2026
U. Southern California	Jan 2026
UC Davis	Jan 2026
BGI Wuhan	October 2025
Zhejiang University	October 2025
International Forum on Maize Biology (keynote), Wuhan	October 2025
Ecol. & Evol. Genomics Gordon Conference (keynote), Florence	July 2025
UC Davis	May 2025
UC Berkeley	May 2025
Gomez-Pompa lecture, UC Riverside	May 2025
Maize Biology Conference of China (keynote)	April 2025
Darwin Day Lecture, U. Calgary	Feb 2025
BAPG Conference (keynote)	Nov. 2024
Huazhong Agricultural University	Aug. 2024
Shenzhen Agricultural Genomics Institute	Aug. 2024
Yazhouwan National Laboratory	Aug 2024
Sacramento Archeological Society	July 2024
Corteva Agriscience	June 2024
U. Cologne	Mar. 2024
U. Oregon	Feb. 2024
U. Helsinki	Jan. 2024

Publications (lab members bold, *equal contribution, ‡undergraduate, §corresponding, [citations])

Preprints

Wang Y, Mao R, Liu Y, Guo X, Li N, Zhang Q, Cai M, Xie P, Wang Y, Luo Y, Ding Q, Wu S, Luo E, Ma L, Luo Z, Wei T, Liu H, Dai M, Qiu F, Xiao Y, Yang X, Jackson D, Zhang Z, Yan J§ , **Ross-Ibarra J**§ , Liu L§ , Yang N§ . The cellular and genetic basis of inflorescence divergence between maize and teosinte. doi: 10.64898/2026.08.10.743805 [0]

Ramos-Onsins SE, **Ross-Ibarra J**, Caceres M, Ferretti L. Bias in diversity estimators and neutrality tests induced by neutral polymorphic structural variants. doi: 10.64898/2026.02.26.708357 [0]

Phillips AR§, AuBuchon-Elder T, Barry K, Stitzer MC, Buckler ES, Bukowski R, **Cameron B**, **Cryan EP**, Forrestel E, Grabowski PP, Grimwood J, Jenkins J, Lipzen AM, Lovell JT, Minx P, **Julianna Porter**‡, Runcie D, Schmutz J, Shu S, Solomon B, Stephens J, Sun Q, Williams M, Flint-Garcia S, Romey MC, Kellogg EA, **Jeffrey Ross-Ibarra**§. The origins and adaptive consequences of polyploidy in a dominant prairie grass. doi: 10.1101/2025.11.25.690567v1 [0]

Liu B, **Fairbanks RA**, Hirsch CN, Munasinghe M, Pope NS, **Ross-Ibarra J**§. Genome-wide selection on transposable elements in maize. doi: 10.1101/2025.09.16.676665 [3]

Stitzer MC, Seetharam AS, Scheben A, Hsu S-K, Schulz AJ, AuBuchon-Elder T, El-Walid M, Ferebee TH, Hale CO, La T, Liu Z-Y, McMorrow SJ, Minx P, **Phillips AR**, Syring M, Wrightsman T, Zhai J, Pasquet R, McAllister C, Malcomber S, Traiperm P, Layton D, Zhong J, Costich DE, Dawe RK, Fengler K, Harris C, Irelan Z, Llaca V, Parakkal P, Zastrow-Hayes G, Woodhouse MR, Cannon EKS,

Portwood J, Andorf CM, Albert PS, Birchler JA, Siepel A, **Ross-Ibarra J**, Romay MC, Kellogg E, Buckler ES, Hufford MB. Extensive genome evolution distinguishes maize within a stable tribe of grasses. doi: 10.1101/2025.01.22.633974 [26]

In press or in print

H-Index 67 (21657 citations as of Thu Oct 29 20:49:58 2026)

130. O'Donnell DA, **Yang J**, Zamora P, Lorant A, Miao C, Van Deynze A, Bennett A, **Ross-Ibarra J**[§]. Heritability and QTL mapping of aerial roots and other yield component traits with implications for N2 fixation in *Zea mays*. G3 *Accepted* [1]

129. **Snodgrass S**[*], **Li F**[*], **Mambakkam S**[‡], Medina-Muñoz SG, **Sparreo L**[‡], **Menon M**, **Perez C**[‡], Kalsi N, Ghosh AG, Schuster SC, Kim HL, Moreno-Estrada A, Runcie DE, Coop GM, **Ross-Ibarra J**. Maize genetic diversity is largely unstructured by human ethnolinguistic diversity in its center of origin. PNAS *Accepted* [0]

128. Perez-Limón S, Alonso-Nieves L, Ramírez-Flores MR, Cintora-Martínez GC, Salazar-Vidal MN, Carcaño-Macías J, Perryman MG, Paulson OHS, Sidhu JS, Yu P, Llaca V, Fengler KA, Li F, Runcie DE, **Ross-Ibarra J**, Gillmor CS, Rellán-Álvarez R, Sawers RJH. The MexMAGIC population reveals the genetic architecture of clinal trait variation in Mexican native maize. New Phytologist *Accepted* [1]

127. Xu G, Yang X, Zhang M, Kang C, Tian Z, Qi Y, Luo M, Liu P, **Ross-Ibarra J**, Yang J, Liu H (2026). The dominance of gene expression controlled by trans-eQTL hotspots contributes to phenotypic heterosis in maize. Nature Communications *Accepted* [4]

126. **Cao Y**, Yan J, **Ross-Ibarra J**[§], Yang N[§] (2026). Plant Domestication Revisited: Genomic Insights into Origins, Mechanisms, and Convergent Evolution. iScience 29 [4]

125. **Fairbanks R**[§], **Ross-Ibarra J**[§] (2025). An ancient origin of the naked grains of maize. PNAS 122: e2503748122 [9]

124. **Cryan E**[§], **Phinney G**[‡], Seetharam AS, Evans MMS, Kellogg EA, Zhan J, Meyers BC, Kliebenstein DE, **Ross-Ibarra J**[§] (2025). Molecular evolution of a reproductive barrier in maize and related species. Genetics 230, iyaf085 [2]

123. **Li F**[§], **Gates DJ**, Buckler ES, Hufford MB, Janzen GM, Reallán-Álvarez R, Rodrígues-Zapata F, Romero Navarro JA, Sawers RJH, **Snodgrass SJ**, SonderK, Willcox MC, Hearne SJ, **Ross-Ibarra J**[§], Runcie DE (2025)[§]. Environmental data provide marginal benefit for predicting climate adaptation. PLoS Genetics 21: e1011714 [31]

122. Engelhorn J, **Snodgrass SJ**, Kok A, Seetharam AS, Schneider M, Kiwit T, Singh A, Banf M, Khaipo-Burch M, Runcie DE, Sánchez Camargo V, Torres-Rodriguez JV, Sun G, Stam M, Fiorani F, Schnable JC, Bass HW, Hufford MB, Stich B, Frommer WB, **Ross-Ibarra J**, Hartwig T (2025). Phenotypic variation in maize can be largely explained by genetic variation at transcription factor binding sites. Nature Genetics 57, 2313-2322 [54]

121. Andorf CM, **Ross-Ibarra J**, Seetharam AS, Hufford MB, Woodhouse MR (2024). A unified VCF data set from nearly 1,500 diverse maize accessions and resources to explore the genomic landscape of maize. G3 jkae281 [17]

120. **O'Brien AM**, Sawers RJH, Gasca-Pineda J, Baxter I, Eguiarte LE, **Ross-Ibarra J**, Strauss SY (2024). Teosinte populations exhibit weak local adaptation to their rhizosphere biota despite strong effects of biota source on teosinte fitness and traits. Evolution 78: 1991-2005 [7]

119. Berube B, Ernst E, Cahn J, Roche B, de Santis Alves C, Lynn J, Scheben A, Siepel A, **Ross-Ibarra J**, Kermicle J, Martienssen RA (2024). Teosinte Pollen Drive guides maize domestication and evolution by RNAi. Nature 633: 380-388 [33]

118. **Tittes S**[§], **Lorant A**, **McGinty S**[‡], Doebley JF, Holland JBH, Sànchez-Gonzàlez JdJ, Seetharam A, Tenaillon M, **Ross-Ibarra J**[§] (2023). Not so local: the population genetics of convergent adaptation in maize and teosinte. eLife12:RP92405 [21]

117. **Yang N**[*], Wang Y[*], Liu X, Jin M, Vallebueno-Estrada M, Calfee E, Chen L, Dilkes BP, Gui S, Fan X, Harper TK, Kennett DJ, Li W, Lu Y, Luo J, **Mambakkam S**[‡], **Menon M**, Snodgrass S, Veller C, Wu S, Wu S, Xiao Y, Yang X, Stitzer MCS, Runcie DE, Yan J[§], **Ross-Ibarra J**[§] (2023). Two teosintes made modern maize. Science 382: eadg8940. [205]

116. Khaipho-Burch M, Cooper M, Corrsa J, de Leon N, Holland J, Lewis R, McCouch S, Murray SC, Rabbi I, Ronald P, **Ross-Ibarra J**, Weigel D, Yan J, Buckler ES (2023). Genetic modification can improve crop yields — but stop overselling it. Nature 621:470-473. [161]

115. Flint-Garcia S, Feldmann MJ, Dempewolf H, Morrell PL, **Ross-Ibarra J** (2023). Diamonds in the Not-So-Rough: Wild Relative Diversity Hidden in Crop Genomes PLoS biology 21: e3002235 [30]

114. Sun S, Wang B, Li C, Xu G, Yang J, Hufford MBH, **Ross-Ibarra J**, Wang H, Wang L (2023). Unraveling prevalence and effects of deleterious mutations in maize elite lines across decades of modern breeding Molecular Biology and Evolution 40: msad170 [33]

113. **Phillips AR**[*], Seetharam AR[*], Albert PS, AuBuchon-Elder T, Birchler JA, Buckler ESB, Gillespie LJ, Hufford MB, Llaca V, Romay MC, Soreng RJ, Kellogg E, **Ross-Ibarra J** (2023). A happy accident: a novel turfgrass reference genome. G3 13:jkad073 [15]

112. Hu H, Crow T, Nojoomi S, Schulz, AJ, Hufford MB, Flint-Garcia SF, Sawers RJ, Rellàn-Àlvarez R, Estèvez-Palmas JM, **Ross-Ibarra J**, Runcie DE (2023). Allele-specific expression reveals multiple paths to highland adaptation in maize. Mol. Bio. Evol. 39: msac239 [19]

111. **Rushworth CA**, Wardlaw AM, **Ross-Ibarra J**, Brandvain Y (2022). Conflict over fertilization underlies the transient evolution of reinforcement. PLoS Biology 20: e3001814 [9]

110. Chen L[*], Luo J[*], Minliang Jin[*], **Yang N**[*§], Liu X, Peng Y, Li W, **Phillips AR**, **Cameron B**, Bernal J, Rellán-Álvarez R, Saers RJH, Liu Q, Yin Y, Ye X, Yan J, Zhang Q, Zhang X, Wu S, Gui S, Wei W, Wang Y, Luo Y, Jiang C, Deng M, Jin M, Jian L, Yu Y, Zhang M, Yang X, Hufford MB, Fernie AR, Warburton ML, **Ross-Ibarra J**[§], Yan J[§] (2022). Genome sequencing reveals evidence of adaptive variation in the genus *Zea*. Nature Genetics 54: 1736–1745 [153]

109. Li C, Guan H, Jing X, Li Y, Wang B, Li Y-X , Liu X, Zhang D, Liu C, Xie X, Zhao H, Wang Y, Liu J, Zhang P, Hu G, Li G, Li S, Sun D, Wang X, Shi Y, Song Y, Jiao CZ[§], **Ross-Ibarra J**[§], Li Y[§], Wang T[§], Wang H[§] (2022). Genomic Insights into Historical Improvement of Heterotic Groups during Modern Hybrid Maize Breeding. Nature Plants 8: 750-763 [130]

108. Guerra-Garcia A, Rojas-Barrera IC, **Ross-Ibarra J**, Papa R, Piñero D (2022). The genomic signature of wild-to-crop introgression during the domestication of scarlet runner bean (*Phaseolus coccineus L.*). Evolution Letters 6: 295-307 [17]

107. Barnes AC, Rodríguez-Zapata F,Blöcher-Juárez KA, **Gates DJ**, Kur A, Wang L, Janzen GM, Jensen S, Estévez-Palmas JM, Crow T, Taylor Crow, Aguilar-Rangel R, Demesa-Arevalo E, Skopelitis T, Pérez-Limón S, Stuttsa WL, Chiu Y-C, Jackson D, Fiehn O, Runcie D, Buckler ES, **Ross-Ibarra J**, Hufford M, Sawers RJH, Rellán-Álvarez R (2022). An adaptive teosinte mexicana introgression modulates phosphatidylcholine levels and is associated with maize flowering time PNAS 119: e2100036119 [77]

106. **Horvath R**[§], **Menon M**, Stitzer M, **Ross-Ibarra J**[§] (2022). Controlling for Variable Transposition Rate with an Age-Adjusted Site Frequency Spectrum. Genome Biology and Evolution 14: evac016 [12]

105. **Hudson AI**, **Odell SG**, Dubreuil P, Tixier M-H, Praud S, Runcie DE, **Ross-Ibarra J** (2022). Analysis of genotype by environment interactions in a maize mapping population. G3 12: jkac013 [52]

104. Samayoa LF, Olukolu BA, Yang CJ, Chen Q, Stetter MG, York AM, Sanchez-Gonzalez JJ, Glaubitz JC, Bradbury PJ, Romay MC, Sun Q, Yang J, **Ross-Ibarra J**, Buckler ES, Doebley JF, and Holland JB (2022). Domestication reshaped the genetic basis of inbreeding depression in a maize landrace compared to its wild relative, teosinte. PLoS Genetics 17: e1009797 [22]

103. Perez-Limòn S, Li M, Cintora-Martinez GC, Aguilar-Range MR, Salazar-Vidal MN, Gonzàlez-Segovia E, Blocher-Juàrez K, Guerrero-Zavala A, Barrales-Gamez B, Carcano-Macias J, Nieto-Sotelo J, Martinez de la Vega O, Simpson J, Hufford MB, **Ross-Ibarra J**, Flint-Garcia S, Diaz-Garcia L, Rellàn-Àlvarez R, Sawers RJH (2022). A B73 x Palomero Toluqueño mapping population reveals local adaptation in in Mexican highland maize. G3 12: jkab447 [21]

102. **Odell SG**, **Hudson AI**, Praud S, Dubreuil P, Tixier M-H, **Ross-Ibarra J**, Runcie DE (2022). Modeling allelic diversity of multi-parent mapping populations affects detection of quantitative trait loci. G3 12: jkac011 [23]

101. Calfee E[§], **Gates DJ**, **Lorant A**, **Perkins MT**, Coop GM[§], **Ross-Ibarra J**[§] (2021). Selective sorting of ancestral introgression in maize and teosinte along an elevational cline. PLoS Genetics 17: e1009810 [108]

100. **Stitzer MC**[§], Anderson SN, Springer NM, **Ross-Ibarra J** (2021). The Genomic Ecosystem of Transposable Elements in Maize. PLoS Genetics 17: e1009768 [177]

99. Hufford MB, Seetharam AS, Woodhouse MR, Chougule KM, Ou S, Liu J, Ricci WA, Guo T, Olson A, Qiu Y Della Coletta R, **Tittes S**, **Hudson AI**, Marand AP, Wei S Lu Z, Wang B, Tello-Ruiz MK, Piri R, Wang N, Kim D, Zeng Y, O'Connor CH, Li X, Gilbert AM, Baggs E, Krasileva KV, Portwood JL, Cannon EKS, Andorf CM, Manchanda N, Snodgrass SJ, Hufnagel DE, Jiang Q, Pedersen S, Syring ML, Kudrna DA, Llaca V, Fengler K, Schmitz RJ, **Ross-Ibarra J**, Yu J, Gent JI, Hirsch CN, Ware D, Dawe RK (2021). De novo assembly, annotation, and comparative analysis of 26 diverse maize genomes. Science 373:655-662 [803]

98. Song CB, Wang H, Wu, Y, Rees E, **Gates DJ**, Burch M, Bradbury PJ, **Ross-Ibarra J**, Kellogg EA, Hufford MB, Romay MC, Buckler ES (2021). Constrained non-coding sequence provides insights into regulatory elements and loss of gene expression in maize. Genome Research gr.266528.120 [75]

97. **Wang L**, Josephs EB, Lee KM, Roberts LM, Rellán-Álvarez R, **Ross-Ibarra J**§, Hufford MB§ (2021). Molecular parallelism underlies convergent highland adaptation of maize landraces. Molecular Biology and Evolution msab119 [81]

96. Muyle A, **Ross-Ibarra J**, Seymour DK, Gaut BS (2021). Gene body methylation is under selection in *Arabidopsis thaliana*. Genetics 218(2):iyab061 [50]

95. Lozano R, Gazave E, dos Santos JPR, Stetter MG, Valluru R, Bandillo N, Fernandes SB, Brown PJ, Shakoor N, Mockler T, Cooper EA, **Perkins MT**, Buckler ES, **Ross-Ibarra J**§, Gore M§ (2021). Comparative evolutionary analysis and prediction of deleterious mutation patterns between sorghum and maize. Nature Plants 7: 17-24 [113]

94. **Ross-Ibarra J**, Piperno D (2020). Maize moving. Figshare. doi: 10.6084/m9.figshare.12781307.v1 [1]

93. Xu G, Lyu J, Li Q, Liu H, Wang D, Zhang M, Springer NM, **Ross-Ibarra J**, Yang J (2020). Adaptive evolution of DNA methylation reshaped gene regulation in maize Nature Communications 11: 5539 [151]

92. Chen Q, Samayo LF, Yang CJ, Bradbury PJ, Olukolu BA, Neumeyer MA, Romay, MC, Sun Q, **Lorant A**, Buckler ES, **Ross-Ibarra J**, Holland JB, Doebley JF (2020). The genetic architecture of the maize progenitor, teosinte, and how it was altered during maize domestication PLoS Genetics 16.5:e1008791. [54]

91. **Zeitler L**, **Ross-Ibarra J**§, **Stetter MGS**§ (2020). Selective loss of diversity in doubled-haploid lines from European maize landraces. G3 10: 2497-2506 [17]

90. Wang B, Lin Z, Li X, Zhao Y, Zhao B, Wu G, Ma X, Wang H, Xie Y, Li Q, Song G, Kong D, Zheng Z, Wei H, Shen R, Chen C, Meng Z, Wang T, Li X, Chen Y, Lai J, Hufford MB, **Ross-Ibarra J**, He H, Wang H (2020). Genome-wide selection and genetic improvement during modern maize breeding. Nature Genetics 52: 565-571 [340]

89. Torres R*, **Stetter MG***, Hernandez R§, **Ross-Ibarra J**§ (2020). The temporal dynamics of background selection in non-equilibrium populations. Genetics 214: 1019-1030 [41]

88. **Turner-Hissong SD**§, Mabrey ME, Beissinger TM, **Ross-Ibarra J**, Pires JC (2020). Evolutionary insights into plant breeding. Current Opinion in Plant Biology 54: 93-100 [77]

87. Anderson SN, **Stitzer MC**, Zhou P, **Ross-Ibarra J**, Hirsch CD, Springer NM (2019) Dynamic patterns of transcript abundance of transposable element families in maize. G3 9: 3673-3682 [44]

86. Anderson SN*, **Stitzer MC***, Brohammer A*, Zhou P, Noshay JM, O'Connor CH, Hirsch CD, **Ross-Ibarra J**, Hirsch CN, Springer NM (2019). Transposable elements contribute to dynamic genome content in maize. The Plant Journal 100: 1052-1065 [138]

85. Wei X, Anderson SN, Wang X, Yang L, Crisp PA, Li Q, Noshay J, Albert PS, Birchler JA, **Bilinski P**, **Stitzer MC**, **Ross-Ibarra J**, Flint-Garcia S, Chen X, Springer NM, Doebley JF (2019). Hybrid decay: a transgenerational epigenetic decline in vigor and viability triggered in backcross populations of teosinte with maize. Genetics 213: 143-160 [14]

84. **O'Brien AM**§, Sawers RJH, Strauss SY, **Ross-Ibarra J**§ (2019). Adaptive phenotypic divergence in an annual grass differs across biotic contexts. Evolution 73: 2230-2246 [27]

83. Gonzalez-Segovia E, Pérez-Limon S, Cíntora-Martínez C, Guerrero-Zavala A, Jansen G, Hufford MB, **Ross-Ibarra J**, Sawers RJH (2019). Characterization of introgression from the teosinte *Zea mays* ssp. *mexicana* to Mexican highland maize. PeerJ 7: e6815. [48]

82. **Gates DJ**§, Runcie D, Janzen GM, Romero Navarro A, Willcox M, Sonder K, Snodgrass SJ, Rodríguez-Zapata F, Sawers RJH, Rellán-Álvarez R, Buckler ES, Hearne S, Hufford MB, **Ross-Ibarra J**§ (2019). Single-gene resolution of locally adaptive genetic variation in Mexican maize. bioRxiv 706739; doi: 10.1101/706739 [46]

81. **Josephs EM**§, Berg JJ, **Ross-Ibarra J**, Coop G (2019) Detecting adaptive differentiation in structured populations with genomic data and common gardens. Genetics 211: 989-1004. [58]

80. **Stetter MG**§, Thornton K, **Ross-Ibarra J**§ (2018) Genetic architecture and selective sweeps after polygenic adaptation to distant trait optima. PLoS Genetics 14(11): e1007794. [70]

79. **O'Brien A**§, Sawers R, **Ross-Ibarra J**, Strauss SY§ (2018) Evolutionary responses to conditionality in species interactions across environmental gradients. American Naturalist 192(6): 715-730. [41]

78. **Stitzer MC**§, **Ross-Ibarra J** (2018) Maize domestication and gene interaction. New Phytologist 220:395-408 [162]

77. Manchanda N, Snodgrass SJ, **Ross-Ibarra J**, Hufford MB (2018) Evolution and adaptation in the maize genome. pages 319-332 *In* The Zea mays Genome, Bennetzen, Flint-Garcia, Hirsch, Tuberosa (Eds.), Springer Nature Publishing [8]

76. **Lorant A**, **Ross-Ibarra J**, Maud Tenaillon (2018) Genomics of long- and short- term adaptation in maize and teosinte. Pages 289-311 *In* Statistical Population Genomics, Dutheil (Ed.), Springer Nature Publishing [18]

75. Dawe RK, Lowry EG, Gent J, **Stitzer MC**, Higgins DM, **Ross-Ibarra J**, Wallace JG, Kanizay L, Alabady M, Wang N, Gao Z, Birchler J, Harkess AE, Hodges AL, Hiatt EN (2018) A novel maize kinesin causes neocentromere activity and meiotic drive, altering inheritance patterns across the genome. Cell 173: 839-850. [152]

74. Aburto-Oropeza O, Johnson A, Agha M, Allen E, Allen M, González JA, Arenas-Moreno DM, Beas R, Butterfield H, Caetano G, Caselle J, Casteñada Gaytán G, Castorani MCN, Anh Cat L, Cavanaugh K, Chambers JQ, Cooper RD, Arafeh-Dalmau N, Dawson T, Diaz de la Vega A, DiMento JFC, Domínguez S, Edwards M, Ennen J, Estrada-Medina H, Fierro N, Gadsden H, Galina-Tessaro P, Gibbons P, Goode EV, Gorris ME, Harmon T, Hecht SB, Heredia Fragoso MA, Hernández-Solano A, Hernández-Cortés D, Hernández-Carmona G, Hillard S, Huey RB, Hufford MB, Pàramo Figueroa VH, Jenerette D, Jiménez-Osornio J, López-Nava KJ, Lara R, Leslie H, Lopez-Feldman A, Luja V, Martínez-Méndez N, Mautz W, Medellin-Azuara J, Meléndez-Torres C, de la Cruz FRM, Micheli F, Miles D, Montagner G, Montaño-Moctezuma G, Müller J, Oliva P, Ortinez A, Ortiz Partida JP, Palleiro-Nayar J, Parnell PE, Raimondi P, Ramirez A, Randerson JT, Reed DC, Riquelme M, Torres TR, Rosen PC, **Ross-Ibarra J**, Sanchez-Cordero V, Sandoval-Solis S, Santos J, Sawers R, Sinervo B, Sites J, Sosa-Nishizaki O, Stanton T, Stapp J, Stewart J, Torre J, Torres-Moye G, Treseder KK, Valdez-Villavicencio JH, Jiménez FIV, Vaughn M, Welton L, Westphal MF, Woolrich-Piña G, Yunez-Naude A, Zertuche-González JA, Taylor JE (2018) Harnessing Cross-border Resources to Confront Climate Change. Environmental Science and Policy 87: 128-132. [30]

73. **Bilinski P**[§], Albert P, Berg JJ, Birchler JA, Grote M, **Lorant A**, **Quezada J**[‡], Swarts, K, **Yang J**, **Ross-Ibarra J**[§] (2018) Parallel altitudinal clines reveal adaptive evolution of genome size in *Zea mays*. PLoS Genetics 14: e1007162 [162]

72. **Mei W**, **Stetter MG**, **Gates DJ**, **Stitzer MC**, **Ross-Ibarra J**[§] (2018) Adaptation in plant genomes: bigger is different. American Journal of Botany 105: 16-19 [75]

71. Bukowski R, Guo X, Lu Y, Zou C, He B, Rong Z, Wang B, Xu D, Yang B, Xie C, Fan L, Gao S, Xu X, Zhang G, Li Y, Jiao Y, Doebley J, **Ross-Ibarra J**, **Lorant A**, **Buffalo V**, Romay MC, Buckler ES, Ware D, Lai J, Sun Q , Xu Y (2017) Construction of the third generation *Zea mays* haplotype map. GigaScience gix134 [370]

70. Wang L, **Beissinger TM**, **Lorant A**, **Ross-Ibarra C**, **Ross-Ibarra J**[§], Hufford MB[§] (2017) The interplay of demography and selection during maize domestication and diffusion. Genome Biology 18:215 [250]

69. **Yang J**[*§], **Mezmouk S**[*], Baumgarten A, Buckler ES, Guill KE, McMullen MD, Mumm RH, **Ross-Ibarra J**[§] (2017) Incomplete dominance of deleterious alleles contribute substantially to trait variation and heterosis in maize. PLoS Genetics 13:e1007019 [199]

68. **Lorant A**, Pedersen S, Holst I, Hufford MB, Winter K, Piperno D, **Ross-Ibarra J**[§] (2017) The potential role of genetic assimilation during maize domestication. PLoS ONE 12:e0184202 [36]

67. Aguilar-Rangel MR, Chàvez Montes RA, Gonzalez-Segovia E, **Ross-Ibarra J**, Simpson JK, Sawers RJH (2017) Allele specific expression analysis identifies regulatory variation associated with stress-related genes in the Mexican highland maize landrace Palomero Toluqueño. PeerJ 5:e3737 [23]

66. **Stetter MG**[§], **Gates DJ**, **Mei W**, **Ross-Ibarra J**[§] (2017) How to make a domesticate. Current Biology 27:R896-R900 [89]

65. Swarts K, Gutaker RM, Schuenemann V, Benz B, Blake M, Bukowski R, Holland J, Kruse-Peeples M, Lepak N, Matson RG, Prim L, Romay C, **Ross-Ibarra J**, Sanchez J, Schmidt C, Sofro E, Krause J, Weigel D, Buckler ES, Burbano HA (2017) Genomic estimation of complex traits reveals ancient maize adaptation to temperate North America. Science 357:512-515 [229]

64. **Bilinski P**[§], Han Y, **Hufford MB**, **Lorant A**, Zhang P, Jiang J, **Ross-Ibarra J**[§] (2017) Genomic abundance is not predictive of tandem repeat localization in grass genomes. PLoS ONE 12:e0177896 [9]

63. Jiao Y, Peluso P, Shi J, Liang T, **Stitzer MC**, Wang B, Campbell M, Stein JC, Wei X, Chin C-S, Guill K, Regulski M, Kumari S, Olson A, Gent J, Schneider KL, Wolfgruber TK, May MR, Springer N, Antoniou E, McCombie R, Presting GG, McMullen M, **Ross-Ibarra J**, Dawe RK, Hastie A, Rank DR, Ware D (2017) Improved maize reference genome with single-molecule technologies. Nature 546:524-527 [1404]

62. **Renny-Byfield S**[§], Rodgers-Melnick E, **Ross-Ibarra J**[§] (2017) Gene fractionation and function in the ancient subgenomes of maize. Mol. Biol. Evol. 34:1825-1832 [96]

61. **Velasco D**, Aradhya M, and and **Ross-Ibarra J**[§] (2016) Evolutionary genomics of peach and almond domestication. G3 6:3985-3993 [40]

60. Ramos-Madrigal J, Smith BD, Moreno-Mayar JV, Gopalakrishnan S, **Ross-Ibarra J**, Gilbert MTP, Wales N (2016) Genome sequence of a 5310-year-old maize cob provides insights into the early stages of maize domestication. Current Biology 26:3195-3201 [40]

59. **Durvasula A**[‡*], Hoffman PJ[*], **Kent TV**[‡], Liu C, Kono TJY, Morrell PL[§], **Ross-Ibarra J**[§] (2016) ANGSD-wrapper. Molecular Ecology Resources 16:1449-1454 [25]

58. **Beissinger TM**[§], Wang L, **Crosby K**, **Durvasula A**[‡], Hufford MB, **Ross-Ibarra J**[§] (2016) Recent demography drives changes in linked selection across the maize genome. Nature Plants 2:16084 [142]

57. Wolfgruber TK, Nakashima MM, Schneider KL, Sharma A, Xie Z, Albert PS, Xu R, **Bilinski P**, Dawe RK, **Ross-Ibarra J**, Birchler JA, Presting G (2016) High quality maize centromere 10 sequence reveals evidence of frequent recombination events. Frontiers In Plant Science 7 [40]

56. Orozco-Ramìrez Q, Santacruz-Varela A, **Ross-Ibarra J**, Brush B (2016) Maize diversity associated with social origin and environmental variation in southern Mexico. Heredity 116:477-484. [75]

55. Gerke JP[§], Edwards JW, Guill KE, **Ross-Ibarra J**[§], McMullen MD. The genomic impacts of drift and selection for hybrid performance in maize (2015). Genetics 201: 1201-1211 [67]

54. Sosso D, Luo D, Li Q-B, Sassse J, **Yang J**, Gendrot G, Suzuki M, Koch KE, McCarty DR, Chourey PS, Rogoswky PM, **Ross-Ibarra J**, Yang B, Frommer WB (2015) Seed filling in domesticated maize and rice depends on SWEET-mediated hexose transport. Nature Genetics 47:1489-1493 [570]

53. **Takuno S**, Ralph P, Swarts K, Elshire RJ, Glaubitz JC, Buckler ES, **Hufford MB**, **Ross-Ibarra J**[§] (2015) Independent molecular basis of convergent highland adaptation in maize. Genetics 200:1297-1312 [93]

52. **Vann LE**, **Kono T**, **Pyhäjärvi T**, **Hufford MB**[§], **Ross-Ibarra J**[§] (2015) Natural variation in teosinte at the domestication locus teosinte branched1 (tb1). PeerJ 3:e900 [23]

51. Hake S, **Ross-Ibarra J** (2015) Genetic, evolutionary and plant breeding insights from the domestication of maize. eLife 2015;4:e05861 [172]

50. Fonseca RR, Smith B, Wales N, Cappellini E, Skoglund P, Fumagalli M, Samaniego JA, Caroe C, Avila-Arcos MC, Hufnagel D, Korneliussen TS, Vieira FG, Jakobsson M, Arriaza B, Willerslev E, Nielsen R, Hufford MB, Albrechtsen A, **Ross-Ibarra J**, Gilbert MT (2015) The origin and evolution of maize in the American Southwest. Nature Plants 1:14003 [221]

49. Dyer GA, López-Feldman A, Yúnez-Naude A, Taylor JE, **Ross-Ibarra J** (2015) Reply to Brush *et al.*: A wake up call for crop conservation science. PNAS 112 (1), E2-E2 (letter). [14]

48. Makarevitch I, Waters M, West P, **Stitzer M**, **Ross-Ibarra, J**, Springer NM (2015) Mobile elements contribute to activation of genes in response to abiotic stress. PLoS Genetics 11 (1): e1004915. [559]

47. Tiffin P, **Ross-Ibarra J** (2014) Advances and limits of using population genetics to understand local adaptation. Trends in Ecology and Evolution 29:673-680 [435]

46. **Bilinski P**, **Distor KD**, **Gutierez-Lopez J**, **Mendoza Mendoza G**, Shi J, Dawe RK, **Ross-Ibarra J**[§] (2014) Diversity and evolution of centromere repeats in the maize genome. Chromosoma 0009-5915 [24]

45. **Mezmouk S**, **Ross-Ibarra J**[§] (2014) The pattern and distribution of deleterious mutations in maize. G3 4:163-171 [120]

44. Waters AJ, **Bilinski P**, Eichten SR, Vaughn MW, **Ross-Ibarra J**, Gehring M, Springer NM (2013) Comprehensive analysis of imprinted genes in maize reveals allelic variation for imprinting and limited conservation with other species. PNAS 110:19639-19644 [151]

43. **Pyhäjärvi T**, **Hufford MB**, **Mezmouk S**, **Ross-Ibarra J**[§] (2013) Complex patterns of local adaptation in teosinte. Genome Biology and Evolution 5: 1594-1609 [185]

42. Wills DM, Whipple C, **Takuno S**, Kursel LE, Shannon LM, **Ross-Ibarra J**, Doebley JF (2013) From many, one: genetic control of prolificacy during maize domestication. PLoS Genetics 9(6): e1003604. [177]

41. McCouch S, Baute GJ, Bradeen J, Bramel P, Bretting PK, Buckler E, Burke JM, Charest D, Cloutier S, Cole G, Dempewolf H, Dingkuhn M, Feuillet C, Gepts, P, Grattapaglia D, Guarino L, Jackson S, Knapp S, Langridge P, Lawton-Rauh A, Lijua Q, Lusty C, Michael T, Myles S, Naito K, Nelson RL, Pontarollo R, Richards CM, Rieseberg L, **Ross-Ibarra J**, Rounsley S, Hamilton RS, Schurr U, Stein N, Tomooka N, van der Knaap E, van Tassel D, Toll J, Valls J, Varshney RK, Ward J, Waugh R, Wenzl P, Zamir. (2013) Agriculture: Feeding the future. Nature 499:23-24 [733]

40. **Hufford MB**, Lubinsky P, **Pyhäjärvi T**, **Devengenzo MT**[‡], Ellstrand NC, **Ross-Ibarra J**[§] (2013) The genomic signature of crop-wild introgression in maize. PLoS Genetics 9(5): e1003477. [426]

39. **Provance MC**[§], Garcia Ruiz I, **Thommes C**[‡], **Ross-Ibarra J** (2013) Population genetics and ethnobotany of cultivated *Diospyros riojae* Gómez Pompa (Ebenaceae), an endangered fruit crop from Mexico. Genetic Resources and Crop Evolution 60: 2171-2182. [13]

38. Melters DP[*], Bradnam KR[*], Young HA, Telis N, May MR, Ruby JG, Sebra R, Peluso P, Eid J, Rank D, Fernando Garcia J, DeRisi J, Smith T, Tobias C, **Ross-Ibarra J**[§], Korf IF[§], Chan SW-L. (2013) Patterns of centromere tandem repeat evolution in 282 animal and plant genomes. Genome Biology 14:R10 [643]

37. Kanizay LB, **Pyhäjärvi T**, Lowry E, **Hufford MB**, Peterson DG, **Ross-Ibarra J**, Dawe RK (2013) Diversity and abundance of the Abnormal chromosome 10 meiotic drive complex in *Zea mays*. Heredity 110: 570-577. [32]

36. **Hufford MB**, **Bilinski P**, **Pyhäjärvi T**, **Ross-Ibarra J**[§] (2012) Teosinte as a model system for population and ecological genomics. Trends in Genetics 12:606-615 [107]

35. Muñoz Diez C, Vitte C, **Ross-Ibarra J**, Gaut BS, Tenaillon MI (2012) Using nextgen sequencing to investigate genome size variation and transposable element content. *In* Grandbastien M-A, Casacuberta JM, editors. Topics in Current Genetics v24: Plant Transposable Elements - Impact on Genome Structure & Function. pp. 41-58 [26]

34. **van Heerwaarden J**§, **Hufford MB**, **Ross-Ibarra J**§ (2012) Historical genomics of North American maize. PNAS 109: 12420-12425 [206]

33. Swanson-Wagner R, Briskine R, Schaefer R, **Hufford MB**, **Ross-Ibarra J**, Myers CL, Tiffin P, Springer NM. Reshaping of the maize transcriptome by domestication. (2012). PNAS 109: 11878-11883 [195]

32. **Hufford MB***, Xun X*, **van Heerwaarden J***, **Pyhäjärvi T***, Chia J-M, Cartwright RA, Elshire RJ, Glaubitz JC, Guill KE, Kaeppler S, Lai J, Morrell PL, Shannon LM, Song C, Spinger NM, Swanson-Wagner RA, Tiffin P, Wang J, Zhang G, Doebley J, McMullen MD, Ware D, Buckler ES§, Yang S§, **Ross-Ibarra J**§ (2012) Comparative population genomics of maize domestication and improvement. Nature Genetics 44:808-811 [1111]

31. Chia J-M*, Song C*, Bradbury P, Costich D, de Leon N, Doebley JC, Elshire RJ, Gaut BS, Geller L, Glaubitz JC, Gore M, Guill KE, Holland J, **Hufford MB**, Lai J, Li M, Liu X, Lu Y, McCombie R, Nelson R, Poland J, Prasanna BM, **Pyhäjärvi T**, Rong T, Sekhon RS, Sun Q, Tenaillon M, Tian F, Wang J, Xu X, Zhang Z, Kaeppler S, **Ross-Ibarra J**, McMullen M, Buckler ES, Zhang G, Xu Y, Ware, D (2012) Maize HapMap2 identifies extant variation from a genome in flux. Nature Genetics 44:803-807 [738]

30. Fang Z, **Pyhäjärvi T**, Weber AL, Dawe RK, Glaubitz JC, Sánchez González J, **Ross-Ibarra C**, Doebley J, Morrell PL§, **Ross-Ibarra J**§ (2012) Megabase-scale inversion polymorphism in the wild ancestor of maize. Genetics 191:883-894 [136]

29. Cook JP, McMullen MD, Holland JB, Tian F, Bradbury P, **Ross-Ibarra J**, Buckler ES, Flint-Garcia SA (2012) Genetic architecture of maize kernel composition in the Nested Association Mapping and Inbred Association panels. Plant Physiology 158: 824-834 [445]

28. Morrell PL, Buckler ES, **Ross-Ibarra J**§ (2012) Crop genomics: advances and applications. Nature Reviews Genetics 13:85-96 [655]

27. Studer A, Zhao Q, **Ross-Ibarra J**, Doebley J (2011) Identification of a functional transposon insertion in the maize domestication gene *tb1*. Nature Genetics 43:1160-1163. [961]

26. **van Heerwaarden J**§, Doebley J, Briggs WH, Glaubitz JC, Goodman MM, Sánchez González JJ, **Ross-Ibarra J**§ (2011) Genetic signals of origin, spread and introgression in a large sample of maize landraces. PNAS 108: 1088-1092 [546]

25. **Hufford MB**§, Gepts P, **Ross-Ibarra J** (2011) Influence of cryptic population structure on observed mating patterns in the wild progenitor of maize (*Zea mays* ssp. *parviglumis*). Molecular Ecology 20: 46-55 [28]

24. Tenaillon MI, **Hufford MB**, Gaut BS, **Ross-Ibarra J**§ (2011) Genome size and TE content as determined by high-throughput sequencing in maize and *Zea luxurians*. Genome Biology and Evolution 3: 219-229 [221]

23. Eckert AJ, **van Heerwaarden J**, Wegrzyn JL, Nelson CD, **Ross-Ibarra J**, González-Martínez SC, and Neale DB (2010) Patterns of population structure and environmental associations to aridity across the range of loblolly pine (*Pinus taeda* L, Pinaceae). Genetics 185: 969-982 [466]

22. Fuchs EJ, **Ross-Ibarra J**§, Barrantes G (2010) Reproductive biology of *Macleania rupestris*: a pollen-limited Neotropical cloud-forest species in Costa Rica. Journal of Tropical Ecology 26: 351-354 [21]

21. Whitney KD, Baack EJ, Hamrick JL, Godt MJW, Barringer BC, Bennett MD, Eckert CG, Goodwillie C, Kalisz S, Leitch I, **Ross-Ibarra J** (2010) A role for nonadaptive processes in plant genome size evolution? . Evolution 64: 2097-2109 [103]

20. **van Heerwaarden J**, **Ross-Ibarra J**[§], Doebley J, Glaubitz JC, Sánchez González J, Gaut BS, Eguiarte LE (2010) Fine scale genetic structure in the wild ancestor of maize (*Zea mays* ssp. *parviglumis*). Molecular Ecology 19: 1162-1173 [47]

19. Shi J, Wolf S, Burke J, Presting G, **Ross-Ibarra J**, Dawe RK (2010) High frequency gene conversion in centromere cores. PLoS Biology 8: e1000327 [163]

18. Hollister JD, **Ross-Ibarra J**, Gaut BS (2010) Indel-associated mutation rate varies with mating system in flowering plants. Molecular Biology and Evolution 27: 409-416. [54]

17. **van Heerwaarden J**, van Eeuwijk FA, **Ross-Ibarra J** (2010) Genetic diversity in a crop metapopulation. Heredity 104: 28-39 [58]

16. Gore MA[*], Chia JM[*], Elshire RJ, Sun Q, Ersoz ES, Hurwitz BL, Peiffer JA, McMullen MD, Grills GS, **Ross-Ibarra J**, Ware D, Buckler ES (2009) A first-generation haplotype map of maize. Science 326: 1115-1117. [953]

15. **May MR**[‡], **Provance MC**, Sanders AC, Ellstrand NC, **Ross-Ibarra J**[§] (2009) A pleistocene clone of Palmer's Oak persisting in Southern California. PLoS ONE 4: e8346. [38]

14. Zhang LB, Zhu Q, Wu ZQ, **Ross-Ibarra J**, Gaut BS, Ge S, Sang T (2009) Selection on grain shattering genes and rates of rice domestication. New Phytologist 184: 708-720. [191]

13. **Ross-Ibarra J**, Tenaillon M, Gaut BS (2009) Historical divergence and gene flow in the genus Zea. Genetics 181: 1399-1413. [219]

12. **Ross-Ibarra J**[*], Wright SI[*], Foxe JP, Kawabe A, DeRose-Wilson L, Gos G, Charlesworth D, Gaut BS (2008) Patterns of polymorphism and demographic history in natural populations of *Arabidopsis lyrata*. PLoS ONE 3: e2411. [219]

11. Lockton S, **Ross-Ibarra J**, Gaut BS (2008) Demography and weak selection drive patterns of transposable element diversity in natural populations of *Arabidopsis lyrata*. PNAS 105: 13965-13970. [126]

10. **Ross-Ibarra J**[§], Gaut BS (2008) Multiple domestications do not appear monophyletic. PNAS 105: E105 (letter). [23]

9. Gaut BS, **Ross-Ibarra J** (2008) Selection on major components of angiosperm genomes. Science 320: 484-486. [86]

8. **Ross-Ibarra J**, Morrell PL, Gaut BS (2007) Plant domestication, a unique opportunity to identify the genetic basis of adaptation. PNAS 104 Suppl 1: 8641-8648. [619]

7. **Ross-Ibarra J**[§] (2007) Genome size and recombination in angiosperms: a second look. Journal of Evolutionary Biology 20: 800-806. [45]

6. Wares JP, Barber PH, **Ross-Ibarra J**, Sotka EE, Toonen RJ (2006) Mitochondrial DNA and population size. Science 314: 1388-90 (letter). [35]

5. **Ross-Ibarra J**§ (2005) QTL and the study of plant domestication. Genetica 123: 197-204. [48]

4. **Ross-Ibarra J**§ (2004) The evolution of recombination under domestication: a test of two hypotheses. American Naturalist 163: 105-112. [132]

3. **Ross-Ibarra J** (2003) Origen y domesticación de la chaya (Cnidoscolus aconitifolius Mill IM Johnst): La espinaca Maya (*Cnidoscolus aconitifolius* Mill I. M. Johnst): Mayan spinach. Mexican Studies 19: 287-302. [56]

2. **Ross-Ibarra J**§, Molina-Cruz A (2002) The ethnobotany of Chaya (*Cnidoscolus aconitifolius* ssp. *aconitifolius* Breckon): A nutritious Maya vegetable. Economic Botany 56: 350-365. [212]

1. Neel MC, **Ross-Ibarra J**, Ellstrand NC (2001) Implications of mating patterns for conservation of the endangered plant *Eriogonum ovalifolium* var. *vineum*. American Journal of Botany 88: 1214-1222. [41]