

AutoBench Service — OpenAPI specification

```
openapi: 3.1.0
info:
  title: AutoBench Service
  version: 0.1.0
paths:
  /hello:
    get:
      tags:
        - hello
      summary: Hello
      description: Echo the validated caller-JWT claims. No Rossoctl call; no
aud/exp gating.
      operationId: hello_hello_get
      parameters:
        - name: authorization
          in: header
          required: false
          schema:
            anyOf:
              - type: string
              - type: 'null'
            title: Authorization
      responses:
        '200':
          description: Successful Response
          content:
            application/json:
              schema:
                $ref: '#/components/schemas/HelloResponse'
        '422':
          description: Validation Error
          content:
            application/json:
              schema:
                $ref: '#/components/schemas/HTTPValidationError'
  /namespaces:
    get:
      tags:
        - benchmark
      summary: Namespaces
      description: 'Two-token smoke: ROPC login as benchmarker, then GET
Rossoctl namespaces.'
      operationId: namespaces_namespaces_get
      parameters:
        - name: authorization
          in: header
          required: false
          schema:
            anyOf:
              - type: string
              - type: 'null'
```

```

    title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/NamespaceResponse'
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/agents:
  get:
    tags:
      - agents
    summary: List Agents
    operationId: list_agents_agents_get
    parameters:
      - name: namespace
        in: query
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Namespace
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    responses:
      '200':
        description: Successful Response
        content:
          application/json:
            schema:
              type: object
              additionalProperties: true
              title: Response List Agents Agents Get
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
  post:
    tags:

```

```

- agents
summary: Create Agent
operationId: create_agent_agents_post
parameters:
- name: authorization
  in: header
  required: false
  schema:
    anyOf:
    - type: string
    - type: 'null'
    title: Authorization
requestBody:
  required: true
  content:
    application/json:
      schema:
        $ref: '#/components/schemas/AgentCreateRequest'
responses:
  '201':
    description: Successful Response
    content:
      application/json:
        schema:
          type: object
          additionalProperties: true
          title: Response Create Agent Agents Post
  '422':
    description: Validation Error
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/HTTPValidationError'
/agents/{namespace}/{name}:
get:
  tags:
  - agents
summary: Get Agent
operationId: get_agent_agents__namespace__name__get
parameters:
- name: namespace
  in: path
  required: true
  schema:
    type: string
    title: Namespace
- name: name
  in: path
  required: true
  schema:
    type: string
    title: Name
- name: authorization
  in: header

```

```

    required: false
    schema:
      anyOf:
        - type: string
        - type: 'null'
      title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            type: object
            additionalProperties: true
            title: Response Get Agent Agents  Namespace  Name  Get
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
delete:
  tags:
    - agents
  summary: Delete Agent
  operationId: delete_agent_agents__namespace__name__delete
  parameters:
    - name: namespace
      in: path
      required: true
      schema:
        type: string
        title: Namespace
    - name: name
      in: path
      required: true
      schema:
        type: string
        title: Name
    - name: authorization
      in: header
      required: false
      schema:
        anyOf:
          - type: string
          - type: 'null'
        title: Authorization
  responses:
    '204':
      description: Successful Response
    '422':
      description: Validation Error
      content:
        application/json:

```

```

        schema:
            $ref: '#/components/schemas/HTTPValidationError'
/tools:
  get:
    tags:
      - tools
    summary: List Tools
    operationId: list_tools_tools_get
    parameters:
      - name: namespace
        in: query
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Namespace
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    responses:
      '200':
        description: Successful Response
        content:
          application/json:
            schema:
              type: object
              additionalProperties: true
              title: Response List Tools Tools Get
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
  post:
    tags:
      - tools
    summary: Create Tool
    operationId: create_tool_tools_post
    parameters:
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization

```

```

requestBody:
  required: true
  content:
    application/json:
      schema:
        $ref: '#/components/schemas/ToolCreateRequest'
responses:
  '201':
    description: Successful Response
    content:
      application/json:
        schema:
          type: object
          additionalProperties: true
          title: Response Create Tool Tools Post
  '422':
    description: Validation Error
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/HTTPValidationError'
/tools/{namespace}/{name}:
  get:
    tags:
      - tools
    summary: Get Tool
    operationId: get_tool_tools__namespace__name__get
    parameters:
      - name: namespace
        in: path
        required: true
        schema:
          type: string
          title: Namespace
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    responses:
      '200':
        description: Successful Response
        content:
          application/json:
            schema:

```

```

        type: object
        additionalProperties: true
        title: Response Get Tool Tools  Namespace  Name  Get
'422':
  description: Validation Error
  content:
    application/json:
      schema:
        $ref: '#/components/schemas/HTTPValidationError'
delete:
  tags:
    - tools
  summary: Delete Tool
  operationId: delete_tool_tools__namespace__name__delete
  parameters:
    - name: namespace
      in: path
      required: true
      schema:
        type: string
        title: Namespace
    - name: name
      in: path
      required: true
      schema:
        type: string
        title: Name
    - name: authorization
      in: header
      required: false
      schema:
        anyOf:
          - type: string
          - type: 'null'
        title: Authorization
  responses:
    '204':
      description: Successful Response
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/benchmarks:
  get:
    tags:
      - benchmarks
    summary: List Benchmarks
    operationId: list_benchmarks_benchmarks_get
    parameters:
      - name: authorization
        in: header
        required: false

```

```

    schema:
      anyOf:
        - type: string
        - type: 'null'
      title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            type: object
            additionalProperties: true
            title: Response List Benchmarks Benchmarks Get
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}:
  get:
    tags:
      - benchmarks
    summary: Get Benchmark
    operationId: get_benchmark_benchmarks__name__get
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    responses:
      '200':
        description: Successful Response
        content:
          application/json:
            schema:
              type: object
              additionalProperties: true
              title: Response Get Benchmark Benchmarks  Name  Get
      '422':
        description: Validation Error
        content:
          application/json:

```

```

        schema:
          $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/deploy:
  post:
    tags:
      - benchmarks
    summary: Deploy Benchmark
    operationId: deploy_benchmark_benchmarks__name__deploy_post
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    requestBody:
      required: true
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/DeployBenchmarkRequest'
    responses:
      '201':
        description: Successful Response
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/DeployBenchmarkResponse'
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
  delete:
    tags:
      - benchmarks
    summary: Teardown Benchmark
    operationId: teardown_benchmark_benchmarks__name__deploy_delete
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name

```

```

- name: namespace
  in: query
  required: false
  schema:
    type: string
    default: team1
    title: Namespace
- name: agent
  in: query
  required: false
  schema:
    type: string
    default: tool_calling
    title: Agent
- name: experiment
  in: query
  required: false
  schema:
    type: string
    default: default
    title: Experiment
- name: authorization
  in: header
  required: false
  schema:
    anyOf:
      - type: string
      - type: 'null'
    title: Authorization
responses:
  '204':
    description: Successful Response
  '422':
    description: Validation Error
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/status:
  get:
    tags:
      - benchmarks
    summary: Benchmark Status
    operationId: benchmark_status_benchmarks__name__status_get
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: namespace
        in: query
        required: false

```

```

    schema:
      type: string
      default: team1
      title: Namespace
- name: agent
  in: query
  required: false
  schema:
    type: string
    default: tool_calling
    title: Agent
- name: experiment
  in: query
  required: false
  schema:
    type: string
    default: default
    title: Experiment
- name: authorization
  in: header
  required: false
  schema:
    anyOf:
      - type: string
      - type: 'null'
    title: Authorization
responses:
  '200':
    description: Successful Response
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/BenchmarkStatusResponse'
  '422':
    description: Validation Error
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/runs:
  post:
    tags:
      - runs
    summary: Start Run
    operationId: start_run_benchmarks__name__runs_post
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: authorization
        in: header

```

```

    required: false
    schema:
      anyOf:
        - type: string
        - type: 'null'
      title: Authorization
  requestBody:
    required: true
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/RunRequest'
  responses:
    '202':
      description: Successful Response
      content:
        application/json:
          schema:
            type: object
            additionalProperties: true
            title: Response Start Run Benchmarks  Name  Runs Post
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
get:
  tags:
    - runs
  summary: List Runs
  operationId: list_runs_benchmarks__name__runs_get
  parameters:
    - name: name
      in: path
      required: true
      schema:
        type: string
        title: Name
    - name: authorization
      in: header
      required: false
      schema:
        anyOf:
          - type: string
          - type: 'null'
        title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            type: object

```

```

        additionalProperties: true
        title: Response List Runs Benchmarks  Name  Runs Get
'422':
  description: Validation Error
  content:
    application/json:
      schema:
        $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/runs/{run_id}:
get:
  tags:
  - runs
  summary: Get Run
  operationId: get_run_benchmarks__name__runs__run_id__get
  parameters:
  - name: name
    in: path
    required: true
    schema:
      type: string
      title: Name
  - name: run_id
    in: path
    required: true
    schema:
      type: string
      title: Run Id
  - name: authorization
    in: header
    required: false
    schema:
      anyOf:
      - type: string
      - type: 'null'
      title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/RunState'
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/runs/{run_id}/report:
get:
  tags:
  - runs
  summary: Get Run Report
  description: Structured MLflow report scoped to a single run (filtered

```

```

to its session ids).
  operationId: get_run_report_benchmarks__name__runs__run_id__report_get
  parameters:
    - name: name
      in: path
      required: true
      schema:
        type: string
        title: Name
    - name: run_id
      in: path
      required: true
      schema:
        type: string
        title: Run Id
    - name: authorization
      in: header
      required: false
      schema:
        anyOf:
          - type: string
          - type: 'null'
        title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/RunReportResponse'
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/benchmarks/{name}/report:
  get:
    tags:
      - runs
    summary: Get Experiment Report
    description: Structured MLflow report aggregated across an experiment's
runs (time-windowed).
    operationId: get_experiment_report_benchmarks__name__report_get
    parameters:
      - name: name
        in: path
        required: true
        schema:
          type: string
          title: Name
      - name: experiment
        in: query
        required: false

```

```

    schema:
      type: string
      default: default
      title: Experiment
  - name: window_h
    in: query
    required: false
    schema:
      type: number
      default: 3.0
      title: Window H
  - name: authorization
    in: header
    required: false
    schema:
      anyOf:
        - type: string
        - type: 'null'
      title: Authorization
  responses:
    '200':
      description: Successful Response
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/ExperimentReportResponse'
    '422':
      description: Validation Error
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/HTTPValidationError'
/config:
  get:
    tags:
      - config
    summary: Get Config
    description: Effective Service-enacted config for the caller's
instance, secrets redacted.
    operationId: get_config_config_get
    parameters:
      - name: authorization
        in: header
        required: false
        schema:
          anyOf:
            - type: string
            - type: 'null'
          title: Authorization
    responses:
      '200':
        description: Successful Response
        content:
          application/json:

```

```

        schema:
          $ref: '#/components/schemas/ConfigResponse'
      '422':
        description: Validation Error
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/HTTPValidationError'
    put:
      tags:
        - config
      summary: Update Config
      description: Set/update Service-enactable config (MLflow, S3). Workload
      creds are rejected (422).
      operationId: update_config_config_put
      parameters:
        - name: authorization
          in: header
          required: false
          schema:
            anyOf:
              - type: string
              - type: 'null'
            title: Authorization
      requestBody:
        required: true
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/ConfigUpdateRequest'
      responses:
        '200':
          description: Successful Response
          content:
            application/json:
              schema:
                $ref: '#/components/schemas/ConfigResponse'
        '422':
          description: Validation Error
          content:
            application/json:
              schema:
                $ref: '#/components/schemas/HTTPValidationError'
  components:
    schemas:
      AgentCreateRequest:
        properties:
          name:
            type: string
            title: Name
          namespace:
            type: string
            title: Namespace
        container_image:

```

```

    type: string
    title: Container Image
  image_tag:
    type: string
    title: Image Tag
    default: ''
  env_vars:
    items:
      $ref: '#/components/schemas/EnvVar'
    type: array
    title: Env Vars
  service_ports:
    items:
      $ref: '#/components/schemas/ServicePort'
    type: array
    title: Service Ports
  resources:
    anyOf:
      - $ref: '#/components/schemas/AgentResources'
      - type: 'null'
  image_pull_policy:
    anyOf:
      - type: string
      - type: 'null'
    title: Image Pull Policy
  protocol:
    type: string
    title: Protocol
    default: a2a
  framework:
    type: string
    title: Framework
    default: custom
  deployment_method:
    type: string
    title: Deployment Method
    default: image
  workload_type:
    type: string
    title: Workload Type
    default: deployment
  create_http_route:
    type: boolean
    title: Create Http Route
    default: true
  authbridge_enabled:
    type: boolean
    title: Authbridge Enabled
    default: false
  spire_enabled:
    type: boolean
    title: Spire Enabled
    default: false
  plugin_preset:

```

```

    anyOf:
      - type: string
      - type: 'null'
    title: Plugin Preset
  plugins:
    anyOf:
      - items:
          type: string
          type: array
        - type: 'null'
      title: Plugins
  on_error:
    anyOf:
      - type: string
      - type: 'null'
    title: On Error
type: object
required:
- name
- namespace
- container_image
title: AgentCreateRequest
AgentResources:
  properties:
    requests:
      anyOf:
        - $ref: '#/components/schemas/ResourceQuantities'
        - type: 'null'
    limits:
      anyOf:
        - $ref: '#/components/schemas/ResourceQuantities'
        - type: 'null'
  type: object
  title: AgentResources
BenchmarkStatusResponse:
  properties:
    benchmark:
      type: string
      title: Benchmark
    namespace:
      type: string
      title: Namespace
    tool_name:
      type: string
      title: Tool Name
    agent_name:
      type: string
      title: Agent Name
    tool_ready:
      type: boolean
      title: Tool Ready
    agent_ready:
      type: boolean
      title: Agent Ready

```

```

    tool_status:
      anyOf:
        - type: string
        - type: 'null'
      title: Tool Status
    agent_status:
      anyOf:
        - type: string
        - type: 'null'
      title: Agent Status
  type: object
  required:
    - benchmark
    - namespace
    - tool_name
    - agent_name
    - tool_ready
    - agent_ready
  title: BenchmarkStatusResponse
ConfigResponse:
  properties:
    iss:
      type: string
      title: Iss
    mlflow:
      $ref: '#/components/schemas/MLflowConfig'
    s3:
      $ref: '#/components/schemas/S3Config'
  type: object
  required:
    - iss
    - mlflow
    - s3
  title: ConfigResponse
  description: Effective Service-enacted config for an instance, with
secret fields redacted.
ConfigUpdateRequest:
  properties:
    mlflow:
      anyOf:
        - $ref: '#/components/schemas/MLflowConfig'
        - type: 'null'
    s3:
      anyOf:
        - $ref: '#/components/schemas/S3Config'
        - type: 'null'
  additionalProperties: false
  type: object
  title: ConfigUpdateRequest
  description: "Benchmark-only config update. Accepts ONLY parameters
the Service can enact.\n\n
  `extra=\"forbid\"` is the guard: an attempt to set a workload-
provided credential\n(e.g. `hf-secret`)\n
  \ \u2014 which the Service never sets \u2014 is rejected as 422.

```

```

Workload\ncredentials are provisioned\
  \ out-of-band and verified by the workload precheck."
DeployBenchmarkRequest:
  properties:
    agent:
      type: string
      title: Agent
      default: tool_calling
    model:
      anyOf:
        - type: string
        - type: 'null'
      title: Model
    namespace:
      type: string
      title: Namespace
      default: team1
    experiment:
      type: string
      title: Experiment
      default: default
    authbridge_enabled:
      type: boolean
      title: Authbridge Enabled
      default: false
    plugin_preset:
      anyOf:
        - type: string
        - type: 'null'
      title: Plugin Preset
    plugins:
      anyOf:
        - items:
            type: string
            type: array
          - type: 'null'
        title: Plugins
    on_error:
      anyOf:
        - type: string
        - type: 'null'
        title: On Error
    plugin_config_file:
      anyOf:
        - type: string
        - type: 'null'
        title: Plugin Config File
  type: object
  title: DeployBenchmarkRequest
DeployBenchmarkResponse:
  properties:
    benchmark:
      type: string
      title: Benchmark

```

```

    namespace:
      type: string
      title: Namespace
    tool_name:
      type: string
      title: Tool Name
    agent_name:
      type: string
      title: Agent Name
    tool:
      additionalProperties: true
      type: object
      title: Tool
    agent:
      additionalProperties: true
      type: object
      title: Agent
  type: object
  required:
  - benchmark
  - namespace
  - tool_name
  - agent_name
  - tool
  - agent
  title: DeployBenchmarkResponse
EnvVar:
  properties:
    name:
      type: string
      title: Name
    value:
      anyOf:
      - type: string
      - type: 'null'
      title: Value
    value_from:
      anyOf:
      - $ref: '#/components/schemas/EnvVarSource'
      - type: 'null'
  type: object
  required:
  - name
  title: EnvVar
EnvVarSource:
  properties:
    secret_key_ref:
      $ref: '#/components/schemas/SecretKeyRef'
  type: object
  required:
  - secret_key_ref
  title: EnvVarSource
ExperimentReportResponse:
  properties:

```

```

benchmark:
  type: string
  title: Benchmark
experiment:
  type: string
  title: Experiment
window_h:
  type: number
  title: Window H
trace_count:
  type: integer
  title: Trace Count
aggregates:
  items:
    $ref: '#/components/schemas/ReportAggregate'
  type: array
  title: Aggregates
records:
  items:
    $ref: '#/components/schemas/MLflowTraceRecord'
  type: array
  title: Records
type: object
required:
- benchmark
- experiment
- window_h
- trace_count
title: ExperimentReportResponse
HTTPValidationError:
  properties:
    detail:
      items:
        $ref: '#/components/schemas/ValidationError'
      type: array
      title: Detail
  type: object
  title: HTTPValidationError
HelloResponse:
  properties:
    iss:
      type: string
      title: Iss
    preferred_username:
      anyOf:
        - type: string
        - type: 'null'
      title: Preferred Username
    rossoctl_base_url:
      type: string
      title: Rossoctl Base Url
  claims:
    additionalProperties: true
  type: object

```

```

    title: Claims
  type: object
  required:
  - iss
  - preferred_username
  - rossoctl_base_url
  - claims
  title: HelloResponse
MLflowConfig:
  properties:
    tracking_url:
      anyOf:
      - type: string
      - type: 'null'
      title: Tracking Url
    client_id:
      anyOf:
      - type: string
      - type: 'null'
      title: Client Id
    client_secret:
      anyOf:
      - type: string
      - type: 'null'
      title: Client Secret
    token_url:
      anyOf:
      - type: string
      - type: 'null'
      title: Token Url
    username:
      anyOf:
      - type: string
      - type: 'null'
      title: Username
    password:
      anyOf:
      - type: string
      - type: 'null'
      title: Password
    oauth_url:
      anyOf:
      - type: string
      - type: 'null'
      title: Oauth Url
    bearer_token:
      anyOf:
      - type: string
      - type: 'null'
      title: Bearer Token
    experiment_id:
      type: string
      title: Experiment Id
      default: '0'

```

```

workspace:
  anyOf:
    - type: string
    - type: 'null'
  title: Workspace
insecure_tls:
  type: boolean
  title: Insecure Tls
  default: false
type: object
title: MLflowConfig
MLflowTraceRecord:
  properties:
    session_id:
      type: string
      title: Session Id
    task_id:
      anyOf:
        - type: string
        - type: 'null'
      title: Task Id
    agent_name:
      type: string
      title: Agent Name
    benchmark_name:
      type: string
      title: Benchmark Name
    model:
      type: string
      title: Model
    num_parallel:
      type: integer
      title: Num Parallel
    status:
      type: string
      title: Status
    total_latency_s:
      type: number
      title: Total Latency S
    experiment_name:
      type: string
      title: Experiment Name
      default: default
    start_time:
      type: string
      title: Start Time
      default: ''
    evaluation_result:
      anyOf:
        - type: boolean
        - type: 'null'
      title: Evaluation Result
    status_message:
      type: string

```

```
    title: Status Message
    default: ''
session_creation_s:
    type: number
    title: Session Creation S
    default: 0.0
agent_call_s:
    type: number
    title: Agent Call S
    default: 0.0
evaluation_s:
    type: number
    title: Evaluation S
    default: 0.0
llm_total_s:
    type: number
    title: Llm Total S
    default: 0.0
llm_after_obs_s:
    type: number
    title: Llm After Obs S
    default: 0.0
tool_total_s:
    type: number
    title: Tool Total S
    default: 0.0
time_to_first_obs_s:
    type: number
    title: Time To First Obs S
    default: 0.0
overhead_s:
    type: number
    title: Overhead S
    default: 0.0
llm_count:
    type: integer
    title: Llm Count
    default: 0
llm_count_after_obs:
    type: integer
    title: Llm Count After Obs
    default: 0
tool_count:
    type: integer
    title: Tool Count
    default: 0
llm_input_tokens:
    type: integer
    title: Llm Input Tokens
    default: 0
llm_output_tokens:
    type: integer
    title: Llm Output Tokens
    default: 0
```

```

mcp_cpu_utilization_pct:
  type: number
  title: Mcp Cpu Utilization Pct
  default: 0.0
mcp_throttle_pct:
  type: number
  title: Mcp Throttle Pct
  default: 0.0
mcp_memory_max_mb:
  type: number
  title: Mcp Memory Max Mb
  default: 0.0
mcp_memory_utilization_pct:
  type: number
  title: Mcp Memory Utilization Pct
  default: 0.0
mcp_network_rx_mb:
  type: number
  title: Mcp Network Rx Mb
  default: 0.0
mcp_network_tx_mb:
  type: number
  title: Mcp Network Tx Mb
  default: 0.0
a2a_cpu_utilization_pct:
  type: number
  title: A2A Cpu Utilization Pct
  default: 0.0
a2a_throttle_pct:
  type: number
  title: A2A Throttle Pct
  default: 0.0
a2a_memory_max_mb:
  type: number
  title: A2A Memory Max Mb
  default: 0.0
a2a_memory_utilization_pct:
  type: number
  title: A2A Memory Utilization Pct
  default: 0.0
a2a_network_rx_mb:
  type: number
  title: A2A Network Rx Mb
  default: 0.0
a2a_network_tx_mb:
  type: number
  title: A2A Network Tx Mb
  default: 0.0
has_infra:
  type: boolean
  title: Has Infra
  default: false
type: object
required:

```

```

- session_id
- agent_name
- benchmark_name
- model
- num_parallel
- status
- total_latency_s
title: MLflowTraceRecord
description: "One `Agent.Session` trace aggregated into a structured
record.\n\nMirrors the upstream\
\ harness `TraceRecord`: per-session timing breakdown,\nLLM/tool
latencies + token counts, infra\
\ CPU/mem, and evaluation outcome \u2014\nparsed out of the OTEL
spans the workload pods export\
\ to MLflow."
NamespacesResponse:
  properties:
    namespaces:
      items: {}
      type: array
      title: Namespaces
    type: object
  required:
  - namespaces
  title: NamespacesResponse
ReportAggregate:
  properties:
    agent_name:
      type: string
      title: Agent Name
    benchmark_name:
      type: string
      title: Benchmark Name
    model:
      type: string
      title: Model
    num_parallel:
      type: integer
      title: Num Parallel
    trace_count:
      type: integer
      title: Trace Count
    eval_pass_rate:
      type: number
      title: Eval Pass Rate
    total_latency_avg_s:
      type: number
      title: Total Latency Avg S
    total_latency_p50_s:
      type: number
      title: Total Latency P50 S
    total_latency_p95_s:
      type: number
      title: Total Latency P95 S

```

```

type: object
required:
- agent_name
- benchmark_name
- model
- num_parallel
- trace_count
- eval_pass_rate
- total_latency_avg_s
- total_latency_p50_s
- total_latency_p95_s
title: ReportAggregate
description: Per-group rollup for an experiment report.
ResourceQuantities:
  properties:
    cpu:
      anyOf:
      - type: string
      - type: 'null'
      title: Cpu
    memory:
      anyOf:
      - type: string
      - type: 'null'
      title: Memory
  type: object
  title: ResourceQuantities
RunArtifact:
  properties:
    name:
      type: string
      title: Name
    format:
      type: string
      title: Format
    key:
      type: string
      title: Key
    url:
      type: string
      title: Url
    size_bytes:
      type: integer
      title: Size Bytes
  type: object
  required:
  - name
  - format
  - key
  - url
  - size_bytes
  title: RunArtifact
  description: 'A single S3 object exported for a completed run.

```

Surfaced in the run/report payload so a client can selectively fetch only the file(s) it

needs (e.g. Parquet for analytics, NDJSON for streaming) instead of the full inline records.'

```
RunReportResponse:
  properties:
    run_id:
      type: string
      title: Run Id
    benchmark:
      type: string
      title: Benchmark
    experiment:
      type: string
      title: Experiment
    trace_count:
      type: integer
      title: Trace Count
    records:
      items:
        $ref: '#/components/schemas/MLflowTraceRecord'
      type: array
      title: Records
    artifacts:
      items:
        $ref: '#/components/schemas/RunArtifact'
      type: array
      title: Artifacts
  type: object
  required:
  - run_id
  - benchmark
  - experiment
  - trace_count
  title: RunReportResponse
RunRequest:
  properties:
    agent:
      type: string
      title: Agent
      default: tool_calling
    namespace:
      type: string
      title: Namespace
      default: team1
    experiment:
      type: string
      title: Experiment
      default: default
    max_tasks:
      type: integer
      title: Max Tasks
```

```

    default: 1
  max_parallel_sessions:
    type: integer
    title: Max Parallel Sessions
    default: 1
  timeout_seconds:
    type: number
    title: Timeout Seconds
    default: 300.0
  task_timeout_seconds:
    anyOf:
      - type: number
      - type: 'null'
    title: Task Timeout Seconds
type: object
title: RunRequest
RunState:
  properties:
    run_id:
      type: string
      title: Run Id
    benchmark:
      type: string
      title: Benchmark
    agent:
      type: string
      title: Agent
    namespace:
      type: string
      title: Namespace
    experiment:
      type: string
      title: Experiment
    status:
      $ref: '#/components/schemas/RunStatus'
      default: pending
    started_at:
      anyOf:
        - type: number
        - type: 'null'
      title: Started At
    finished_at:
      anyOf:
        - type: number
        - type: 'null'
      title: Finished At
    summary:
      anyOf:
        - $ref: '#/components/schemas/RunSummary'
        - type: 'null'
    results:
      items:
        $ref: '#/components/schemas/TaskResult'
      type: array

```

```

    title: Results
  error:
    anyOf:
      - type: string
      - type: 'null'
    title: Error
  artifacts_prefix:
    anyOf:
      - type: string
      - type: 'null'
    title: Artifacts Prefix
  artifacts:
    items:
      $ref: '#/components/schemas/RunArtifact'
    type: array
    title: Artifacts
type: object
required:
- run_id
- benchmark
- agent
- namespace
- experiment
title: RunState
RunStatus:
  type: string
  enum:
    - pending
    - running
    - succeeded
    - failed
  title: RunStatus
RunSummary:
  properties:
    total:
      type: integer
      title: Total
    succeeded:
      type: integer
      title: Succeeded
    evaluated_pass:
      type: integer
      title: Evaluated Pass
    pass_rate:
      type: number
      title: Pass Rate
    wall_seconds:
      type: number
      title: Wall Seconds
type: object
required:
- total
- succeeded
- evaluated_pass

```

```

- pass_rate
- wall_seconds
title: RunSummary
S3Config:
  properties:
    endpoint_url:
      anyOf:
        - type: string
        - type: 'null'
      title: Endpoint Url
    bucket:
      anyOf:
        - type: string
        - type: 'null'
      title: Bucket
    region:
      anyOf:
        - type: string
        - type: 'null'
      title: Region
    access_key_id:
      anyOf:
        - type: string
        - type: 'null'
      title: Access Key Id
    secret_access_key:
      anyOf:
        - type: string
        - type: 'null'
      title: Secret Access Key
    prefix:
      anyOf:
        - type: string
        - type: 'null'
      title: Prefix
    public_read:
      type: boolean
      title: Public Read
      default: true
  type: object
  title: S3Config
  description: 'Service-enacted object store for hosting benchmark-result
artifacts.

```

Consumed by the Service itself (not the workload pods), so it is set/updated via

the benchmarker-only config API rather than provisioned as a cluster Secret.'

```

SecretKeyRef:
  properties:
    name:
      type: string

```

```

        title: Name
    key:
        type: string
        title: Key
    type: object
    required:
    - name
    - key
    title: SecretKeyRef
ServicePort:
    properties:
        name:
            type: string
            title: Name
            default: http
        port:
            type: integer
            title: Port
            default: 8080
        target_port:
            type: integer
            title: Target Port
            default: 8000
        protocol:
            type: string
            title: Protocol
            default: TCP
    type: object
    title: ServicePort
TaskResult:
    properties:
        task_id:
            type: string
            title: Task Id
        session_id:
            anyOf:
            - type: string
            - type: 'null'
            title: Session Id
        passed:
            type: boolean
            title: Passed
            default: false
        latency_seconds:
            type: number
            title: Latency Seconds
            default: 0.0
        error:
            anyOf:
            - type: string
            - type: 'null'
            title: Error
    type: object
    required:

```

```

- task_id
  title: TaskResult
ToolCreateRequest:
  properties:
    name:
      type: string
      title: Name
    namespace:
      type: string
      title: Namespace
    container_image:
      type: string
      title: Container Image
    image_tag:
      type: string
      title: Image Tag
      default: ''
    env_vars:
      items:
        $ref: '#/components/schemas/EnvVar'
      type: array
      title: Env Vars
    service_ports:
      items:
        $ref: '#/components/schemas/ServicePort'
      type: array
      title: Service Ports
    resources:
      anyOf:
        - $ref: '#/components/schemas/AgentResources'
        - type: 'null'
    image_pull_policy:
      anyOf:
        - type: string
        - type: 'null'
      title: Image Pull Policy
    protocol:
      type: string
      title: Protocol
      default: mcp
    framework:
      type: string
      title: Framework
      default: custom
    deployment_method:
      type: string
      title: Deployment Method
      default: image
    workload_type:
      type: string
      title: Workload Type
      default: deployment
    create_http_route:
      type: boolean

```

```

        title: Create Http Route
        default: true
    type: object
    required:
    - name
    - namespace
    - container_image
    title: ToolCreateRequest
    description: An MCP tool/benchmark-server workload deployed via
Rossoctl POST /api/v1/tools.
    ValidationError:
        properties:
            loc:
                items:
                    anyOf:
                    - type: string
                    - type: integer
                type: array
                title: Location
            msg:
                type: string
                title: Message
            type:
                type: string
                title: Error Type
            input:
                title: Input
            ctx:
                type: object
                title: Context
        type: object
        required:
        - loc
        - msg
        - type
        title: ValidationError
    securitySchemes:
        bearerAuth:
            type: http
            scheme: bearer
            bearerFormat: JWT
            description: "Caller JWT. Used only for attribution
(preferred_username) and issuer-based routing\
\ (iss); never forwarded upstream \u2014 the Service mints its own
ROPC token for Rossoctl calls."
    security:
    - bearerAuth: []

```