

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
<title>Whatsitcalledagain</title>
<style>
    body { font-family: Arial, sans-serif;
margin: 0; padding: 0; background:
#f4f4f4; color: #333; }
    header { background: #2b6cb0; color:
#fff; padding: 20px; text-align: center; }
    h1 { margin: 0; }
    nav { background: #1a4d80; padding:
10px; text-align: center; }
    nav a { color: #fff; text-decoration:
none; margin: 0 15px; font-weight: bold;
}
    section { padding: 20px; max-width:
```

```
900px; margin: auto; }

.card { background: #fff; padding: 20px; margin: 20px 0; border-radius: 8px; box-shadow: 0 2px 5px rgba(0,0,0,0.1); }

button, input[type=submit] {
background: #2b6cb0; color: white;
padding: 10px 15px; border: none;
border-radius: 5px; cursor: pointer; }

button:hover,
input[type=submit]:hover { background: #1a4d80; }

footer { background: #1a4d80; color: white; text-align: center; padding: 15px; margin-top: 40px; }

</style>
</head>
<body>
```

```
<header>
  <h1>Whatsitcalledagain</h1>
```

<p>Will help you find the place you want to find</p>

</header>

<nav>

  <a href="#home">Home</a>

  <a href="#premium">Premium</a>

  <a href="#moderator">Become a Moderator</a>

</nav>

<section id="home">

  <div class="card">

    <h2>Free Information Preview</h2>

    <p>We specialize in helping you locate places, services, and hidden gems you might otherwise miss.

      Here are some quick examples:</p>

    <ul>

      <li>Top-rated cafés in your city</li>

      <li>Best local repair services</li>

<li>Hidden tourist attractions</li>  
</ul>

<p>Want detailed, custom results?

Unlock our premium section!</p>

</div>

</section>

<section id="premium">

<div class="card">

<h2>Premium Information</h2>

<p>Purchase access to our exclusive guides, location data, and personal recommendations.</p>

<!-- PayPal Button -->

<form action="https://

www.paypal.com/cgi-bin/webscr"

method="post" target="\_blank">

<input type="hidden" name="cmd" value="\_xclick">

<input type="hidden"

```
name="business"
value="bonerross@gmail.com">
    <input type="hidden"
name="item_name" value="Premium
Access - Whatsitcalledagain">
    <input type="hidden"
name="amount" value="5.00">
    <input type="hidden"
name="currency_code" value="USD">
    <input type="submit" value="Buy
Premium Access ($5)">
</form>
```

```
<h3>Enter Premium Password</h3>
<input type="password"
id="premiumPass" placeholder="Enter
password">
<button
onclick="unlockPremium()">Unlock</
button>
```

```
<div id="premiumContent"
style="display:none; margin-top:20px;">
  <h3>Exclusive Premium Data</h3>
  <p>Here you'll find detailed search
strategies, direct contact details,
curated maps, and insider-only
tips that save you hours of searching.</p>
</div>
</div>
</section>
```

```
<section id="moderator">
  <div class="card">
    <h2>Apply to Become a Moderator</h2>
    <form action="https://formspree.io/f/mnqekywl" method="POST">
      <label>Your Name:</label><br>
      <input type="text" name="name" required><br><br>
      <label>Your Email:</label><br>
```

```
<input type="email" name="email"
required><br><br>
<label>Why should we choose you?
</label><br>
<textarea name="message"
required></textarea><br><br>
<input type="submit"
value="Submit Application">
</form>
</div>
</section>
```

```
<footer>
  <p>&copy; 2025 Whatsitcalledagain.
  All rights reserved.</p>
</footer>
```

```
<script>
  function unlockPremium() {
    const pass =
document.getElementById('premiumPas
```

```
s').value;  
    if (pass === "premium2025") { //  
        Change this password to whatever you  
        like  
  
        document.getElementById('premiumCon  
tent').style.display = 'block';  
    } else {  
        alert('Incorrect password.');//  
    }  
}  
</script>  
  
</body>  
</html>
```