

moses objectien norch nie wowy * no contiene will · latextrei CZ Důležité vlastnosti vysoká filtrační kapacita **GB** Important properties · nizký odpor dýchání · high filter capacity · velký komfort nosení · low breathing resistance materiál šetrný k pokožce · high level of wearing comfort hygienické jednotlivé balení material non-irritating to skin
 packed individually for hygiene skládací na velikost kapsy stabilní hlavové pásky nízká hmotnast
bez omezení výhledu
bezproblémový hovor skrz masku
neobsahuje latex can be folded to pocket size * robust straps * light weight * no vision impairment * problem-free speech through mask * latexfree * vediki kopocitet filtro

* vediki kopocitet filtro

* modi otpose pri discenti

* inpodrse noderije

* moherijel na nodroženje kože

* moherijel na nodroženje poskrajne

* higijansko pomeninsti na salidinu ožinare

* moda sa premeninsti na salidinu ožinare

* mohe native

na dejiminana vid

na d HR Vaina svojstva * grand pouvoir filtrant

* faible résistance respiratoirs

* grand confort

* motière hypositlergénique

* conditionnement individuel hygrénique

* plushe en formet de poelle

* brukes solidée

* brukespan

* conta bruke 2.23 23 **Individually Hygienically** 3222222222









This is to certify that: Handan Hengyong Protective & Clean

Products Co Ltd

C-1-901, 9 Yuhua West Road

Shijiazhuang

Hebei 050000 China

Holds Certificate Number: CE 690991

In respect of:

Filtering Masks To EN 149:2001 + A1:2009 **Various Models**

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified Body for the above Regulation (Notified Body Number 0086):

Chris Lewis - Certification Director, Product Certification

First Issued: 2019-04-15 Latest Issue: 2019-04-15 Effective Date: 2019-04-15 Expiry Date: 2024-04-15

Page: 1 of 12

...making excellence a habit."

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request. To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

No. CE 690991

Product Specification

Half masks HY8200 Range without clogging

Description: Vertical fold flat disposable face mask

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification - Single shift NR

FFP Class: FFP1

Models: HY 8210

HY 8212 (mask with exhalation valve fitted) **HY 8214** (masks with activated charcoal)

HY 8216 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP2

Models: HY 8220

HY 8222 (mask with exhalation valve fitted) **HY 8224** (masks with activated charcoal)

HY 8226 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP3

Model: HY 8232 (mask with exhalation valve fitted)

First Issued: 2019-04-15 Effective Date: 2019-04-15

Latest Issue: 2019-04-15 Expiry Date: 2024-04-15

Page: 2 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 690991

Half masks HY8200 Range with clogging

Description: Vertical fold flat disposable face mask

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification - Single shift NR D

FFP Class: FFP1D

Models: HY 8210

HY 8212 (mask with exhalation valve fitted) **HY 8214** (masks with activated charcoal)

HY 8216 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP2D

Models: HY 8220

HY 8222 (mask with exhalation valve fitted) **HY 8224** (masks with activated charcoal)

HY 8226 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP3D

Model: HY 8232 (mask with exhalation valve fitted)

First Issued: 2019-04-15 Effective Date: 2019-04-15

Latest Issue: 2019-04-15 Expiry Date: 2024-04-15

Page: 3 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 690991

Product Specification (continued)

Half masks HY8600 Range without clogging

Description: Conical disposable face mask

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification – Single shift NR

FFP Class: FFP1

Models: HY 8610

HY 8612 (mask with exhalation valve fitted) **HY 8614** (mask with activated charcoal)

HY 8616 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP2

Models: HY 8620

HY 8622 (mask with exhalation valve fitted)

HY 8626 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP3

Model: HY 8632 (mask with exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-04-15

Effective Date: 2019-04-15

Expiry Date: 2024-04-15

Page: 4 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 690991

Product Specification (continued)

Half masks HY8600 Range with clogging

Description: Conical disposable face mask

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification - Single shift NR D

FFP Class: FFP1D

Models: HY 8610

HY 8612 (mask with exhalation valve fitted) **HY 8614** (mask with activated charcoal)

HY 8616 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP2D

Models: HY 8620

HY 8622 (mask with exhalation valve fitted)

HY 8626 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP3D

Model: HY 8632 (mask with exhalation valve fitted)

First Issued: 2019-04-15

Latest Issue: 2019-04-15

Effective Date: 2019-04-15

Expiry Date: 2024-04-15

Page: 5 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 690991

Product Specification (continued)

Half masks HY8900 Range without clogging

Description: Horizontal fold flat disposable face mask

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification - Single shift NR

FFP Class: FFP1

Models: HY 8910

HY 8912 (mask with exhalation valve fitted) **HY 8914** (mask with activated charcoal)

HY 8916 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP2

Models: HY 8920

HY 8922 (mask with exhalation valve fitted) **HY 8924** (mask with activated charcoal)

HY 8926 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP3

Model: HY 8932 (mask with exhalation valve fitted)

First Issued: 2019-04-15 Effective Date: 2019-04-15

Latest Issue: 2019-04-15 Expiry Date: 2024-04-15

Page: 6 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 690991

Half masks HY8900 Range with clogging

Description: Horizontal fold flat disposable face mask

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification - Single shift NR D

FFP Class: FFP1D

Models: HY 8910

HY 8912 (mask with exhalation valve fitted) **HY 8914** (mask with activated charcoal)

HY 8916 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP2D

Models: HY 8920

HY 8922 (mask with exhalation valve fitted) **HY 8924** (mask with activated charcoal)

HY 8926 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP3D

Model: HY 8932 (mask with exhalation valve fitted)

First Issued: 2019-04-15 Effective Date: 2019-04-15

Latest Issue: 2019-04-15 Expiry Date: 2024-04-15

Page: 7 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 690991

Product Specification (continued)

Larger Conical HY9600 Range with clogging

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification - Single shift NR D

FFP Class: FFP1D

Models: HY 9610

HY 9612 (mask with exhalation valve fitted) **HY 9614** (mask with activated charcoal)

HY 9616 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP2D

Models: HY 9620

HY 9622 (mask with exhalation valve fitted)

HY 9626 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP3D

Models: HY 9630

HY 9632 (mask with exhalation valve fitted)

First Issued: 2019-04-15 Effective Date: 2019-04-15

Latest Issue: 2019-04-15 Expiry Date: 2024-04-15

Page: 8 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 690991

Product Specification (continued)

Cymbiform Foldable HY9300 Range with clogging

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification - Single shift NR D

FFP Class FFP1D

Models: HY 9310

HY 9312 (mask with exhalation valve fitted)

HY 9316 (mask with activated charcoal and exhalation valve fitted)

FFP Class FFP2D

Models: HY 9320

HY 9322 (mask with exhalation valve fitted)

HY 9326 (mask with activated charcoal and exhalation valve fitted)

FFP Class FFP3D

Models: HY 9330

HY 9332 (mask with exhalation valve fitted)

HY 9336 (mask with activated charcoal and exhalation valve fitted)

First Issued: 2019-04-15 Effective Date: 2019-04-15

Latest Issue: 2019-04-15 Expiry Date: 2024-04-15

Page: 9 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 690991

Product Specification (continued)

Larger Conical HY9900 Range with PE mesh cover with clogging

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification - Single shift NR D

FFP Class: FFP1D

Models: HY 9910

HY 9912 (mask with exhalation valve fitted) **HY 9914** (mask with activated charcoal)

HY 9916 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP2D

Models: HY 9920

HY 9922 (mask with exhalation valve fitted)

HY 9926 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP3D

Models: HY 9930

HY 9932 (mask with exhalation valve fitted)

First Issued: 2019-04-15 Effective Date: 2019-04-15

Latest Issue: 2019-04-15 Expiry Date: 2024-04-15

Page: 10 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 690991

Product Specification (continued)

Multi-Chamber Re-Usable HY6600 Range with clogging

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification - Multiple shifts R D

FFP Class: FFP2 R D

Models: HY 6620

HY 6622 (mask with exhalation valve fitted)

HY 6626 (mask with activated charcoal and exhalation valve fitted)

FFP Class: FFP3 R D

Models: HY 6630

HY 6632 (mask with exhalation valve fitted)

HY 6636 (mask with activated charcoal and exhalation valve fitted)

Conical Re-Usable HY6600 Range with clogging

Technical specification: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks

to protect against particles.

Classification - Multiple shifts R D

FFP Class: FFP3 R D

Models: HY 8632 (mask with exhalation valve fitted)

First Issued: 2019-04-15 Effective Date: 2019-04-15

Latest Issue: 2019-04-15 Expiry Date: 2024-04-15

Page: 11 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

No. CE 690991

Certificate Administration Details

Technical File Reference: Handan Hengyong Protective & Clean Products Technical File.

Certificate Amendment Record

Issue date	Comments	BSI Internal Project No.
April 2019	First issue to PPE Regulation 2016/425. Products previously certified to PPE Directive 89/686 by BSI on certificate CE 70730	0086:19:8910072

Note: The Certificate holder is responsible for keeping the Notified Body advised of changes to any aspect of the overall process used in the manufacture of the product.

Monitoring of manufactured PPE.

The EC Quality of Production by Monitoring requirements, Article 11B for the product are referenced in BSI Certificate number CE 79995.

First Issued: 2019-04-15 Effective Date: 2019-04-15 Latest Issue: 2019-04-15 Expiry Date: 2024-04-15

Page: 12 of 12

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.