In Q1 to Q11, only one option is correct, choose the correct option:
1. Which of the following methods do we use to find the best fit line for data in Linear Regression?
A) Least Square Error B) Maximum Likelihood C) Logarithmic Loss D) Both A and B
Ans: A
2. Which of the following statement is true about outliers in linear regression?A) Linear regression is sensitive to outliers B) linear regression is not sensitive to outliersC) Can't say D) none of these
Ans: A
3. A line falls from left to right if a slope is?A) Positive B) NegativeC) Zero D) Undefined
Ans: B
4. Which of the following will have symmetric relation between dependent variable and independent variable?A) Regression B) CorrelationC) Both of them D) None of these
Ans: C
5. Which of the following is the reason for over fitting condition?A) High bias and high variance B) Low bias and low varianceC) Low bias and high variance D) none of these
Ans: C
6. If output involves label then that model is called as:A) Descriptive model B) Predictive modalC) Reinforcement learning D) All of the above
Ans: B
7. Lasso and Ridge regression techniques belong to? A) Cross validation B) Removing outliers C) SMOTE D) Regularization
Ans: D
8. To overcome with imbalance dataset which technique can be used?A) Cross validation B) RegularizationC) Kernel D) SMOTE
Ans: A

- 9. The AUC Receiver Operator Characteristic (AUCROC) curve is an evaluation metric for binary classification problems. It uses _____ to make graph?
- A) TPR and FPR B) Sensitivity and precision
- C) Sensitivity and Specificity D) Recall and precision

Ans: C

10. In AUC Receiver Operator Characteristic (AUCROC) curve for the better model area under the curve should be less.

A)True B) False

Ans: TRUE

- 11. Pick the feature extraction from below:
- A) Construction bag of words from a email
- B) Apply PCA to project high dimensional data
- C) Removing stop words
- D) Forward selection

Ans: A, B, C

In Q12, more than one options are correct, choose all the correct options:

- 12. Which of the following is true about Normal Equation used to compute the coefficient of the Linear Regression?
- A) We don't have to choose the learning rate.
- B) It becomes slow when number of features is very large.
- C) We need to iterate.
- D) It does not make use of dependent variable.

Ans: A, B, C

ASSIGNMENT - 39

MACHINE LEARNING

Q13 and Q15 are subjective answer type questions, Answer them briefly.

13. Explain the term regularization?

Ans:Regularization is one of the most important concepts of Machine Learning. It is a technique to present the model to reduce the error by fitting a function appropriately on the given training set and avoid overfitting.

14. Which particular algorithms are used for regularization?

Ans: There are three main algorithms should be used

- 1.L1 and L2 Regularization.
- 2. Data Augmentation, K-Fold Cross validation
- 3. Entropy

15. Explain the term error present in linear regression equation?

Ans: An error term represents the margin of error within a statistical model. It refers to the sum of the deviations within the regression line which provides an explanation for the difference between the theoretical value of the model and the actual observed results.