

Database Application Development

Assignment

Part 1

Objective:

In this assignment, you create a simple HR application using the C++ programming language and MySQL server. This assignment helps students learn a basic understanding of application development using C++ programming and a MySQL database.

Submission:

*Your submission will be a single text-based **.cpp** file including your C++ program for the Database Application assignment.*

AS_P1_ID.cpp

Your submission needs to be commented.

Instruction:

In this assignment, we use the same database that you use for your labs.

Connecting to a MySQL database from a C++ Program

In your function **main()**, create a connection to your database.

You need to implement the following functions:

int menu(void);

The ***menu()*** function returns an integer value which is the selected option by the user from the menu. This function displays the following menu options:

- 1) Find Employee
- 2) Employees Report
- 3) Add Employee
- 4) Update Employee
- 5) Remove Employee
- 0) Exit

Before printing the menu, display the following title on the screen

```
***** HR Menu *****
```

Prompt the user to enter an option. If the user enters an incorrect option, the user is asked to enter an option again. When the user enters a correct option (0 to 5), the function returns the selected value.

If the user selects 0 (Exit), the program terminates.

int findEmployee(MYSQL *conn, int employeeNumber, struct Employee *emp);

This function receives a MYSQL pointer (a reference variable to a MySQL database), an integer number as the employee number, and a pointer to a variable of type Employee. The function returns 0 if the employee does not exist. It returns 1 if the employee exists.

To store the employee data from the ***findEmployee()*** function, we use a variable of type structure called Employee. The Employee structure has the following members:

```
struct Employee{
    int employeeNumber;
    char lastName[50];
    char firstName[50];
    char email[100];
    char phone[50];
    char extension[10];
    char reportsTo[100];
    char jobTitle[50];
    char city[50];
};
```

The *ReportsTo* member stores the first name and the last name of the employee who is the manager of the given employee number.

If the employee exists, store the employee data into the members of an Employee variable using the third parameter in the ***findEmployee()*** function which references to that variable of type Employee.

Note: For this report, you may need to query more than one table (join).

void displayEmployee(MYSQL *conn, struct Employee emp);

If the user selects option 1, this function is called. First, prompt the user to enter a value for the employee number. Then, call function ***findEmployee()*** to check if the employee with the given employee number exists. If the returning value of function ***findEmployee()*** is 0, display a proper error message.

Sample error message:

Employee 1122 does not exist.

Otherwise, call the function ***displayEmployee()*** to display the employee information. This function receives a MYSQL pointer (a reference variable to a MySQL database) and values of a variable of type Employee and displays all members of the emp parameter.

Display the employee information as follows:

```
employeeNumber = 1002
lastName = Murphy
firstName = Diane
email = dmurphy@classicmodelcars.com
phone = +1 650 219 4782
extension = x5800
reportsTo =
jobTitle = President
city = San Francisco
```

void displayAllEmployees(MYSQL *conn);

If the user selects option 2 (Employees Report), call function ***displayAllEmployees()***. This function receives a pointer of type MYSQL (a reference variable to a MySQL database) and displays all employees' information if exists.

Write a query to select and display the following attributes for all employees .

E	Employee Name	Email	Phone	Ext	Manager

1002	Diane Murphy	dmurphy@classicmodelcars.com	+1 650 219 4782	x5800	
1056	Mary Patterson	mpatterso@classicmodelcars.com	+1 650 219 4782	x4611	Diane Murphy
1076	Jeff Firrelli	jfirrelli@classicmodelcars.com	+1 650 219 4782	x9273	Diane Murphy
1143	Anthony Bow	abow@classicmodelcars.com	+1 650 219 4782	x5428	Mary Patterson
1165	Leslie Jennings	ljennings@classicmodelcars.com	+1 650 219 4782	x3291	Anthony Bow
1166	Leslie Thompson	lthompson@classicmodelcars.com	+1 650 219 4782	x4065	Anthony Bow
1188	Julie Firrelli	jfirrelli@classicmodelcars.com	+1 215 837 0825	x2173	Anthony Bow
1216	Steve Patterson	spatterson@classicmodelcars.com	+1 215 837 0825	x4334	Anthony Bow
1286	Foon Yue Tseng	ftseng@classicmodelcars.com	+1 212 555 3000	x2248	Anthony Bow
1323	George Vanauf	gvanauf@classicmodelcars.com	+1 212 555 3000	x4102	Anthony Bow
1102	Gerard Bondur	gbondur@classicmodelcars.com	+33 14 723 4404	x5408	Mary Patterson
1337	Loui Bondur	lbondur@classicmodelcars.com	+33 14 723 4404	x6493	Gerard Bondur
1370	Gerard Hernandez	ghernande@classicmodelcars.com	+33 14 723 4404	x2028	Gerard Bondur
1401	Pamela Castillo	pcastillo@classicmodelcars.com	+33 14 723 4404	x2759	Gerard Bondur
1702	Martin Gerard	mgerard@classicmodelcars.com	+33 14 723 4404	x2312	Gerard Bondur
1621	Mami Nishi	mnishi@classicmodelcars.com	+81 33 224 5000	x101	Mary Patterson
1625	Yoshimi Kato	ykato@classicmodelcars.com	+81 33 224 5000	x102	Mami Nishi
1088	William Patterson	wpatterson@classicmodelcars.com	+61 2 9264 2451	x4871	Mary Patterson
1611	Andy Fixter	afixter@classicmodelcars.com	+61 2 9264 2451	x101	William Patterson
1612	Peter Marsh	pmarsh@classicmodelcars.com	+61 2 9264 2451	x102	William Patterson
1619	Tom King	tking@classicmodelcars.com	+61 2 9264 2451	x103	William Patterson
1501	Larry Bott	lbott@classicmodelcars.com	+44 20 7877 2041	x2311	Gerard Bondur
1504	Barry Jones	bjones@classicmodelcars.com	+44 20 7877 2041	x102	Gerard Bondur

Note: For this report, you may need to query more than one table (join).

If the query does not return any rows, display a proper message:

There is no employees' information to be displayed.

Note: For each query in your assignment, make sure you handle the errors and display the proper message including the error_code.

Error_code is a number returned if the query execution is not successful.