Digital Forensics-Lab#12

Ahmad Abdullah i22-1609

1.

```
192.168.0.100 - [16/reh/22216113153 +6988] **OET / HTTP/1.1* 200 907 ** "Mozilla/3.0 (X11]: Limx x86_64; rv:102.0) Gecko/2300015 Firefox/102.0*
2 02.168.0.100 - [16/reh/2221613150 +6980] **OET / Jangse.ph HTTP/1.1* 200 1130 **Typi/32.168.0.1100 **Typi/32.0.1100 *
```

- 2. Path Traversal
- 3. Firefox/102.0

```
1102.108.0.186 - 10/feb/2033013333-9 39500 | Cet / Command.pph HTP/1.1 20 1019 http://y2.108.0.1013996/command.pph Mo211435-6 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 15192.108.0.186 - 10/feb/2023013333-6 39500 | POST / Command.pph HTP/1.1 20 1010 http://y2.108.0.1013996/command.pph Mo211435-6 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.108.0.186 - 10/feb/202301333-6 29500 | POST / Command.pph HTP/1.1 20 1010 http://y2.108.0.1013996/command.pph Mo211435-6 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.108.0.108 - 10/feb/202301336-10 9500 | POST / Command.pph HTP/1.1 20 1010 http://y2.108.0.1013996/command.pph HTP/1.0 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.108.0.108 - 10/feb/202301336-11 9500 | Gett/ Adabase.pph HTP/1.1 404 494 - "Mo211435-6 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.108.0.108 - 10/feb/202301336-11 9500 | Gett/ Adabase.pph HTP/1.1 404 1010 http://y2.108.0.1013996/command.pph HTP/1.0 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.108.0.108 - 10/feb/202301336-11 9500 | Gett/ Adabase.pph HTP/1.1 200 1103 - "Mo211145-6 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.108.0.108 - 10/feb/202301336-11 9500 | Gett/ Adabase.pph HTP/1.1 200 1103 - "Mo211145-6 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.108.0.108 - 10/feb/202301336-11 9500 | Gett/ Adabase.pph HTP/1.1 200 1103 - "Mo211145-6 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.108.0.108 - 10/feb/202301336-11 9500 | Gett/ Adabase.pph HTP/1.1 200 1103 - "Mo211145-6 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.108.0.108 - 10/feb/202301336-11 9500 | Gett/ Adabase.pph HTP/1.1 200 1103 - "Mo211145-6 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.108.0.108 - 10/feb/202301336-11 9500 | Gett/ Adabase.pph HTP/1.1 200 1103 - "Mo211145-6 (X11; Linux x86_64; V:102.0) Gecko/20100101 Firefox/102.0* 1512.0.08.0.08000101 Firefox/102.0* 1512.0.08.0.08000101 Firef
```

4.

```
22 192.168.0.106 - [16/Feb/2023:01:36:25 +0500] "POST /users.php HTTP/1.1" 200 1116 "http://192.168.0.101:9090/users.php" "Mozitla/5.0 (X11; Linux x86_64; rv:102.0) Gecko/20100101 Firefox/102.0" 23 192.168.0.106 - [16/Feb/2023:01:36:35 +0500] "POST /users.php HTTP/1.1" 200 1107 "f" "sqlmap/1.65.0.101:9090/users.php" Mozitla/5.0 (X11; Linux x86_64; rv:102.0) Gecko/20100101 Firefox/102.0" 24 192.168.0.106 - [16/Feb/2023:01:36:55 +050] "GT /users.php HTTP/1.1" 200 1117 "f" "sqlmap/1.6.118stable (fttps://sqlmap.org)" 25 192.168.0.106 - [16/Feb/2023:01:37:10 +0500] "GT /users.php HTTP/1.1" 200 1117 "f" "sqlmap/1.6.118stable (fttps://sqlmap.org)" 27 192.168.0.106 - [16/Feb/2023:01:37:11 +0500] "GT /users.php HTTP/1.1" 200 1103 "f" - "sqlmap/1.6.118stable (fttps://sqlmap.org)" 27 192.168.0.106 - [16/Feb/2023:01:37:11 +0500] "GT /users.php HTTP/1.1" 200 1103 "f" - "sqlmap/1.6.118stable (fttps://sqlmap.org)" Gecko/20100101 Firefox/102.0" 27 192.168.0.106 - [16/Feb/2023:01:37:11 +0500] "GT /command.php HTTP/1.1" 200 1103 "fttp://sqlmap.org)" GT /command.php HTTP/1.1" 200 1103 "fttp://sqlmap.org) "GT /command.php HTTP/1.1" 200 1103 "fttp://sqlmap.org)" Gecko/20100101 Firefox/102.0" 28 192.168.0.106 - [16/Feb/2023:01:37:12 +0500] "GT /command.php HTTP/1.1" 200 1103 "fttp://sqlmap.org)" GC /command.php HTTP/1.1" 200 1103 "fttp://sqlmap.org)" Mozitla/5.0 (X11; Linux x86_64; rv:102.0) Gecko/20100101 Firefox/102.0" 38 192.168.0.101 (16/Feb/2023:01:37:12 +0500) GC /command.php HTP/1.1" 200 1103 "fttp://sqlmap.org)" Mozitla/5.0 (X11; Linux x86_64; rv:102.0) Gecko/20100101 Firefox/102.0" 18 192.168.0.101 (16/Feb/2023:01:37:12 +0500) GC /command.php HTP/1.1" 200 1103 "fttp://sqlmap.org)" Mozitla/5.0 (X11; Linux x86_64; rv:102.0) Gecko/20100101 Firefox/102.0" 18 192.168.0.101 (16/Feb/2023:01:37:12 +0500) GC /command.php HTP/1.1" 200 1103 "fttp://sqlmap.org)" Mozitla/5.0 (X11; Linux x86_64; rv:102.0) Gecko/20100101 Firefox/102.0" 18 192.168.0.101 (16/Feb/2023:01:37:12 +0500) GC /command.php HTP/1.1" 200 1103 "fttp://sqlmap.org)" Moz
```

5. The attacker tried to access /passwd file. The server did respond with 200 OK reply but the content length was 0 which indicates that no data was shown.

```
7 - 9059931a-Z--
8 - 16015c41-A--
8 - 16016c41-A--
9 - 16015c41-A--
9 - 16016c41-A--
9 - 16
```

6. The attacker kept trying to access data using SQL map in which they did succeed and got some confidential user data.

```
99 = 04550alar-C |
90 = 04550alar-C |
91 = 050 |
92 = 050 |
93 = 050 |
94 = 050 |
95 = 050 |
96 = 050 |
97 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 = 050 |
98 =
```

7.

```
### (Prof. 10) | ### (P
```

8. flag{h1pp1ty_h0pp1ty_y0ur_w3bs1t3_1s_n0w_my_pr0p3rty!}

```
class="table table-striped">
ctable class="table table-striped">
ctable class="thead">
ctr
cth scope="col">IDv/th>
cth scope="col">IDv/th>
cth scope="col">Sernamev/th>
cth scope="col">Sernamev/th>
cth scope="col">Emaile/th>
cth scope="col">Emaile/th
cth scope="
```

- 9. The indicators that confirmed that an attack had taken place were Remote Code Execution, SQL injection etc. The key takeaway from this is that we used to refine our code to better handle the requests for all the known vulnerabilities.
- 10. SQL injection, Path Traversal, Remote Code Execution etc.