# Step 1 - Work Log M2M Lectures Grenoble University

Your Names Here January 26, 2016

### 1 Preface by Pr. Olivier Gruber

This document is your work log for the second step in the M2M course, leading to build your own mini-distribution.

Like for the first step, this work log has two parts. One part is about diverse sections, that you must fill up. Each section has a bunch of questions to help you do that. The questions provide a guideline for your learning. They are about giving your pointers on what to learn about. The other part is really a laboratory log, keeping track of what you do, as you do.

**REMEMBER:** plaggia is a crime that can get you evicted forever from french universities... The solution is simple, write using your own words or quote, giving the source of the quoted text. Also, remember that you do not learn through cut&paste. You also do not learn much by watching somebody else doing.

## 2 Outline of Step2

To build your own distribution, almost from scratch, you will need to acquire a number of skills:

- GRUB bootloader
- Linux kernel
- Core files and layout of a distribution.

Many pieces are provided to you, pieces that you are asked to understand. First, you are given a compiled, ready-to-use, boot loader (GRUB 0.97). Second, you are given a minimal distribution, with a linux kernel.

You can build a Qemu disk with mkdist.sh sript, following the on-screen instructions, you can get to have a disk and boot Qemu with it.

Select either of the hello options in the GRUB menu at boot time, and you will get something very similar to what you did in step1, but using a real bootloader and a linux kernel.

After that, the learning process will start and it cannot be entirely a linear process, sorry. So you will fill up the various sections incrementally, certainly in an order that will be a bit erratic.

We suggest the following steps.

- Read and start understanding the script: mkdist.sh
- Read about and understand the GRUB process
- Read about and understand the Linux kernel boot process, with and without an initial ramdisk (initrd).
- Understand the specifics of the hello program.

Here are a bunch of questions and points to help you progress and focus your attention.

- 1. Layout of the Qemu disk, in terms of GRUB stages and file system partition.
- 2. Partition table in the MBR (see parted and fdisk)
- 3. What kind of file system are we using. Why only ext2? Could we use something other format? What do we have to pay attention to? Think GRUB and Linux kernel.
- 4. Look in the GRUB manual how to install GRUB manually. Explain the manual steps during the mkdist.sh. Explain why they are necessary.
- 5. Explain the loop-back setup with the Qemu disk. Why is it necessary?
- 6. What are those files under /dev? What is their purpose? How are they created?
- 7. During the mkdist.sh, we boot Qemu twice in a row, with a manual GRUB setup in between. What is going on? Explain why we stop at the GRUB prompt the first time and why we get a GRUB menu the second time around.
- 8. Look at the GRUB menu and understand its structure.
- 9. Look at the linux kernel options in the GRUB menu. What are they for? Why use those options? Hint: console history, see the differences between booting Hello-RootFS and Hello-Disk.
- 10. In your mini distribution, under /boot, you have several kernels. Regarding the 2.6.31.22-generic, what are the different files related to this version (System.map, config, and vmlinuz).

- 11. Explain how the linux kernel boots with Hello-RootFS. Hint: initial ramdisk (initrd).
- 12. Explain how the hello program can actually execute? Indeed, the mini distribution has no libraries. Hint: hello makefile.
- 13. Try replacing the kernel in the Hello-Disk configuration, from vmlinuz to vmlinuz-2.6.31-22-generic, what is happening? Why? Why is it working with vmlinuz.

## 3 Qemu

This section is here in case you learn some more stuff about Qemu. You will find plenty of information in the README-QEMU document.

### 4 MiniDist Script

You ask to read and explain the following script (mkdist.sh).

#### 5 GRUB

In the grub directory, you will have binary and the sources for grub-0.97, an older and much simpler GRUB version.

You can find some relevant documentations in the docs directory, in particular the GRUB manual and a great explaination of QEMU disk images.

#### 5.1 GRUB principles and stages

- 1. Look at eltorito stage for CD-ROMs.
- 2. Look at the various stages for a disk (stage1, stage1.5, stage2).
- 3. Look in the GRUB manual how to install GRUB manually.
- 4. Look at GRUB menu.

#### 5.1.1 Building GRUB

**Do not rebuild GRUB**, unless you have to. You have been given a working for x86\_32 (IA-32).

For your information, be warned that to build this version of GRUB, you will need GCC-3.4. So you can install it on your system, via apt-get install. Let's assume you have downloaded your sources under /M2M/grub/grub-0.97 in your dev guest. You can compile and install like this:

```
# export CC=gcc-3.4
# cd ~/M2M/grub/grub-0.97
# ./configure prefix=~/M2M/grub/grub
# make
# make install
```

Notice the important setup in the configure step where you specify a path where to install GRUB. Notice this is a local path to your home directory, **DO NOT INSTALL IT ON YOUR MACHINE.** By default, it installs on /boot/grub and this is a really bad idea.

#### 6 GRUB and Linux Boot Process

Look at what is going on in the /boot directory. The idea here is to be able to explain the boot process, starting with GRUB and ending with the linux kernel booting.

You must understand the three options in the GRUB menu.

- 1. Hello RootFS
- 2. Hello Disk
- 3. Your Mini Distribution

Each represents a different boot strategy.

#### 7 Mini-Distribution

```
MiniDist$ ls
bin boot dev etc hello lib root sbin
MiniDist$
```

## 8 Laboratory Log