

ORBIX AUTOMATION SOLUTIONS

presents

NicheFinder X

for X / Twitter

Complete Documentation, Setup & Usage Guide

Windows • macOS • Linux

The perfect companion to Andy Hafell's Content Mate

Document Title	Orbix NicheFinder X — Setup, Usage & Installation Guide
App Version	1.05
Doc Revision	Rev 1.07
Date	March 25, 2026
Status	Released — Public App v1.05 Doc Rev 1.07
Author	Orbix Automation Solutions
Website	getorbix.com
Phone	(610) ORBIX AI — (610) 672-4924
GitHub	github.com/roughboy99/orbix-nichefinder-x
Powered By	TwitterAPI.io (Affiliate Partner)
Companion Tool	Andy Hafell's Content Mate (skool.com/aimate)

Table of Contents

Table of Contents	2
1. Overview	4
1.1 What It Does	4
1.2 Why TwitterAPI.io?	4
2. Features	6
3. Prerequisites	7
3.1 TwitterAPI.io Account & API Key	7
3.2 Deployment Method Requirements	7
4. Quick Start & GitHub Repository	8
4.1 Official GitHub Repository	8
4.2 Repository File Structure	8
5. Installation on Windows	10
5.0 Universal Installer	10
5.1 Windows — Using the Installer (Recommended)	10
5.2 Manual Install — Node.js on Windows	10
6. Installation on macOS	12
6.1 Using the macOS Installer (Recommended)	12
Option A — Double-Click in Finder (Easiest)	12
Option B — Terminal	12
6.2 What the macOS Installer Does	12
6.3 Installing Updates on macOS	13
7. Installation on Linux	14
7.0 Using the Linux Installer (Recommended)	14
7.1 Manual — Node.js on Linux	14
Debian, Ubuntu, Linux Mint (apt)	14
Fedora / RHEL / CentOS (dnf/yum)	14
Using NVM (All Distros)	14
7.2 Launch & Update on Linux	14

8. Usage Guide	15
8.1 Interface Overview	15
8.2 Step-by-Step Search Walkthrough	15
Step 1 — Enter Your API Key	15
Step 2 — Set Your Niche	15
Step 3 — Select an Industry Preset (Optional)	15
Step 4 — Configure Filters	15
Step 5 — Save Niche (Optional)	15
Step 6 — Start the Search	15
8.3 Working with Results	16
Sorting	16
Copying Handles	16
Closing the App	16
8.4 Exporting to CSV	16
8.5 Auto-Update System	18
How to Install an Update	18
9. Configuration Reference	19
9.1 All Settings	19
9.2 Industry Presets Reference	19
10. Docker Deployment (Advanced)	21
10.1 Dockerfile	21
10.2 Build and Run	21
10.3 Using Docker Compose	21
11. Troubleshooting	22
12. Version History	23
13. Contact & Support	24

1. Overview

Orbix NicheFinder X is a professional influencer and industry research tool built for the X (formerly Twitter) social network. It allows you to discover, rank, and export the top influencers or key accounts within any niche or industry — fully driven by real-time data through the TwitterAPI.io API.

The tool is packaged as a single-file React application (.jsx) that runs as a local development server or inside any standard web project. No separate backend, database, or server is required.

NicheFinder X is the perfect companion to Andy Hafell's Content Mate — use it to discover your target niche influencers on X, then feed those handles directly into Content Mate's automation pipeline.

The Perfect Companion to Andy Hafell's Content Mate

Discover your niche influencers with NicheFinder X, then plug those handles straight into Content Mate to automate your content creation at scale.

NicheFinder X feeds the research. Content Mate does the publishing.

Join: skool.com/aimate/about?ref=ae32f0f121324efbab8e269e59106b04

1.1 What It Does

NicheFinder X searches X / Twitter for accounts matching your niche keyword and industry filters, ranks them by follower count, and presents a sortable, exportable table. Results include:

- Account name, @handle, follower count, following count, and tweet count
- Bio excerpt and location
- Verified / Blue Verified status badge
- Direct link to each profile on X
- One-click CSV export with all data
- Copy-all handles to clipboard for bulk outreach

1.2 Why TwitterAPI.io?

Direct scraping of X from a browser-based application is impossible due to X's CORS policy and mandatory authentication walls. TwitterAPI.io acts as a secure intermediary API that provides programmatic access to X data. All links use the affiliate referral URL:

```
https://twitterapi.io?ref=roughboy666
```

Affiliate Disclosure

Links to TwitterAPI.io and Andy Hafell's Content Mate in this application and documentation are affiliate links. Orbix Automation Solutions may earn a commission if you sign up through these links. This does not add any cost to you.

2. Features

Feature	Description	Benefit
Real-Time Search	Queries X live via TwitterAPI.io	Always fresh data
18 Industry Presets	Pre-built keyword sets per vertical	Real Estate, SaaS, Crypto, etc.
Follower Filter	Slider 100 to 500,000 minimum followers	Focus macro or micro influencers
Result Limiter	Choose 10 to 100 results per search	Precision or broad coverage
Verified Filter	Toggle to show only verified accounts	Optional quality gate
Saved Niches	Save, reload, and delete niche configs	Unlimited stored profiles
Sortable Table	Sort by Followers, Tweets, Following, Name	Multi-dimensional ranking
CSV Export	Download timestamped CSV file	Import to CRM, Airtable, n8n
Copy Handles	One-click copy all @handles	Bulk paste for outreach
Close App Button	Header button with two-step shutdown guide	Clean server shutdown
Auto-Update System	Startup check + manual check + download	Always on latest version
Content Mate Link	Direct link to Andy Hafell's Content Mate	Workflow integration
Affiliate Disclosure	Transparent footer on every page	FTC compliant
Dark Mode UI	Orbix Titanium & Glass design system	Professional brand aesthetic
Portable	Single .jsx file, no dependencies	Embed in any React/Vite project

3. Prerequisites

3.1 TwitterAPI.io Account & API Key

NicheFinder X requires a valid API key from TwitterAPI.io to function. This is the only external dependency.

- 1 Visit: <https://twitterapi.io?ref=roughboy666>
- 2 Create a free or paid account
- 3 Navigate to your dashboard and copy your API Key
- 4 Paste the key into the API Configuration panel inside NicheFinder X

API Plan Note

The free TwitterAPI.io tier provides limited monthly requests.

For heavy research usage (50+ searches/day), a paid plan is recommended.

The search endpoint used is: GET /twitter/user/search

3.2 Deployment Method Requirements

Depending on how you choose to run NicheFinder X:

Deployment Method	Requirement
Local React Dev Server (Vite)	Node.js 18+ and npm or yarn
Next.js / Vite Project	Existing React 18+ project setup
Docker / Production	Docker + Nginx (see Section 10)

4. Quick Start & GitHub Repository

NicheFinder X runs as a local Vite/React development server or as a production build deployed on any web server. A TwitterAPI.io API key is required to run searches.

Requirements

Node.js 18 or higher and npm (comes with Node.js).

A TwitterAPI.io API key — get one at twitterapi.io?ref=roughboy666.

A modern browser (Chrome, Firefox, Edge, Safari).

Port 5173 preferred — Vite auto-selects next free port if 5173 is in use.

4.1 Official GitHub Repository

All releases, updates, and files for NicheFinder X are maintained on GitHub. This is the single source of truth for the latest version.

Repository URL	github.com/roughboy99/orbix-nichefinder-x
Visibility	Public — no account required to download
Default Branch	main
Update Manifest	version.json (root of repository)
App File	app/orbix-nichefinder-x.jsx
Documentation	docs/ folder (PDF)
Installers	installer/ folder (Windows, macOS, Linux, Universal)
Auto-Updaters	updater/ folder (.bat for Windows, .sh for macOS/Linux)

4.2 Repository File Structure


```
orbix-nichefinder-x/
■■■ README.md
■■■ version.json – Update manifest
■■■ app/
■ ■■■ orbix-nichefinder-x.jsx – Main React app
■■■ docs/
■ ■■■ orbix-nichefinder-x-docs-v1.07.pdf – This document
■■■ installer/
■ ■■■ INSTALL.bat – Windows launcher
■ ■■■ NicheFinderX-Setup.ps1 – Windows installer
■ ■■■ install.sh – macOS + Linux installer
■ ■■■ install.mac.command – macOS double-click
■ ■■■ install-linux.sh – Linux alias
■ ■■■ NicheFinderX-Universal-Installer.zip
■ ■■■ NicheFinderX-Windows-Installer.zip
■ ■■■ NicheFinderX-macOS-Installer.zip
■ ■■■ NicheFinderX-Linux-Installer.zip
■■■ updater/
■■■ NicheFinderX-Update.bat – Windows auto-updater
■■■ NicheFinderX-Update.sh – macOS + Linux auto-updater
```

5. Installation on Windows

5.0 Universal Installer

A single Universal Installer package contains installers for all three platforms in one zip file.

NicheFinderX-Universal-Installer.zip	All platform installers in one package
install.sh	macOS + Linux universal shell script
install.mac.command	macOS double-click installer (Finder)
install-linux.sh	Linux named alias for install.sh
INSTALL.bat	Windows installer launcher
NicheFinderX-Setup.ps1	Windows PowerShell installer
NicheFinderX-Update.sh	macOS + Linux auto-updater
NicheFinderX-Update.bat	Windows auto-updater

5.1 Windows — Using the Installer (Recommended)

Download NicheFinderX-Windows-Installer.zip from the GitHub installer/ folder, unzip it, and double-click INSTALL.bat. The installer will:

- Check for Node.js 18+ — auto-installs via winget or nodejs.org if missing
- Create the app directory (default: %USERPROFILE%\NicheFinderX)
- Extract all project files including the embedded React app
- Run npm install to set up all dependencies
- Create NicheFinderX-Start.bat launcher in the install folder
- Create a Desktop shortcut: NicheFinder X
- Create a Start Menu entry: Orbix > NicheFinder X

5.2 Manual Install — Node.js on Windows

- 1 Open your browser and go to: nodejs.org/en/download
- 2 Download the Windows Installer (.msi) — choose LTS version 18.x or higher
- 3 Run the installer and follow the prompts. Accept defaults.
- 4 Check the box: 'Automatically install necessary tools'

5 Open Command Prompt and verify: node --version && npm --version

```
npm create vite@latest nichefinder-x -- --template react
cd nichefinder-x
npm install
# Copy orbix-nichefinder-x.jsx into src/
# Edit src/App.jsx:
# import NicheFinderX from './orbix-nichefinder-x'
# export default function App() { return <NicheFinderX /> }
npm run dev
```

Windows Tip

To stop the server, press Ctrl + C in the Command Prompt window.

For a production build: npm run build (outputs to dist/ folder)

Vite auto-selects the next free port if 5173 is already in use.

6. Installation on macOS

NicheFinder X includes a dedicated macOS installer that handles everything automatically — Node.js detection, project setup, dependency installation, and desktop shortcut creation.

6.1 Using the macOS Installer (Recommended)

Download NicheFinderX-macOS-Installer.zip from the GitHub installer/ folder and unzip it.

Option A — Double-Click in Finder (Easiest)

- 1 Unzip the installer package
- 2 Double-click install.mac.command in Finder
- 3 If macOS shows a security warning: right-click the file and choose Open, then click Open again
- 4 Terminal opens and the installer runs — follow the prompts

macOS Gatekeeper Note

macOS may block the installer the first time because it was downloaded from the internet.

Right-click install.mac.command and choose Open to bypass Gatekeeper.

Alternatively, run: `xattr -d com.apple.quarantine install.mac.command`

Option B — Terminal

```
cd ~/Downloads/NicheFinderX-macOS-Installer
chmod +x install.sh && ./install.sh
```

6.2 What the macOS Installer Does

Detects OS	Identifies macOS and sets macOS-specific paths
Installs Node.js	Checks for Node.js 18+. Installs via Homebrew (auto-installs Homebrew if needed). Falls back to nodejs.org.
Creates directory	Default: ~/NicheFinderX. Custom path accepted at prompt.
Extracts app files	Decodes embedded app and writes all project files
Runs npm install	Installs all React/Vite dependencies
Creates launcher	NicheFinderX-Start.sh in the install folder
Desktop shortcut	Creates NicheFinder X.command on ~/Desktop

6.3 Installing Updates on macOS

```
chmod +x ~/Downloads/NicheFinderX-Update.sh  
~/Downloads/NicheFinderX-Update.sh
```

7. Installation on Linux

NicheFinder X includes a universal Linux installer that auto-detects your distribution and installs Node.js using the correct package manager. Supported: Debian, Ubuntu, Linux Mint, Fedora, RHEL, CentOS, Arch Linux, and openSUSE.

7.0 Using the Linux Installer (Recommended)

```
cd ~/Downloads
unzip NicheFinderX-Linux-Installer.zip -d NicheFinderX-Installer
cd NicheFinderX-Installer
chmod +x install.sh && ./install.sh
```

The installer automatically detects your distro and package manager (apt, dnf, yum, pacman, zypper), installs Node.js 20 LTS, creates the app directory, installs all dependencies, and creates a desktop entry.

7.1 Manual — Node.js on Linux

Debian, Ubuntu, Linux Mint (apt)

```
curl -fsSL https://deb.nodesource.com/setup_20.x | sudo -E bash -
sudo apt-get install -y nodejs
node --version && npm --version
```

Fedora / RHEL / CentOS (dnf/yum)

```
curl -fsSL https://rpm.nodesource.com/setup_20.x | sudo bash -
sudo dnf install -y nodejs
```

Using NVM (All Distros)

```
curl -o- https://raw.githubusercontent.com/nvm-sh/nvm/v0.39.7/install.sh | bash
source ~/.bashrc
nvm install --lts && nvm use --lts
```

7.2 Launch & Update on Linux

```
# Launch
~/NicheFinderX/NicheFinderX-Start.sh

# Apply an update
chmod +x ~/Downloads/NicheFinderX-Update.sh
~/Downloads/NicheFinderX-Update.sh
```

8. Usage Guide

8.1 Interface Overview

Left Panel	API key, search mode, niche keyword, industry preset, filters, saved niches, updates, and action buttons
Right Panel	Summary stats, sortable results table, toolbar, and CSV export
Header Bar	App branding, live status indicator, and Close App button
Global Footer	Affiliate disclosure and version number

8.2 Step-by-Step Search Walkthrough

Step 1 — Enter Your API Key

- Paste your TwitterAPI.io key into the API Configuration field
- Click the eye icon to reveal or hide the key
- The key is stored only in memory for the current session

Step 2 — Set Your Niche

- Type a niche keyword: real estate investors, AI automation tools, fitness coaching
- The keyword is the primary search term passed to TwitterAPI.io

Step 3 — Select an Industry Preset (Optional)

- Choose one of 18 industry presets from the dropdown
- Each preset appends additional keywords to boost search relevance

Step 4 — Configure Filters

Min Followers Slider	Minimum follower threshold. Range: 100 to 500,000
Max Results Slider	How many influencers to return. Range: 10 to 100
Verified Only Toggle	Restrict results to verified accounts only

Step 5 — Save Niche (Optional)

Click Save Niche to store the current configuration. Saved niches appear as chips in the Saved Niches panel. Click any chip to instantly reload that configuration.

Step 6 — Start the Search

- Click Search X — the button turns into a Stop button during search
- A progress bar and live status message show search progress
- The app fetches multiple pages of results automatically
- Click Stop at any time to halt with results collected so far

Port Behaviour

NicheFinder X starts on port 5173 by default (strictPort: false).

If port 5173 is already in use, Vite automatically tries 5174, 5175, and so on.

Your browser opens automatically at the correct URL.

Check the terminal window for the line: Local: http://localhost:XXXX

8.3 Working with Results

Sorting

- Followers — descending (default, highest reach first)
- Tweets — most active accounts first
- Following — broadest network connections first
- Name — alphabetical A to Z

Copying Handles

- Click Copy Handles in the toolbar to copy all @handles to clipboard
- One handle per line, prefixed with @
- Paste directly into outreach tools, email sequences, or n8n workflows

Closing the App

The Close App button in the top-right header opens a two-step shutdown guide:

- 1 Click Close Browser Window to close the NicheFinder X tab in your browser
- 2 In the terminal window, press Ctrl + C to stop the Vite/Node.js server and free the port

8.4 Exporting to CSV

Click Export CSV (gold button) to download a timestamped file:

```
orbix-niche-{keyword}-{timestamp}.csv
```

Column	Description	Format
--------	-------------	--------

Rank	Sequential rank number	1, 2, 3...
Name	Display name on X	Text
Handle	X username with @ prefix	@username
Followers	Total follower count	Integer
Following	Total following count	Integer
Tweets	Total tweet count	Integer
Verified	Official or Blue verification	Yes / No
Location	Self-reported location	Text
Bio	Account bio / description	Text
X URL	Direct link to X profile	https://x.com/handle

Import Tip

Compatible with Excel, Google Sheets, Airtable, NocoDB, and CRMs like GoHighLevel.

In Excel: Data > From Text/CSV. Set delimiter to comma, encoding to UTF-8.

In Airtable: Use the CSV Import block or drag the file into any table.

8.5 Auto-Update System

NicheFinder X includes a built-in update system that checks the official GitHub repository for new versions.

Check at startup toggle	When ON (default), the app silently checks GitHub 2.5 seconds after launch. Preference is saved between sessions.
Status indicator	Shows: checking, up to date, update available, or error.
Check for Updates button	Manually triggers an update check. Turns gold when an update is available.

How to Install an Update

- 1 Click Download & Install in the update modal
- 2 Two files download: orbix-nichefinder-x.jsx and the platform-correct updater script
- 3 Run the updater: Windows = double-click NicheFinderX-Update.bat | macOS/Linux = `chmod +x NicheFinderX-Update.sh && ./NicheFinderX-Update.sh`

Backup Safety

The updater always backs up your current app file before replacing it.

If something goes wrong, rename orbix-nichefinder-x.jsx.bak back to orbix-nichefinder-x.jsx.

Your API key, saved niches, and settings are stored in the browser — unaffected by updates.

9. Configuration Reference

9.1 All Settings

Setting	Purpose	Default
API Key	TwitterAPI.io API key	Required — no default
Niche Keyword	Primary search term	Required — free text
Industry Preset	Optional keyword booster	Default: All / General
Min Followers	Minimum follower threshold	Default: 1,000
Max Results	Maximum accounts to return	Default: 50 (range: 10-100)
Verified Only	Filter to verified accounts only	Default: Off
Check at startup	Auto-check GitHub for updates on launch	Default: On
GitHub Repo	Source for version.json update manifest	github.com/roughboy99/orbix-nichefinder-x

9.2 Industry Presets Reference

Industry	Targets	Appended Keywords
Real Estate	Realtors, property investors	realtor realestate property agent
Finance & Investing	Stock traders, analysts	finance investing stocks trading
Tech & AI	Software devs, AI researchers	tech AI artificial intelligence software
Marketing & Growth	Growth hackers, digital marketers	marketing digitalmarketing growth
Health & Wellness	Nutritionists, wellness coaches	health wellness fitness nutrition
E-Commerce & Retail	Shopify sellers, Amazon FBA	ecommerce shopify retail amazon FBA
Crypto & Web3	Crypto traders, NFT artists	crypto blockchain web3 NFT defi
SaaS & Startups	Startup founders, builders	saas startup founder entrepreneur
Content Creation	YouTubers, creators, bloggers	contentcreator youtube creator
Coaching & Education	Life coaches, online educators	coaching education mentor training
Food & Lifestyle	Food bloggers, recipe creators	food foodie recipe lifestyle

Fashion & Beauty	Fashion influencers, beauty creators	fashion beauty style ootd skincare
Sports & Fitness	Athletes, gym influencers	sports fitness athlete workout gym
Travel & Hospitality	Travel bloggers, hotel marketers	travel hotel tourism destination
Legal & Consulting	Lawyers, business consultants	lawyer attorney legal consulting
Automotive	Car dealers, auto influencers	automotive cars vehicle dealership
Music & Entertainment	Artists, bands, podcasters	music entertainment artist band
Politics & News	Journalists, commentators	politics news journalist media

10. Docker Deployment (Advanced)

10.1 Dockerfile

```
FROM node:20-alpine AS builder
WORKDIR /app
COPY package.json ./
RUN npm install
COPY . .
RUN npm run build

FROM nginx:alpine
COPY --from=builder /app/dist /usr/share/nginx/html
EXPOSE 80
CMD ["nginx", "-g", "daemon off;"]
```

10.2 Build and Run

```
docker build -t orbix-nichefinder-x .
docker run -d -p 3080:80 --name nichefinder orbix-nichefinder-x
# Access at http://localhost:3080
```

10.3 Using Docker Compose

```
version: '3.8'
services:
  nichefinder:
    image: orbix-nichefinder-x
    container_name: orbix-nichefinder
    ports:
      - '3080:80'
    restart: unless-stopped
    labels:
      - 'traefik.enable=true'
      - 'traefik.http.routers.nichefinder.rule=Host(`nichefinder.yourdomain.com`)'
```

Deployment Tip

Pair with a reverse proxy (Nginx, Traefik, or Caddy) and a TLS certificate for production.
Use Cloudflare Tunnel or a similar service to expose the container over HTTPS.
Replace nichefinder.yourdomain.com with your actual subdomain.

11. Troubleshooting

Problem	Solution
'Invalid API key' error	Verify key at twitterapi.io dashboard. Ensure no spaces before/after when pasting.
'No users returned'	Try a broader or simpler niche keyword. Remove special characters.
'Rate limit reached' error	Wait 60 seconds before retrying. Consider upgrading your TwitterAPI.io plan.
API Error 403	Your API key may not have access to the user search endpoint. Check plan limits.
Avatar images not loading	X CDN sometimes restricts cross-origin images. The app shows initials as fallback.
Fewer results than expected	X may have fewer matching accounts. Broaden keyword or lower min followers.
CSV opens garbled in Excel	Open Excel > Data > From Text/CSV. Set encoding to UTF-8.
Port already in use	Vite auto-tries 5174, 5175, etc. (strictPort: false). Check terminal for actual URL.
Browser opens wrong URL	Look at the terminal for: Local: http://localhost:XXXX and navigate there manually.
Update check fails	Check internet connection. Firewalls may block raw.githubusercontent.com.
Update .bat or .sh errors	Windows: run as Administrator. macOS/Linux: ensure chmod +x is applied. Stop server first.
Wrong install dir detected	Updater looks in ~/NicheFinderX. If custom path, enter it manually when prompted.
localhost not accessible	Confirm dev server is running (npm run dev). Check firewall isn't blocking the port.

12. Version History

Version	Date	Notes
Doc Rev 1.07	March 25, 2026	Documentation converted from Word to PDF (universally compatible). TOC fixed. Platform-aware updater. macOS/Linux installer sections. Port collision handling. All Claude.ai Artifact references removed.
Doc Rev 1.06	2025	macOS/Linux installer sections, universal installer coverage, platform updater scripts. App unchanged at v1.05.
v1.05	2025	GitHub auto-update system, startup toggle, manual check, one-click download & auto-install. Repo: github.com/roughboy99/orbix-nichefinder-x .
v1.04	2025	Close App button with two-step shutdown modal (close browser + Ctrl+C).
v1.03	2025	Removed AI mode. App is TwitterAPI.io-only. All Claude.ai Artifact references removed.
v1.01	2025	Initial public release. Affiliate links, Content Mate companion branding, footer disclosure, version numbers.
v1.00	2025	Internal build. Core search, filter, CSV export, saved niches, and Orbix brand system.

13. Contact & Support

Company	Orbix Automation Solutions
Website	getorbix.com
Phone	(610) ORBIX AI — (610) 672-4924
Location	Wyomissing, PA
GitHub	github.com/roughboy99/orbix-nichefinder-x
API Partner	TwitterAPI.io — twitterapi.io?ref=roughboy666
Companion Tool	Andy Hafell's Content Mate — skool.com/aimate

Affiliate Disclosure (Full)

This application and documentation contain affiliate links to TwitterAPI.io and Andy Hafell's Content Mate. When you sign up through these links, Orbix Automation Solutions may receive a commission. This commission comes at no extra cost to you whatsoever. Orbix only recommends services we actively use and believe in.

Orbix NicheFinder X v1.05 | Doc Rev 1.07 | Orbix Automation Solutions | getorbix.com
Documentation prepared by Orbix Automation Solutions. All rights reserved.