WEBSITE CONVERSION & USABILITY AUDIT

Website Conversion Checkup

Prepared for: **Apex Commercial Services [DEMO AUDIT]**

`https://apexcommercial.example.com`

OVERALL WEBSITE RESCUE SCORE

52 / 60

HEALTHY

Website is fundamentally working; targeted optimization recommended.

PRIMARY DIAGNOSTIC PATTERN: CORE OFFER AMBIGUITY

The site's biggest issue is not that information is missing. Much of it is present, but visitors repeatedly have to interpret what it means, which creates friction and leaks inquiries across the customer journey.

EXECUTIVE SUMMARY

Apex Commercial Services provides superior facility and MEP capabilities, but the website underperforms by hiding essential conversion drivers. By clarifying the hero headline, consolidating competing buttons into a single primary call-to-action, showcasing verified safety credentials above the fold, and adding 1-tap mobile dialing, Apex Commercial can remove critical buyer friction and convert qualified commercial prospects that currently leave for clearer competitors.

APEX COMMERCIAL SERVICES [DEMO AUDIT] • CONVERSION CHECKUP

Executive Heuristic Scorecard

52/60 HEALTHY

Your website was evaluated across 30 master checks categorized into 6 core conversion drivers. Each check is scored 0–2 points based on expert evaluation.

Category 1: First Impression & Clarity

Above-the-fold clarity, immediate value proposition, and 5-second comprehension.

8 / 10 NEEDS ATTENTION

Category 2: Offer & Messaging

Service explanation, customer-centric outcomes, and objection handling.

9 / 10 WORKING

Category 3: Conversion & CTA

Primary calls to action, form friction, and low-resistance user journeys.

8 / 10 NEEDS ATTENTION

Category 4: Trust & Credibility

Social proof, authentic visual evidence, credentials, and verification signals.

9 / 10 WORKING

Category 5: Mobile & User Experience

Responsive layout integrity, typography readability, and navigation simplicity.

8 / 10 NEEDS ATTENTION

Category 6: Discoverability & Local SEO

Intentional site structure, local service indicators, and crawlable text.

10 / 10 WORKING

What I Found: Priority Observations

FIX FIRST

The following high-level consolidated findings represent the greatest conversion leaks on your website. Resolving these items will produce the fastest improvement in inquiries.

1

Primary call-to-action and core offer headline are unclear above the fold

CRITICAL LOW EFFORT

Observed Evidence: Hero headline "Innovative Solutions Built for Modern Enterprise" uses abstract slogans without declaring the facility maintenance trade or commercial focus.

Business & Conversion Impact: Visitors may leave without inquiring because they cannot determine what the company provides within the first 5 seconds.

Recommended Action: Rewrite hero to: "Commercial Facility Maintenance & HVAC with Guaranteed 2-Hour Regional Dispatch."

Implementation Example: *Before: "Innovative Solutions Built for Modern Enterprise" → After: "Commercial Facility Maintenance & HVAC with Guaranteed 2-Hour Dispatch."*

2

Mobile phone numbers are rendered as unclickable plain text on smartphone viewports

CRITICAL LOW EFFORT

Observed Evidence: Header phone "(555) 234-5678" cannot be tapped directly on iOS/Android; lacks active tel: hyperlink.

Business & Conversion Impact: On-site managers on mobile devices looking for emergency repair must manually copy/dial, risking lost inquiries.

Recommended Action: Convert all phone instances to tap-to-call links and add a sticky mobile bottom action bar.

Implementation Example: *Ensure phone numbers are hyperlinked with active `tel:` links.*

Source of Truth: Current Website Callouts

AS-IS EVALUATION

The annotated layout below captures your website structure and observed friction points, with numbered markers corresponding to specific diagnostic findings.

Schematic Viewport Layout (Structural Wireframe Representation)

Upload authentic screenshot in Step 2 to replace with live visual capture



NUMBERED CALLOUTS (4)

1 Vague Hero Slogan
Abstract slogan "Innovative Solutions for Modern Enterprise" obscures commercial HVAC/facility trade.

2 Competing Action Buttons
Three competing CTAs ("Explore Services", "Brochure", "Contact") divide user attention.

3 Unclickable Mobile Phone
Emergency dispatch phone number is plain text with no active tel: link.

4 Social Proof Buried
Customer reviews and OSHA certifications are located below the fold.

VISUAL DEMONSTRATION


Fixed Direction: Recommended Redesign

PROPOSED SOLUTION

This mockup demonstrates how restyling the above-the-fold layout with outcome-driven headlines, visible social proof, and a low-friction quote mechanism resolves the identified issues.

Schematic Viewport Layout (Structural Wireframe Representation)

Upload authentic screenshot in Step 2 to replace with live visual capture



NUMBERED CALLOUTS (4)

1 Clear Trade Headline
Direct trade outcome: "Commercial Facility Maintenance & Fast Dispatch Across the Metro Area."

2 Single Primary CTA
High-contrast, prominent primary button: "Request Emergency Service / Quote".

3 Trust & Proof Strip
Prominent trust and compliance badge strip: "OSHA-Certified Technicians • Fully Insured • Verified Commercial Clients".

4 1-Tap Mobile Call Bar
Instant click-to-call button with verified tel: dispatch routing.

Conversion Blueprint: Before vs. After

PATH OPTIMIZATION

Comparing how visitors currently drop off versus the frictionless, high-converting journey created by the recommended structure.

Current Frictional Path

1. Visitor lands from commercial search
2. Reads abstract slogan "Innovative Solutions for Modern Enterprise"
3. Encounters 3 competing buttons with no clear starting step
4. Attempts to tap phone on mobile, but number is unclickable text
5. Bounces to call a competitor with immediate phone intake

Recommended Streamlined Flow

1. Facility manager lands and immediately sees commercial trade & 2-hour dispatch guarantee
2. Inspects verified OSHA/NATE certifications and direct trade proof right below hero
3. Clicks prominent "Request Service" or taps 1-click mobile phone bar
4. Enters 3-field facility intake form (Property type, issue, urgent/standard)
5. Receives instant dispatch confirmation and work order number

Fix Next (Secondary Improvements) 2 ITEMS

1. Three competing action buttons appear in the header and hero with equal visual weight

Establish ONE high-contrast primary conversion action paired with a low-friction intake path.

2. Verified facility customer reviews and safety credentials are buried below the fold

Embed a high-visibility social proof strip right below the hero headline with verified ratings and authentic photos.

IMPLEMENTATION & NEXT ACTIONS

Recommended Solution & Next Step

ACTION PLAN

Based on the diagnostic findings and conversion score of **52 / 60**, here is our targeted recommendation to execute these improvements:

RECOMMENDED IMPLEMENTATION

48-Hour Conversion Rescue

$350

48 Hours

Complete implementation of the high-converting hero headline, single primary intake CTA, mobile click-to-call bar, and above-the-fold social proof trust strip.

WHAT IS INCLUDED IN YOUR SCOPE:

Includes trade messaging rewrite, mobile tap-to-call optimization, trust bar styling, and 3-field quote intake form.

Questions or ready to schedule? Contact **hello@apexgrowth.test**

Schedule 48-Hour Conversion Rescue →