Save | Share

GET | http://localhost:3000/api/arviointi | Send

Docs | Params | Authorization | Headers (6) | Body | Scripts | Settings | Cookies

Headers | Hide auto-generated headers

	Key	Value	Description	Bulk Edit	Presets
☑	Postman-Token	\<calculated when request is sent\>			
☑	Host	\<calculated when request is sent\>			
☑	User-Agent	PostmanRuntime/7.51.1			
☑	Accept	*/*			
☑	Accept-Encoding	gzip, deflate, br			
☑	Connection	keep-alive			
	Key	Value	Description		

Body | Cookies | Headers (7) | Test Results | 200 OK · 4 ms · 453 B

JSON | Preview | Visualize

```
1  [
2      {
3          "idArviointi": 30,
4          "Paivamaara": "2015-09-03T21:00:00.000Z",
5          "Arvosana": 0,
6          "idOpiskelija": 9,
7          "idOpintojakso": 11
8      },
9      {
10         "idArviointi": 32,
11         "Paivamaara": "2015-09-04T21:00:00.000Z",
12         "Arvosana": 0,
13         "idOpiskelija": 9,
14         "idOpintojakso": 11
15     }
16 ]
```

Save | Share

POST | http://localhost:3000/api/arviointi | Send

Docs | Params | Authorization | Headers (8) | Body ● | Scripts | Settings | Cookies

○ none ○ form-data ○ x-www-form-urlencoded ● raw ○ binary ○ GraphQL JSON | Schema | Beautify

```
1  {
2      "paivamaara":"2015-09-04",
3      "arvosana":"0",
4      "idOpiskelija":9,
5      "idOpintojakso":11
6  }
```

Body | Cookies | Headers (7) | Test Results | 200 OK · 9 ms · 344 B

JSON | Preview | Visualize

```
1  {
2      "fieldCount": 0,
3      "affectedRows": 1,
4      "insertId": 33,
5      "info": "",
6      "serverStatus": 2,
7      "warningStatus": 0,
8      "changedRows": 0
9  }
```

Save | Share

PUT | http://localhost:3000/api/arviointi/32 | Send

Docs | Params | Authorization | Headers (8) | Body ● | Scripts | Settings | Cookies

○ none ○ form-data ○ x-www-form-urlencoded ● raw ○ binary ○ GraphQL JSON | Schema | Beautify

```
1  {
2      "paivamaara":"2015-09-05",
3      "arvosana":5,
4      "idOpiskelija":9,
5      "idOpintojakso":11
6  }
```

Body | Cookies | Headers (7) | Test Results | 200 OK · 10 ms · 383 B

JSON | Preview | Visualize

```
1  {
2      "fieldCount": 0,
3      "affectedRows": 1,
4      "insertId": 0,
5      "info": "Rows matched: 1  Changed: 1  Warnings: 0",
6      "serverStatus": 2,
7      "warningStatus": 0,
8      "changedRows": 1
9  }
```

DELETE   http://localhost:3000/api/arviointi/30   Save ∨   Share

Docs   Params   Authorization   Headers (6)   Body   Scripts   Settings   Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body   Cookies   Headers (7)   Test Results   200 OK · 21 ms · 343 B

JSON ∨   ▷ Preview   ⊡ Visualize ∨

```
1  {
2      "fieldCount": 0,
3      "affectedRows": 1,
4      "insertId": 0,
5      "info": "",
6      "serverStatus": 2,
7      "warningStatus": 0,
8      "changedRows": 0
9  }
```

GET   http://localhost:3000/api/arviointi   Save ∨   Share

Docs   Params   Authorization   Headers (6)   Body   Scripts   Settings   Cookies

Headers   Hide auto-generated headers

Key	Value	Description	Bulk Edit Presets ∨
☑ Postman-Token	ⓘ <calculated when request is sent>		
☑ Host	ⓘ <calculated when request is sent>		
☑ User-Agent	ⓘ PostmanRuntime/7.51.1		
☑ Accept	ⓘ */*		
☑ Accept-Encoding	ⓘ gzip, deflate, br		
☑ Connection	ⓘ keep-alive		
Key	Value	Description	

Body   Cookies   Headers (7)   Test Results   200 OK · 4 ms · 453 B

JSON ∨   ▷ Preview   ⊡ Visualize ∨

```
1  [
2      {
3          "idArviointi": 32,
4          "Paivamaara": "2015-09-04T21:00:00.000Z",
5          "Arvosana": 5,
6          "idOpiskelija": 9,
7          "idOpintojakso": 11
8      },
9      {
10         "idArviointi": 33,
11         "Paivamaara": "2015-09-03T21:00:00.000Z",
12         "Arvosana": 0,
13         "idOpiskelija": 9,
14         "idOpintojakso": 11
15     }
16 ]
```

http://localhost:3000/api/opiskelija

Save | Share

GET | http://localhost:3000/api/opiskelija | Send

Docs | Params | Authorization | Headers (6) | Body | Scripts | Settings | Cookies

Headers | Hide auto-generated headers

Key	Value	Description
Postman-Token	<calculated when request is sent>	
Host	<calculated when request is sent>	
User-Agent	PostmanRuntime/7.51.1	
Accept	*/*	
Accept-Encoding	gzip, deflate, br	
Connection	keep-alive	
Key	Value	Description

Bulk Edit | Presets

Body | Cookies | Headers (7) | Test Results | 200 OK · 3 ms · 609 B

JSON | Preview | Visualize

```
1   [
2       {
3           "idOpiskelija": 9,
4           "Etunimi": "Test",
5           "Sukunimi": "Test",
6           "Osoite": "Test",
7           "Luokkatunnus": "Test"
8       },
9       {
10          "idOpiskelija": 10,
11          "Etunimi": "Test",
12          "Sukunimi": "Test",
13          "Osoite": "Test",
14          "Luokkatunnus": "Test"
15      },
16      {
17          "idOpiskelija": 11,
18          "Etunimi": "Test",
19          "Sukunimi": "Test",
20          "Osoite": "Test",
21          "Luokkatunnus": "Test"
22      },
23      {
24          "idOpiskelija": 12,
25          "Etunimi": "Test",
26          "Sukunimi": "Test",
27          "Osoite": "Test",
28          "Luokkatunnus": "Test"
29      }
30  ]
```

http://localhost:3000/api/opiskelija

Save | Share

POST | http://localhost:3000/api/opiskelija | Send

Docs | Params | Authorization | Headers (8) | Body | Scripts | Settings | Cookies

none | form-data | x-www-form-urlencoded | raw | binary | GraphQL | JSON   Schema | Beautify

```
1   {
2       "etunimi":"Test",
3       "sukunimi":"Test",
4       "osoite":"Test",
5       "luokkatunnus":"Test"
6   }
```

Body | Cookies | Headers (7) | Test Results | 200 OK · 18 ms · 344 B

JSON | Preview | Visualize

```
1   {
2       "fieldCount": 0,
3       "affectedRows": 1,
4       "insertId": 13,
5       "info": "",
6       "serverStatus": 2,
7       "warningStatus": 0,
8       "changedRows": 0
9   }
```

PUT | http://localhost:3000/api/opiskelija/12 | Send

Docs Params Authorization Headers (8) **Body** • Scripts Settings

none form-data x-www-form-urlencoded ● raw binary GraphQL JSON

```
1  {
2      "etunimi":"Test1",
3      "sukunimi":"Test1",
4      "osoite":"Test1",
5      "luokkatunnus":"Test1"
6  }
```

Body Cookies Headers (7) Test Results

200 OK · 9 ms · 383 B

JSON ▷ Preview Visualize

```machine_data
1  {
2      "fieldCount": 0,
3      "affectedRows": 1,
4      "insertId": 0,
5      "info": "Rows matched: 1  Changed: 1  Warnings: 0",
6      "serverStatus": 2,
7      "warningStatus": 0,
8      "changedRows": 1
9  }
```

DELETE | http://localhost:3000/api/opiskelija/11 | Send

Docs **Params** Authorization Headers (6) Body Scripts Settings

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers (7) Test Results

200 OK · 21 ms · 343 B

JSON ▷ Preview Visualize

```machine_data
1  {
2      "fieldCount": 0,
3      "affectedRows": 1,
4      "insertId": 0,
5      "info": "",
6      "serverStatus": 2,
7      "warningStatus": 0,
8      "changedRows": 0
9  }
```

http://localhost:3000/api/opiskelija

Save Share

GET http://localhost:3000/api/opiskelija Send

Docs Params Authorization Headers (6) Body Scripts Settings Cookies

Headers   Hide auto-generated headers

	Key	Value	Description	... Bulk Edit Presets
☑	Postman-Token	ⓘ <calculated when request is sent>		
☑	Host	ⓘ <calculated when request is sent>		
☑	User-Agent	ⓘ PostmanRuntime/7.51.1		
☑	Accept	ⓘ */*		
☑	Accept-Encoding	ⓘ gzip, deflate, br		
☑	Connection	ⓘ keep-alive		
	Key	Value	Description	

Body Cookies Headers (7) Test Results   200 OK · 6 ms · 613 B

{} JSON   Preview   Visualize

```
 1  [
 2    {
 3      "idOpiskelija": 9,
 4      "Etunimi": "Test",
 5      "Sukunimi": "Test",
 6      "Osoite": "Test",
 7      "Luokkatunnus": "Test"
 8    },
 9    {
10      "idOpiskelija": 10,
11      "Etunimi": "Test",
12      "Sukunimi": "Test",
13      "Osoite": "Test",
14      "Luokkatunnus": "Test"
15    },
16    {
17      "idOpiskelija": 12,
18      "Etunimi": "Test1",
19      "Sukunimi": "Test1",
20      "Osoite": "Test1",
21      "Luokkatunnus": "Test1"
22    },
23    {
24      "idOpiskelija": 13,
25      "Etunimi": "Test",
26      "Sukunimi": "Test",
27      "Osoite": "Test",
28      "Luokkatunnus": "Test"
29    }
30  ]
```

GET | http://localhost:3000/api/opintojakso | Send

Docs | Params | Authorization | Headers (6) | Body | Scripts | Settings

Cookies

Headers | Hide auto-generated headers

	Key	Value	Description
☑	Postman-Token	`<calculated when request is sent>`	
☑	Host	`<calculated when request is sent>`	
☑	User-Agent	PostmanRuntime/7.51.1	
☑	Accept	*/*	
☑	Accept-Encoding	gzip, deflate, br	
☑	Connection	keep-alive	
	Key	Value	Description

Body | Cookies | Headers (7) | Test Results | 200 OK · 12 ms · 363 B

JSON | Preview | Visualize

```
1  [
2    {
3      "idOpintojakso": 10,
4      "Koodi": "Test1",
5      "Laajuus": 3,
6      "Nimi": "Test1"
7    },
8    {
9      "idOpintojakso": 12,
10     "Koodi": "Test",
11     "Laajuus": 2,
12     "Nimi": "Test"
13   }
14 ]
```

POST | http://localhost:3000/api/opintojakso | Send

Docs | Params | Authorization | Headers (8) | Body ● | Scripts | Settings

Cookies

none | form-data | x-www-form-urlencoded | ● raw | binary | GraphQL | JSON | Schema | Beautify

```
1  {
2    "koodi":"Test",
3    "laajuus":2,
4    "nimi":"Test"
5  }
```

Body | Cookies | Headers (7) | Test Results | 200 OK · 21 ms · 344 B

JSON | Preview | Visualize

```
1  {
2    "fieldCount": 0,
3    "affectedRows": 1,
4    "insertId": 13,
5    "info": "",
6    "serverStatus": 2,
7    "warningStatus": 0,
8    "changedRows": 0
9  }
```

PUT   http://localhost:3000/api/opintojakso/12   **Send**

Docs   Params   Authorization   Headers (8)   Body •   Scripts   Settings   Cookies

○ none   ○ form-data   ○ x-www-form-urlencoded   ● raw   ○ binary   ○ GraphQL   JSON   Schema   Beautify

```json
1  {
2      "koodi":"Test2",
3      "laajuus":4,
4      "nimi":"Test2"
5  }
```

Body   Cookies   Headers (7)   Test Results   200 OK · 25 ms · 383 B

JSON   ▷ Preview   Visualize

```json
1  {
2      "fieldCount": 0,
3      "affectedRows": 1,
4      "insertId": 0,
5      "info": "Rows matched: 1  Changed: 1  Warnings: 0",
6      "serverStatus": 2,
7      "warningStatus": 0,
8      "changedRows": 1
9  }
```

DELETE   http://localhost:3000/api/opintojakso/10   **Send**

Docs   Params   Authorization   Headers (6)   Body   Scripts   Settings   Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body   Cookies   Headers (7)   Test Results   200 OK · 8 ms · 343 B

JSON   ▷ Preview   Visualize

```json
1  {
2      "fieldCount": 0,
3      "affectedRows": 1,
4      "insertId": 0,
5      "info": "",
6      "serverStatus": 2,
7      "warningStatus": 0,
8      "changedRows": 0
9  }
```

http://localhost:3000/api/opintojakso

Save | Share | 🔗

GET | http://localhost:3000/api/opintojakso | Send ▾

Docs | Params | Authorization | Headers (6) | Body | Scripts | Settings

Cookies

Headers 🖉 Hide auto-generated headers

	Key	Value	Description	··· Bulk Edit Presets ▾
☑	Postman-Token	ⓘ <calculated when request is sent>		
☑	Host	ⓘ <calculated when request is sent>		
☑	User-Agent	ⓘ PostmanRuntime/7.51.1		
☑	Accept	ⓘ */*		
☑	Accept-Encoding	ⓘ gzip, deflate, br		
☑	Connection	ⓘ keep-alive		
	Key	Value	Description	

Body Cookies Headers (7) Test Results ⟲   200 OK · 4 ms · 363 B · 🌐 ···

{} JSON ▾   ▷ Preview   ☒ Visualize ▾

```
 1  [
 2      {
 3          "idOpintojakso": 12,
 4          "Koodi": "Test2",
 5          "Laajuus": 4,
 6          "Nimi": "Test2"
 7      },
 8      {
 9          "idOpintojakso": 13,
10          "Koodi": "Test",
11          "Laajuus": 2,
12          "Nimi": "Test"
13      }
14  ]
```

---

http://localhost:3000/api/opintojakso

Save | Share | 🔗

GET | http://localhost:3000/api/opintojakso | Send ▾

Docs | Params | Authorization | Headers (6) | Body | Scripts | Settings

Cookies

Headers 🖉 Hide auto-generated headers